

असाधारण EXTRAORDINARY

भाग III—खर्ण्ड 4 PART III—Section 4

प्राधिकार से प्रकाशित PUBLISHED BY AUTHORITY

सं. 33]

नई दिल्ली, मगलवार, फरवरी 14, 2012/माघ 25, 1933

No 33]

NEW-DELHI, TUESDAY, FEBRUARY 14, 2012/MAGHA 25, 1933

महापत्तन प्रशुल्क प्राधिकरण

अधिसूचना

मुम्बई, 10 फरवरी, 2012

सं. टीएएमपी/51/2011-सीआईटीपीएल.—महापत्तन न्यास अधिनियम, 1963 (1963 का 38) की धारा 48 द्वारा प्रदेत्त शिक्तरेयों का प्रयोग करते हुए महापत्तन प्रशुल्क प्राधिकरण एतद्द्वारा, चेन्नई इटरनेशनल टर्मिनल्स प्राइवेट लिमिटेड से उसके देखीन के सामान्य संशोधन के लिये प्राप्त प्रस्ताव की इसके साथ संलग्न आदेशानुमार निपटाता है।

महापत्तन प्रशुल्क प्राधिकरण

प्रकरण सं. टीएएमपी/51/2011-सीआईटीपीएल

चेन्नई इन्टरनेशनल टर्मिनल्स प्राइवेट लिमिटेड

आवेदक

आदेश

(जनवरी, 2012 के 6ठे दिन पारित)

यह प्रकरण चेन्नई पत्तन न्यास (सीएचपीटी) पर अपने कटेनर टर्मिनल के लिये दरमान के सामान्य सशोधन हेतुं चेन्नई इटरनेशनल टर्मिनल्स प्राइवेट लिमिटेड (सीआईटीपीएल) द्वारा दाखिल किए गए प्रस्ताव से सबधित है।

486 G1/2012

- 2.1 सीआईटीपीएल का वर्तमान दरमान, 31 दिसंबर 2011 तक की वैद्यता अविध के साथ आदेश से. टीएएमपी / 10 / 2009-सीआईटीपीएल दिनांक 3 नवंबर 2010 द्वारा अनुमोदित किया यया था। इस प्राधिकरण द्वारा पारित आवेश से. टीएएमपी / 23 / 2003-डब्ल्यूएस दिनांक 30 सितंबर 2008 के पैराग्राफ 5(I) (क) के अनुसार महापत्तन न्यासों और निजी टॉर्मनसों को, पिछले वर्ष के वास्तविकों के साथ अपने प्रस्ताव उस वित्तीय वर्ष की 30 जून तक, जिसमें प्रशुक्क संशोधन देय होता है, प्रस्तुत कर देने हैं। चूकि नवंबर 2010 में निर्धारित सीआईटीपीएल के प्रशुक्क की समीक्षा वर्ष 2011-12 में देय हो गई थी, सीआईटीपीएल से अपेक्षा थी कि वह अपना प्रस्ताव 30 जून 2011 तक दाखिल कर दे। चूकि हमें सीआईटीपीएल से कोई समाचार नहीं मिला, दिनांक 15 जुलाई 2011 के हमारे पत्र द्वारा सीआईटीपीएल को सलाह दी गई कि वह तुरत अपना प्रस्ताव दाखिल करे।
- 2.2 प्रत्युक्तर में, सीआईटीपीएल ने मात्रा और प्रचालन लागत का अनुमान लगाने में आ रही किनाइयों का उल्लेख करते हुए, दिनाक 21 जुलाई 2011 के अपने पत्र के द्वारा, अपना प्रस्ताव दाखिल करने हेतु 30 सितंबर 2011 तक का समय मागा। अतएव, मार्च 2005 के प्रशुक्क मार्गदर्शियों की धारा 3.1.3 के अनुसार, सीआईटीपीएल को अपना प्रस्ताव दाखिल करने के लिवे दिनांक 12 अगस्त 2011 के हमारे पत्र द्वारा 30 सितंबर 2011 तक का समय प्रदान किया गया।
- 2.3 इस पृष्ठ यूमि में, सीआईटीपीएल नें दिनाक 14 अक्तूबर 2010 के अपने पत्र द्वारा अपने दरमान के सामान्व संशोधन के लिये अपना प्रस्ताव दाखिल किया।
- 3.1 सीआईटीपीएल द्वारा उसके प्रस्ताव में उठाए गए मुंख्य मुद्दे सक्षेप में निम्नानुसार हैं -
 - (i) चेन्नई पत्तन न्यास ने, निर्माण करो-प्रचालन करे-हस्तान्तरित करों (बीओटी) आधार पर, चेन्नई पत्तन पर कटेनर टिमिनल के निर्माण हेतु मार्च 2007 में सीआईटीपीएल के साथ 30 वर्ष के लिये एक लाइसैंस एग्रीमैंट पर हस्ताक्षर किये। इस परियोजना में क्यों का निर्माण समाहित है (जिनकी) कुल को लबाई 832 मीटर खाड़ी (जल कुम) की गहराई 15 5 मीटर, यार्ड स्पेस (यार्ड में रखने की जगह) 3,50,000 वर्ग मीटर होगा तथा टिमिनल पर कंटेनरों के प्रहस्तन के लिये उपकरण प्रदान करना शामिल है।
 - (ii) बर्थ / बर्थों का उपयोग पूरी तरह से लंदे हुए पैनामैक्स और सुपर-पोस्ट-पैनामैक्स पोतों समेत विभिन्न प्रकार और माप के पोतों के प्रहस्तन के लिये किया जाएगा । टर्मिनल ने न्यूनतम उपकरण अपने-अपने स्थान पर लगाकर और प्रचालित कर 22 सितंबर 2009 से प्रचालन आरम कर दिया । लाइ.एग्री. में तीसरे प्रचालन वर्ष से. मुख्य धारा पोतों से न्यूनतम माल बुलाई का प्रावधान है।
 - (iii) प्रचालन की प्रमुख बातों में से एक है 20'कटेनरों से बड़े आकार के कटेनरों के प्रहस्तन की बढ़ती हुई संख्या । कैलैंडर वर्ष 2011 में बॉक्स-रेशों 0.99 रहने की समावना है ।
 - (iv) 22 सितंबर 2009, जबसे सीआईटीपीएल ने अपना प्रचालन आरंग किया, से अगस्त 2011 के अंत तक सीआईटीपीएल का निष्पादन नीचे दिया गया है :-

(रु.लाखा में)

क्रम सं.	विवरण	2009 (22सित 2009 से)	2010	2011 (अगस्त तक)
1	केटेनर यातायात (टीईयू)	20100	304752	311014
2.	प्रचालनी से आय	451	7082	8914
3,	प्रचालन व्यय	736	4055	3291
4.	मूल्यहास	713	2922	1823
5.	नियोजित पूंजी	61473	59057	58252
5.	आरओसीई @16%	2722	9449	9320
7.	अधिशेष / घाटा (कमी)	-3720	-9344	-5601

- (v) वर्तमान प्रस्ताव 1 जनवरी 2012 से आरंभ होने वाली 3 वर्ष की अविध के लिये प्रशुक्क-निर्धारण हेतु है । वेन्नई, तूरीकोरिन, एनएसआईसीटी आदि प्रतियोगी टर्मिनलों से बेहतर क्षमता प्रदान करने के लिये इस टर्मिनल पर अतिरिक्त सुविधाएं जुटाने की योजना है। पड़ोसी टर्मिनल सीसीटीपीएल ने जब अपना प्रचालन आरंभ किया तो उसे सीएचपीटी पर बधों के अस्तित्व के साथ-साथ उपकरणों की कम लागत और उमड़ते हुए यातायात का लाम मिला था। आज यह (टर्मिनल) मूल्यहासित परिसंपत्तियों के सैट की सहायता से मी अपना कारोबार चलाता है और इस प्रकार, वह सीआईडीपीएल से कम प्रशुक्क पर अपनी गतिविधि, सीआईटीपीएल से कम प्रशुक्क पर लामप्रद रूप से सचालित करते हुए कही बेहतर स्थित में है। इसलिये, अपने पड़ोसी टर्मिनलों से स्पर्धा करने के लिये सीआईटीपीएल को, कम / निचले प्रशुक्क के अलावा किसी अन्य विकल्प की तलाश करनी होगी।
- - (का) ट्रेलर प्रचालको द्वारा अचानक हड़ताल कर देना जिसकी वजह से इन्वेंट्री का बहुत सा काम इकट्ठा होता चला जाता है और इस प्रकार निर्यात कार्गी धीमी गति से आगे बढ़ता है।
 - (ख) पत्तन से आयात (कार्गी) की धीमी निकासी।
 - (ग) सड़क पर लंबी-लंबी कतारे।
 - (च) पत्तन के द्वारों पर अपर्याप्त इन्फ्रास्टक्वर
 - (ङ) सङ्कों की दयनीय / खस्ता हालत
- (VII) सीआईटीपीएल के आसपास आने वाले नए टर्मिनल उपकरणों से भलीमाति सुसज्ज हैं, जैसे -

 - (ख) 6क्ष्यूसीज़ और 11 आरटीजीज के साथ कृष्णापत्तनम्
 - (ग) 2क्यूसीख के साथ करकल
 - (घ) क्षुत्रयूतीज और 33 आएटींजीज के साथ इन्नोर (योजना में)
 - (ङ) 8क्रयूसीज और 24 आरटीजीज के साथ सीसीटीपीएल

स्पर्धा करने की दृष्टि से, 3 क्रयूसीज के साथ सीआईटीपीएल बहुत कमजोर स्थित में है। सीआईटीपीएल की तुलनात्मक शक्ति जसकी लम्बी को लम्बाई है। सीआईटीपीएल को इसका उपयोग टर्मिनल पर कटेनरों की त्वरित विकासी प्रदान करने के लिये करना चाहिये। इसके लिये सीआईटीपीएल को पर्याप्त संख्या में कटेनर प्रहस्तन उपकरण लगाने की आवश्यकता है। अतिरिक्त कटेनर प्रहस्तन उपकरण लगाने से पोतों की त्वरित वापसी सुनिश्चित होगी क्योंकि शिपिंग लाइन्स पत्तनों में बिताए समय की मात्रा को कम से कम करना चाहती है और उन पत्तनों को वरीयता देती हैं जहां पोत अपेक्षाकृत तीव्र गति से (कम समय में) वापिस लीट जाते है।

(VIII) अतएवं सीआईटीपीएल द्वारा कारोबार की रणनीति के रूप में, पोतों की त्वरित वापसी द्वारा ग्राहक सतुध्दि को अगीकार किया गया है। इसलियं, रणनैतिक कारणों से और स्पर्धात्मक श्रेष्ठता के लियं, सीआईटीपीएल को अतिरिक्त उपकरणों में निवेश करने की जरू रत है। इसने वर्ष 2012 में 4 आरएमक्यूसीज और 8 आरटीजीज प्रचालित करने का प्रस्ताव किया है। आदेश पहले ही जारी किये जा चुके हैं और क्रेनें 2012 की तीसरी तिमाही में प्रचालित किये जाने की

उम्मीद है। (चर्चित उपकरण खरीदने हेतु अतिरिक्त निवेश, सीआईटीपीएल द्वारा रू 246.68 करोड सुनिश्चित कर दिया गया है)

- (ix) सीआईटीपीएल अपने परिसर के भीतर एक गोदी से हटकर (ऑफ खॉक) रेल-साइडिंग सी प्रदान कर रहा है और (इसके द्वारा) वह दूरस्थ ग्रामीण प्रदेशों से निर्बाध संपर्क प्रदान कर रहा है । टर्मिन्छ 725 मीटर प्रत्येक की लंबाई वाले 2 रेकों का (एक ही समय) प्रहस्तन कर सकता है। सीआईटीपीएल से निजी रेल प्रधालन सीख़ ही आरंग होने वाले हैं। ये प्रचालन एक बार आरंग हो जाए तो (कार्गों की) मात्रा बढ़ती जाएंगी और इसलिये अतिहिक्क उपकर्म्य खरीदना अनिवार्य हो गया है।
- (x) सामान्यतया, 1.35 बॉक्स-रेशों और 7 आरएमक्यूसीख के साथ टर्मिनल को 14 लाख टीईयू का प्रहस्तनें कर सेना चाहिये था। किन्तु निम्नतर बॉक्स-रेशों टर्मिनल की क्षमता पर गंमीर क कावंट खुलता है। ऐ. अ के वर्तमान बॉक्स-रेशों के साथ 7क्यूसीख की क्षमता केवल 10.6 लाख टीईयू होती है। इसे निम्नतिखित से समझा जा सकता है.-

बर्ध की क्षमता = 0.7*24*25* 365* 0.99* 7 = 1062369 टीईयूज

दक्षिण भारत में औद्योगिकरण के कारण टर्मिनल पर बर्ड-बर्ड बॉक्सों की आमद जारी रहने क्ष्रें संभावना है। इसलिये हो सकता है निकट भविष्य में, बॉक्स-रेशो 0 99 से आगे न जाए।

(XI) 2011 में अपेक्षित 4,50,000 टीईयूज से वर्ष 2014 में 10,66,163 टीईयूज तक बढ़ते यातामाह के साम 4 आरएमस्यूसीख (प्रचालन में) लाना अनिवार्य हो गया है। वर्षवार कटेनर माल बुलाई और टर्मिनल क्षमता-नीचे सारणीबस्य है :-

क्रम सं.	स्यीरा	2012	2013	2014
1	दर्मिनल क्षमता	758835	1062369	1062369
2.	कंटेनर यातायात	585000	7897 60	1066163

उम्मीद है कि वर्ष 2012 के उत्तरार्ध में क्रेने प्रचालन में आ जाएगी और इनकी उपलब्धता वर्ष 2012 में केवल आधा वर्ष ही मानी गई है। अतएव, वर्ष 2013 की क्षमता है माह पहले, वर्ष 2012 में ही सृजित की जा रही है।

- (xii) आरएमत्रयूसीज और आरटीजीज खरीदने के अतिरिक्त निर्माण कार्यों में का 3000 लाख ब्यय करने की योजना है। लाइसैंस एग्रीमैंट के अनुसार सीआईटीपीएल को 35 8 ha मूसिक्षेत्र आबटित किया गया था। किन्तु, सीएचपीटी ने आज तक केवल 28ha ही सुपुर्द किया है और शंव भू-क्षेत्र को रि-क्लेम किया जा रहा है। उम्मीद हैं, सीएचपीटी शंव 7 8ha भूमि-क्षेत्र वर्ष 2012 में ही सुपुर्द कर दे। यातायात में अमिकल्यित वृद्धि के प्रहस्तन के लिये वर्तमान भंडारण क्षमता पर्याप्त नहीं होगी। इसलिये, बढ़ती हुई मात्रा की आवश्यकता पूरी करने के लियें, सीएचपीटी द्वारा सौंपें जीने वाली शंव भूमि को विकसित किया जाएगा और मंडारण के प्रयोजन से केटेनर यार्ड के रूप में उपयोग में लाया जाएगा।
- (xiii) प्रक्षेपित आय व्यय (पत्तन को देय राजस्व भाग को हिसाब-किताब में लिये बिना) और अधिकतम अनुमेय आरओसीई के आधार पर वर्ष 2009 से 2014 तक के लिये प्रचालन घाटे में जाएंगे, जैसार्कि नीचे सक्षेप में दिया है

			1	2013पी	2014पी
20100	304752	450000	585000	<u>7</u> 89750	1066163
451	7082	13131	17723	23940	32319
511_	2799	4732	7125	8752	10564
713	2922.	2920	549 4	5449,	5445
225	1257	1015	1405 -	_p 1517,	1635
61473	59057	58252	80203	z 77922 -	72593
2722	9449	9320	12833	12468	11615
-3720	9345	-4858	-9134	-4246	3060
-825%	-132%	-37%	-52%	-18%	9%
	511_ 713 225 61473 2722 -3720 -825%	451 7082 511 2799 713 2922. 225 1257 61473 59057 2722 9449 -3720 -9345 -825% -132%	451 7082 13131 511 2799 4732 713 2922 2920 225 1257 1015 61473 59057 58252 2722 9449 9320 -3720 -9345 -4858 -825% -132% -37%	451 7082 19131 17723 511 2799 4732 7125 713 2922 2920 5494 225 1257 1015 1405 61473 59057 58252 80203 2722 9449 9320 12833 -3720 -9345 -4858 -9134 -825% -132% -37% -52%	451 7082 13131 17723 23940 511 2799 4732 7125 8752 713 2922 2920 5494 5449 225 1257 1015 1405 1517 61473 59057 58252 80203 77922 2722 9449 9320 12833 12468 -3720 -9345 -4858 -9134 -4246 -825% -132% -37% -52% -18%

- (XIV) वर्तमान प्रशुक्क के आधार पर सीआईटीपीएल दिसबर 2011 तक रू 247 48 करोड़ का घाटा उठा रहा है। अगले तीन वर्षों में, यह रू 100 35 करोड़ का घाटा और बढ़ा लेगा। रू 103 20 करोड़ की कमी (घाटे) को पूरा करने के लिये प्रशुक्क में रू .422.79 प्रति टीईयू की वृद्धि की जानी चाहिए। चूकि वर्तमान दर रू .3007/- प्रति टीईयू है, अनुरोध है कि प्रशुक्क को संशोधित कर रू 3458/- प्रति टीईयू कर देना चाहिए।
- 3 2 वर्ष 2012, 2013 और 2014 के लिये, प्रशुक्क के वर्तमान स्तर पर वित्तीय / लागत स्थिति जैसी सीआईटीपीएल द्वारा समेकित आंघ एवं लागत विवरणी में प्रतिबिम्बित है, नीचें सारणीबदंघ दी गई है -

(रू.लाखाँ मैं)

क्रम सं.	ब्यौरे	अनुमान			
(2012	2013	2014	
1	यातायात (टीईयू मैं)	585000	729750	1066163	
2.	प्रचालन आय	17723	23940	32319	
3.	प्रचातन व्यय	6859	8309	3913	
4.	मूल्यहास -	5494	5449	5445	
5	उपरिव्यय	1405	1517	1635	
6.	आरओसीई	12854	12510	11658	
7.	प्रतिलाम के बाद शुद्घ अधिशेष / (घाटे)	(8889)	(3845)	3668	
3 .	शुद्ध अधिशेष / (घाटा) - प्रचालन आय की प्रतिशतता के रूप-में	(*)50%	(-)16%	11%	
	तीन वर्षों की औसत		(-)1 2%		

- 33- सीआईटीपीएल ने 15% की प्रस्तावित प्रशुक्क वृद्घि के अलावा, अपने वर्तमान दरमान की परिभाषाओं, शीर्षकों और विभिन्न उपखंडों / धाराओं के अन्तर्गत-प्रदत्त टिप्पणियों में अनेक परिवर्तन प्रस्तावित किये हैं | इसने ''अतिरिक्त प्रभारों'' के रूप में तिम्निलिखित नई प्रशुक्क मदें भी प्रस्तावित की हैं -
 - (क) विज्ञानिक मीएचपीटी परिसर के भीतर किसी अन्य रेल शीर्ष अथवा कंटेनर टर्मिनल को कंटेनर स्थलान्तरण
 - 🚌 ४ (ख.) 🧪 क्रेटेनरॉ को प्लग करना / अनप्लग करना
 - 🖙 📢 🛒 कद्र-ऑफ समय के ब्राद कार्गों प्राप्त करना
 - ्। घु)ः भीधे लवान करना
 - 🔩 (ङ्र) 🤍 शू-बिन का प्रहस्तन्
 - (च) कटेनर सफाई प्रमार
 - (छ) कार्गों के साथ / बिना ट्रेलरों का वजन करना
 - (ज) केंटेनरों को भरने और खालीं करने ''तथा ''सील काटने '' से संबंधित ''सीमा शुल्क निरीक्षण प्रभार ' के अतर्गत उप-मर्दे (सब आइटम्स)
- 4 प्रदत्त परामशीं प्रक्रिया के अनुसार सीआईटीपीएल से प्राप्त प्रस्ताव की एक एक प्रति उनकी टिप्पणियों के लिये सीएवंपीही तिथा, संबंधित, उपयोगकर्ताः सगठनीं की भी अग्रेषित की गई थीं । सीएवंपीटी से प्राप्त टिप्पणिया उसकी राय के लिये पीआईटीपीएल को अग्रेषित की गई थीं और सीआईटीपीएस ने इस प्रकरण पर अतिम कार्रवाई तक भी अपनी राय नहीं दी है।
- 5 1 प्रस्ताव की प्राथमिक जाच-पड़ताल के आधार पर, दिनाक 21 नवबर 2011 के हमारे पत्र के माध्यम से सीआईटीपीएल से विभिन्न मुद्दों पर अतिरिक्त सूचना / स्प्टीकरण प्रस्तुत करने का अनुरोध किया गया था । सीआईटीपीएल ने दिनाक 5 दिसबर 2011 के अपने पत्र द्वारा उत्तर दिया । सीआईटीपीएल के उत्तर में कुछ झोल (किमया) थे और सीआईटीपीएल से कुछ और अतिरिक्त स्पष्टीकरण / सूचना की अपेक्षा थी । हमारे अनुरोध पर सीआईटीपीएल ने दिनाक 14 दिसबर 2011 के अपने पत्र और दिनाक 16 दिसबर 2011 के ई-मल द्वारा अतिरिक्त स्पष्टीकरण / सूचनाए प्रस्तुत कीं । हमारे द्वारा पूछे गए प्रश्न और सीआईटीपीएल के सक्षिप्त उत्तर नीचे एक दूसरे के सामने प्रस्तुत है •

क्र.सं.	प्राविकरण द्वारा पूछे गए प्रश्न	सीआईटीपीएल का उत्तर				
(ক)	सामान्व					
(i)	मार्च 2005 के प्रशुक्क मार्गदर्शियों में व्यवस्था है कि प्रशुक्क उत्पादकता के बैचमार्क स्तरों से सबद्ध होना चाहिये । सीआईटीपीएल ने बताया है कि अन्य टर्मिनलों से मुकाबला करने हेतु पोतों को त्वरित खाली करना / लादना तथा उन्हें शीघ्रातिशीघ्र वापिस भेजना सीआईटीपीएल की रणनीति है इसी रणनीति का पालन करते हुए सीआईटीपीएल ने कटेनर प्रहस्तन उपकरणों और मंडारण-मार्ड में आंतरिक्त निवेश करने का भी प्रस्ताव किया है । किन्तु, फार्म-1 के क्रम सं. 6 पर सीआईटीपीएल ने बताया है कि वह भविष्य में भी प्रतिघंट 20 हलचल (मूठ्य) का वर्तमान बैचमार्क बनाए रखने का विचार रखता है । सीआईटीपीएल उत्पादकता के बैचमार्क की समीक्षा करे और सीआईटीपीएल के वर्तमान दरमान में प्रदत्त 20 मूठ्य प्रति घंटा के वर्तमान उत्पादकता को उपयुक्त रूप / यथाचित रूप से अद्यतन करे।	अधिक से अधिक उपकरण लगाकर और प्रत्येक क्रेन द्वारा कट्रेनरों की उठाने रखने की दर में सुधार करने के जिएए अधिक से अधिक कारोबार / व्यवसाय आकर्षित करने की रणनीति के रूप में सीआईटीपीएल ने पोतों के वापिस लौट्रने के समय को घटाने का प्रस्ताव किया है। 20 मूट्ट प्रति घंटा के बैंचमार्क को बनाए रखने का प्रस्ताव है क्योंकि प्रत्येक क्रेन द्वारा अर्जित करने योग्य (सीजीआर) ग्रीस क्रेन रेट टर्मिनल पर मानवबल और उसके अन्य लॉजिस्टिक्स के तालमेल पर निर्मर करता है। सतत आधार पर बेहतर दक्षता प्राप्त करने में उन्हें कुछ अधिक समय की आवश्यकता है। यहा तक कि अन्य ट्रिनलों ने भी 20 मूट्ट प्रति घटा के बैंचमार्क सीजीआर तक पहुचने में 2-3 वर्ष का समय लिया है। नए उपकरण और नए प्रचालक वे अन्य कारण हैं जिनकी वजह से बेहतर बैंचमार्क हो देरी होगी। 20 मूट्ट प्रति घटा पर बैंचमार्क होने के बावजूद अतिरिक्का उपकरणों से आरम में, पोतों का वापसी-समय, अपने वर्तमान स्तर से 50% कम होने की समावना है।				
(ii)	सीआईटीपीएल ने बताया है कि इसकी मूल्य निर्धारण नीति लागत आधारित है। सीआईटीपीएल, सेवा प्रदान करने की लागत (कीमत) पर निष्पादनता में अपेक्षित सुधार के प्रमाव को सामने लाए।	वर्तमान 3 क्यूसीज के मुंकाबले टर्मिनल के पास 7 क्यूसीज होंगें और इसें प्रकार (कटेनर की) उतराई दक्षता के वर्तमाम स्तर से आरम में 233% तेज होगी। टर्मिनल में बर्थ की लबाई इतनी है कि उसमें एक बार में तीन पात आ सकते हैं। वर्तमान उपकरणों की सहायता से, यह प्रत्येक पोत पर एक क्यूसी लगा सकता है और 700 कटेनरों वाले एक पोत को कटेनरों को उतरवाने के लिये 35 घटे लगेंगे। अतिरिक्त उपकरणों की मदद से यह समय घटाकर 15 घटों तक किया जा सकता है। पत्तन उपयोगकृत्ती पोत सबधी प्रमारों की मद में लागत बचाएंगे और पत्तन पर बर्थ प्रमार भी बचाएंगे।				
(iii)	सीआईटीपीएलं फार्म-1 के क्रम सं.4 और 5 के अनुसार मागें गये ब्योरे प्रस्तुत करे।	से प्रस्तुत किया गया है। क्रम स 5 का ब्योरा फार्मेट-बी के फार्म-1 में प्रदान किया गया है। (सीआईटीपीएल ने प्रशुल्क परिवर्तन से पहले और उसके बाद एक विशेष प्रकार के पत्तन उपयोगकर्ता के लिये औसत लागत विवरण, जैसा परिवर्तित लागत विवरणियों में, फार्म-1 के क्रम स 5 पर अपेक्षित है, नहीं दिया गया है।)				
(iv)	2011 से 2014 तक के वर्षों के लिये. फार्म-1 की क्रम सं.7 पर सीआईटीपीएल द्वारा प्रस्तुत वार्षिक वित्तीय निहितार्थ, (प्रशुल्क संशोधन की मद में परिवर्तन पराुल्क के वर्तमान स्तर पर राजस्व पर आधारित है अतएव सीआईटीपीएल प्रशुल्क में प्रस्तावित संशोधन के नाम पर प्रस्ताव के वार्षिक वित्तीय निहितार्थ प्रस्तुव करे।	(लाख् क.में) क्र. विवर्रण 2011 2012 2013 2014 प्रशुल्क श्रेणी-1 (वर्तमान) 13843 15375 20763 27170				
(v)	मीआईटीपीएल, जनवरी 2011 से अक्तूबर 2011 तव की अवधि के लिये चार्टर्ड एकाउन्टैट द्वारा विधिक प्रमाणित वास्तविक प्रस्तुत करें । सीआईटीपीएल व	त लिये, चार्टर्ड एकाउन्हेंट द्वारा प्रमाणित वास्तुविक वित्तीय ब्यौरा प्रस्तुत कर				

(vii)

2011 के शंष बचे दो महीनों के अनुमान को संशोधिन करें और यदि आवश्यक हो तो जनवरी 2011 स अक्तूबर 2011 तक के वास्तिवकों के आधार पर वर्ष 2012 से 2014 तक के अनुमान भी संशोधित करें।

वास्तविक आकर्ड लागत विवरणी से मिला लिये गए हैं उसने कोई मिलान विवरणी प्रस्तुत नहीं की है)

(vi) सीआईटीपीएल ने बताया है कि वर्ष 2012 से 2014 तक रू. 103.20 करोड़ के अनुमानित घाटे को पूरा करने के लिये प्रशुक्त में रू. 3007 प्रति टीईयू की कथित वर्तमान दर से रू. 422.79 प्रति टीईयू की वृद्धि की जानी चाहिए । सीआईटीपीएल के अनुसार, प्रस्तावित प्रशुक्क रू. 3429 79 प्रति टीईयू परिगणित होता है, जबकि इसने रू. 3458/- प्रति टीईयू की दर प्रस्तावित की है । सीआईटीपीएल प्रस्तावित-ऊची दर का कारण स्पष्ट करे।

सीआईटीपोएल ने सशोधित फार्मेट-बी प्रस्तुत कर दिया है। अनुमानित घाटा और बढ़ गया है किन्तु प्रशुल्क में वर्तमान दर पर 15% वृद्धि प्रस्तावित है जो रू 3458/- प्रति टीईयू होती है।

सीआईटीपीएल में प्रशुक्क के पिछले संशोधन के दौरान, जिसकी परिणति 3 नवबर 2010 के आदेश के रूप में हुई थी, सीआईटीपीएल ने अपना प्रस्ताव दाखिल किया था जो भावी वर्षों के लिये प्रचालन व्ययाँ और प्रबंधन एवं सामान्य उपरिव्ययाँ के अनुमानन में इसके द्वारा दी गई घारणाओं पर आधारित था । चूंकि टर्मिनल ने अपना प्रचालन सितंबर 2009 में ही आएंग किया है, 3 महिनों के वास्तविका (अक्तूबर 2009 से दिसबर 2009 तक के) के ओकड़े जो सीआईटीपीएल द्वारा पेश किये गए थे. अगले तीन वर्षों के अनुमानों वैध ठहराने के लिये पर्याप्त नहीं थे । यह 3 नवबर 2010 के आदेश के पैराग्राफ 13 (॥)में भी दर्ज है। उसी पैराग्राफ में यह भी दर्ज है कि वित्तीय / लागत स्थिति का विश्लेषण केवल यह सुनिश्चित करने के लिये किया गया था कि सीआईदीपीएल द्वारा तब प्रस्तावित वर्तमान प्रशुल्क को जारी रखने से, प्रशुल्क मार्गदर्शियों द्वारा अमिकत्यित लागताधिक मॉडल से आगे कोई लाम प्रदान नहीं किया जाएगा। सीआईटीपीएल के वर्तमान प्रस्ताव में अनुमान भी इसी प्रकार की धारणाओं पर और इसके द्वारा पिछली सशोधन प्रक्रिया में अपनाए गए आधारों पर आधारित देखे गए हैं। किन्तु यह देखा गया है कि टर्मिनल द्वारा वर्ष 2010 में खर्च किये गए वास्तविकं व्यय में निम्नलिखित मदों के विषय में, प्रशुल्क के पिछले संशोधन के दौरान मरोसा किये गए अनुमानौं के मुकाबले उल्लेखनीय कमी है :

वर्तमान प्रस्ताव टर्मिनल के सचालन पर किये गए व्यय के अनुभव के साध-साथ भविष्य की वास्तविक मूल्य वृद्धि पर आधारित है। ये वैसे ही नहीं है जैसे 2009 में प्रक्षेपित करें गए थे। 2010 में मात्रा के रूप में व्यय की गई कम लागत प्रमुख रूप से कम यातायात और टर्मिनल द्वारा किये जा रहें घाटे के कारण कुछ आवश्यक खर्चों से बचने के कारण है। अर्जित अनुभव के कारण प्रचालन खर्चों के कुछ अनुमान पिछले प्रोजैक्शनों से कम किये गए हैं और अपफ्रट प्रशुल्क निर्धारित करने के लिये प्राधिकरण द्वारा प्रदत्त मानदडों से भी कम है।

(क) प्रचालनीय एवं प्रत्यक्ष श्रमिक

178 कर्मचारियों की आवश्यकता के मुकाबले केवल 83 ही लिये गए थे। इसके परिणामस्वरू प लागत कम हो गई। जैसाकि टर्मिनल को घाटा हो रहा था. कर्मचारियों की गुणवत्ता से भी समझौता किया गया था। प्रति व्यक्ति औसत वेतन रू. 2.12 लाख प्रतिवर्ष था जो आरम में प्रोजैक्ट किये गए वेतन से कम था किन्तु भविष्य के लिये प्रति कर्मचारी औसत लागत वेतन के वर्तमान स्तर पर आघारित है।

(ख) अनुरक्षण श्रमिक

लागत में कमी कर्मचारियों को कम वेतन के कारण तथा प्रचालन के लिये मानव बल कम लगाने के कारण भी है। प्रोजैक्शन के लिये प्रति कर्मचारी औसत लागत, वर्तमान में दिये जा रहे वेतन स्तरों पर आधारित की गई है।

(ग) उपकरण सचालन लागत

कम मात्रा और नये उपकरणों के कारण ईंघन की कम खपत, कम प्रचालन लागत के मुख्य कारण है। प्रोजैक्शन पिछली प्रवृत्ति पर आधारित है और बिजली तथा ईंघन दोनों की खपत, अपफ्रट प्रशुल्क निर्धारित करने के लिये खपत के लिये प्राधिकरण द्वारा प्रदत्त मानदंड से भी कम है। (घ) बीमा

कारोबार में हो रहे घाटों के कारण कुछ सामान्य बीमा सुरक्षाओं (कवर्स) से समझौता किया गया । प्रोजैक्शन्स वर्तमान बाजार वास्तविकताओं प्रचालन के उचित जोखिम मूल्याकन पर आधारित है और उनका निर्माण

क्र.सं. व्ययं की मद

मिन्नता # 216%

(क) प्रचालन एव प्रत्यक्ष 216%

श्रमिक

	(ख) अनुरक्षण भूमिक 40%	कार्यों के लियं 0 1% पर तथा उपकरणों के लियं 0 5% पर मूल्य निर्धारण
	(G) «(g	किया गया है जो अपफ्रट प्रशुल्क के लिये प्राधिकरण द्वारा निर्धारित
	(ग) उपकरण संचालन लागत 65%	मानदंड के अतर्गत प्रवत्त १% से बहुत कम है।
:	(घ) बीमा 379%	मानपुष्ठ के अंतराक्ष प्रस्ता किया निवास के विकास के विकास के स्वास के किया है कि किया किया है कि किया किया किया
*	(ভ) प्रबंधन एवं प्रशास 46%	(ड) प्र बंधन एवं प्रशा उपरिव्यय
	उपरिव्यय	, I
	उपरोक्त की दृष्टि से, सीआईटीपीएल भावी वर्षों के	मानवबल/श्रमशक्ति स्तर जानबूझकर कम रखा गया था क्योंकि टर्मिनल
	लिये खर्चों के अनुमानन में इसके द्वारा की गई	को घाटा हो रहा था। प्रचालन का स्तर और विगत में देखे गए वेतन स्तरों
	धारणाओं की वर्ष 2011 में किये गये वास्तविक खर्ची	के आधार पर प्रोजेक्शन्स अपेक्षित वास्सविक मानवबल पर आधारित किये
!	के आधार पर समीक्षा करे।	गयेथे।
	<u> </u>	
(Ant)	प्रस्ताव में देखा गया है कि सीआईटीपीएल द्वारा वर्ष	विसीय मॉडल ने वर्ष 2008 में प्रचलित को ही आंधार लागत डाटा माना है
Ì	2012 से 2014 तक वर्षों के लिये माना गया मुद्रा	और उसे वर्ष 2009 एवं 2010 के लिये 3 76% की दर से और बाद के वर्षी
1	स्फीति अवयव, वर्ष 2008 से शुरू करते हुए संचयी	के लिये 6% पर बिकाया- गया है। खर्चों का यह एक अत्यधिक परंपरावादी
]	आधार पर परिगणित किया गया है । सीआईटीपीएत	अनुमान है और वर्तमान लागतें, इस तरह परिकलित लागतों के काफी
	2012 से 2014 तक आगामी वर्षों के खर्चों के	समान आती हैं। सीआईटीप्रीएल का कहना है कि 2014 के लागत-स्तर-
	प्रोजैक्शन के लिये वास्तविक यूनिट लागत / वर्ष	लगाए गए अनुमानों / मूल्याकनों के तुल्य हैं।
	2011 के लिये वय्य पर 6% का मुद्रास्फीनि अवयव	
	तागू करे।	
(ख)	विगत में प्रदत्त अनुमानों से वास्तविकों की तुलना	
Ì	्रास्त्री है का उसके का कार्यों है	
1	प्रशुल्क मार्गदर्शियों की घारा 2.13 अपेक्षा करती है	
	कि यह प्राधिकरण प्रदत्त प्रशुल्क वैधता अर्जाध के अत	
İ	में वास्तविक उत्पादक एवं वित्तीय निष्पादनता की	1
	प्रचलित प्रशुल्क निर्धारित करते समय निर्मर किये गए	- 5
	प्रोजैक्सनों के सदर्ग से समीक्षा करे।	
705	सीआईटीपीएल, अक्तूबर 2011 तक के आकड़ी और	सीआईटीपीएल ने कथित रूप से अक्तूबर 2011 तक के वास्तविक
(i)	शेष दो महिनों के अनुमानों के आधार पर फार्म-7 में	
	वर्णित वर्ष 2011 के आंकड़ों को अद्यतन करे।	प्रस्तृत कर दिया है।
		,
(ii)	लागत विवरणी में दिये गए के अनुसार ब्याज औ	सीआईटीपीएल ने लागत विवरणी और वर्ष 2010 के लिये ऑडिट किये
(""	कर से पहले अधिशंष के. और वर्ष 2010 के ऑडिय	र । वाषिक लेखा के साथ लेखा मल मिलाप करने के लिप ९५१ लेखा नेल ।
	किये गए वार्षिक लेखा में प्रतिबिम्बित करने से पहते	a मिलाप विवरणी प्रस्तृत की थी l बाद में, साआइटापाएल न Iदनाक 14
	हानि के लेखा मेल मिलाप हेतु सीआईटीपीएल लेख	
ļ	मेल मिलाप विवरणी प्रस्तुत करे।	मिलाप विवरणी प्रस्तुत की है।
		A 200
(in)	(क) लागत विवरणी में वर्ष 2018 के लिये प्रचाल	न सीआईटीपीएल ने बताया है कि गंलती को छीक कर लिया गया है और
	आय रू .7082/- লাख बताई गई है जो ऑडिट कि	वे संशोधित लागत विवरणी के अमुसार वर्ष 2010 की प्रचालन आय
	गए वित्तीय विवरणों में बताई गई प्रचालन आ	य क्त 7750/- लाख है।"
İ	रू 7482/- लाख से कम है। सीआईटीपीएल लाग	d
	विवरणी में कम विवरण देने के कारण बताए।	
		न मात्रात्मक छूट - रू 226 लाख
	(ख) सीआईटीपीएल ने बताया है कि पिछले सशोध	1 ;
	के समय निर्मर किये गए वर्ष 2010 के अनुमानों व	ন ছুट - ক 42/লাভ
	तुलना में वास्तविक आय में कमी कम मात्रा औ	14 °
	आरमिक ग्राहकों को दी गई छूट के कारण है	ूँ। कुल चे स्ति [े] 2 68 लाख
	सीआईटीपीएल इनकी मात्रा निर्धारित करे और व	
	2010 के दौरान ग्राहकों को प्रदत्त छूट / कटौति	या

,	ग्रेस्तुत कर्री	
at.	प्रमुद्धि हैंटीपीएल, इसके द्वारा वास्तविक में. प्रमुद्धि याताग्रात / प्रदत्त सेवाओं के लिय वर्तमान प्रमुद्धि स्तर पर वर्ष 2010 और 2011 के लिये विस्तृत आग पिर्गणना प्रस्तुत करें। ऐसी परिगणनाओं में प्रयुक्त वर्तमान प्रमुद्धि (स्तर) विमिन्न प्रचालनों / विमिन्न प्रकार के केटेनरों से के लिये प्रचलित दरमान से जुझ, हुआ होना चाहिये।	सीआईटीपीएल ने अपनी आय की परिगणना मानक प्रारू प में और उसक प्रचालनों के लिये सहायक यितीय मॉडल में भी, दिनांक 14 अक्तूबर 2011 के अपने पत्र द्वारा पेश कर दी है। आय का एक भाग उन सेवाओं से अर्जित कियं जाता है जिनकी दरें अमरीकी डॉलरों में दी गई हैं। मुद्रा विनिमय की दर में लगातार उतार-चढाव के कारण दरों का रूपयों में सेही-सहीं मूल्य घटता बढ़ता रहता है और इसीलिये, राजस्व के लिये कीई लिक्डशीट तैयार करना समय नहीं हो सका है।
	(घ) सीआईटीपीएल 2010 के आँडिट किये वार्षिक लेखा में वर्णित रू. 5.03/- लाख की अन्य आय की प्रकृति स्पष्ट करें। साथ ही, यह भी बताए कि उसे प्रस्तुत की जाने वाली लागत विवरणी में इस्का क्या और कैसा स्थान है ?	यह राशि कतरनों (स्क्रैप) की बिक्री से आई आय दर्शाती है । सीआईट्रीपीएल ने इसे लागत विवरणी में कोई स्थान नहीं दिया है।
(IV)	सीआईटीपीएल द्वारा वर्ष 2010 की लागत विवरणी में विणंत वास्तविक प्रचालन एवं प्रत्यक्ष श्रम लागत, पिछले प्रशुल्क आदेश के समय लिये गए रू.556 लाख के अनुमान के मुकाबले रू. 176लाख है जो 216% की कमी दर्शाती है। इसी प्रकार, वर्ष 2010 के लिये वर्णित वास्तविक अनुरक्षण श्रम लागत, रू. 70 लाख के अनुमान की तुलना में रू. 50 लाख है जो 40% कम है। सीआईटीपीएल ने बताया है कि श्रम लागत में उल्लेखनीय गिरावट /कमी कम सख्या में मानवबल लगाए जाने के कारण है। देखा गया है कि सीआईटीपीएल द्वारा प्रचालन और प्रत्यक्ष श्रम की मद में, वास्तव में केवल 83 कर्मचारी लगाए गए थे जो सीआईटीपीएल द्वारा प्रचालन और प्रत्यक्ष श्रम की मद में, वास्तव में केवल 83 कर्मचारी लगाए गए थे जो सीआईटीपीएल द्वारा वर्णित 178 की अनुमानित सख्या से जिस पर प्राधिकरण द्वारा अनुमान लगाने की अवस्था में मरोसा किया गया था, 53% कम है जबिक वर्ष 2010 के लिये अनुमानित यातायात की तुलना में वास्तविक यातायात में कमी केवल 11% ही परिगणित होती है। अतएव, सीआईटीपीएल, अनुमान तैर्चीर करने की अवस्था में मानवबल की आवश्यकता के अनुमान से उल्लेखनीय अतर के कारण प्रस्तुत	क्रम स.क(vii) पर प्रश्न के उत्तर के अतर्गत ब्यॉरा पहले ही दिया जा चुका है।
- (\$v)	करे। (क) लागत विवरणीं (फार्म3बी) में वर्ष 2010 के लियें वास्तविक विद्युत लागत रू 207 लाख दी गई है। वास्तविक ईंघन लागत रू 415 लाख दी गई है। इन दो मदों का कुल योग रू 622 लाख आता है। वर्ष 2010 के लिये ऑडिट किये लेखा में वर्णित विद्युत एव ईंघन ख्ययें भें अंडार एव अतिरिक्त पूर्जों की खपत में रू 76 15 लाख की राशि छोड कर) रू 620 22	प्रस्ताव के साथ संशोधित लागत विवेरणीं ऑडिटेंड लखा के मलीमाति मिलाई गई विद्युत खपत और ईंधन लॉगत प्रदान करते हैं। विद्युत के कुछ व्यय ईंधन में शामिल किये गए थे जिसें अब ठीक कर लिया गर्या है और संशोधित प्रस्ताव में प्रस्तुत किये गए हैं। (संशोधित फार्म 3 बी में वर्णित बिजली की रू 8 19/- प्रति किलो वाटऑवर की य्मिट लागत और 13 64 किलो वाट आवर प्रति टीईयू की

लाख है। परिणामस्वरू प, लागत विवरणी मै रू 2.22 प्रति युनिट खपत के आधार पर वर्ष 2010 के दौरान प्रहासित वास्तिवर्क माल बुलाई के लिये विद्युत लागत, सीआईटीपीएल द्वारा वर्णिते 📆 . 328 लाख अधिक दिखाए गए है । सीआईटीपीएल इस लाख की तुलना में रू . 338 लाख परिगणित होती है। इंसक ॲलांवो फीर्म अंतर का समाधान करे। 3 बी में वर्णिस विद्युत और ईंधंप लीगत का योग रू 696 लीख है जबकि (ख) रोआईटीपीएल वर्ष 2010 और 2011 के लिये ऑखिटेड लेखा के अनुसिंए विद्युत एवं ईंधन ध्विय, भंडार सामग्री और वर्णित क्रमशः रु. 11.31 प्रति कि.वा.हा. और अतिरिक्त पुंजों के खर्च को छोड़करें, रू .620.22 लाख है) क्त .10.75 प्रति कि.वा.हा. की वास्तविक विद्युत लागध सीआईटींपीएल ने सीएचपीटी द्वारा मई 2010 और जून 2011 दो माह कें का दस्तावेजी साक्ष्य प्रस्तुत करे। लिये प्रस्तुत किये गए विद्युत बिलों की प्रतियां प्रस्तुत की हैं। सीआईटीपीएल ने वर्ष 2010 और 2011 (अक्तूबर 2011 तक) की विद्युत लागत का महिनेवार विवरण भी प्रस्तुत किया है। प्रस्तुत विवरण के अनुसार, वर्ष 2010 और 2011 के लिये विद्युत लागत क्रमशः रू. 8.21 प्रति यूनिट और क .8.72 प्रतियूनिट है । सीआईटीपीएल द्वारा प्रस्तुत विद्युत लागत का विवरण संक्षेप में निम्नानुसार है :-(ग) सीआईटीपीएल ने बताया है कि सभी वर्षों के विवरण 짜. 2010 2011(अक्तू, लिये फार्म 3 बी में दर्शीयी गई विद्युत लागत में ₹. 2011 तक) स्थायी प्रभार शामिल नहीं हैं। सीआईटीपीएल स्थायी विद्युत खपत (यूनिटी मैं) 4397925 布 4104194 प्रमारों के ब्योरे और लागत विवरणियों में ऐसे स्थायी ख विद्युत लागत प्रभारों को प्रदत्त महत्व / स्थान का विवरण प्रदान परिवर्तनीय प्रमार(रू.) 21939128/-25507985/-करे । स्थायी प्रभार (रू.) 4860000/-4995000/-मीटर किरांग 14400/-12000/-विद्युत कर @6%(रू.) 1264313/-1433017/-सेवा प्रमार @20% 5615568/-6389599/-(表.) कुल प्रमार 83693409/-38337581/-आसत यूनिट लागत 8.21 8.72 (ख/ক)(ক.) प्रहस्तित यातायात 304752 399906 प्रति टीईयू यूनिट खपत 13 467 10.997 सीआईटीपीएल ने बताया है कि स्थायी प्रमार (लागत) विद्युत लागत का एक घटक है, इसलिये लागत विवरणी के प्रयोजन से इस पर विचार किये जाने की आवश्यकता है और तदनुसार तैयार की गई विवरणी के लिये भी (सीआईटीपीएल द्वारा प्रस्तुत लागत विवरणी दर्शाती है कि इसने लागत विवरणी में वर्णित विद्युत लागत की परिगणना में भी स्थायी लागत पर विचार किया है। (घ) लागत विवरणी के फार्म 3बी में वर्ष 2010 की जांच करने पर पाया गया है कि ईंघन की मद में औसत ईंघन लागत क्त .371 लाख है और प्रति टीईयू डीजल खपत 3.48 लिटर है। वास्तविक ईंधन लागत रू. 415 लाख दी गई है। वर्ष 2010 क लिये वास्तविक माल बुलाई के लिये क्त .40/+ प्रति लिटर की यूनिट दर और 3.45 लिटर प्रति टीईयू की कन्जम्मश्न के अनुसार, जैसांकि फार्म 3बी में बताया गया है, ईंधन लागत रू .420 लाख परिगणित होती है । सीआईटीपीएल अंतर का समाधान करे। दिनाक 14 अक्तूबर 2011 के इसके पत्र द्वारा सीआईटीपीएल द्वारा प्रस्तुत फार्म 3बी में वर्णित वास्तविक मरम्मत एवं अनुरक्षण (vi) सशोधित लागत विवरणी में सीआईटीपीएल ने वर्ष 2010 के लिये मरम्मत व्यय वर्ष 2010 के लिय, रू 207 लाख है जबकि

	-			N			
		ऑडिटंड निनीय विवरणों के अनुसार मरम्मत एवं	अनुरक्षणं व्यव संशोषित कर रू 179 लाख कर दिये हैं।				
		अनुरक्षण खर्चे स्त .178.83 लाख है। सीआईटीपीएल					
		अतर का समाघान करे।					
10	VII)	जीआ बिचाएल के मामले में विचार किये गए	सीआईटीपीएल में, इसके द्वारा रीचस्केर्स और प्राइम मूर्क्स किराये पर लेने				
1		अनुमानित उपकरण किराया प्रभार रीच स्टेक्क्स	के लिये इसके द्वारा हर	नाभर किये गए ३	भनुबंधों की प्रतियों के साथ वर्ष		
1		प्राइम मूर्वर्स और फोर्क़लिफ्ट ठूकों के किराये की मच	2010 after and 2011 it	त्यांबार खाव गए उ जनकोर ४४ के ०००	म्युवया का अतथा के साथ वर्ष स्त 11 त्क वास्तुविक उपकरण		
		में था । सीआईटीपीएल संबंधित अनुबंधी और प्रदत्त'	किर्माण जार का क्ले	जनवस्त ।। स अन्	स्त ११ त्क वास्तुविक उपकरण		
		यूनिट दरों के लिए दस्तावेजी सब्तों की प्रतियों के	विश्वामा प्रमार का ब्यार	। प्रस्तुत किया ह	। सीआईटीपीएल द्वारा प्रस्तुत		
		साथ वर्ष 2010 के लिए वर्णित रू. 571 लाख के	उपकरण किराया प्रभारों	का ब्यारा नीचे सा	रणीबद्घ है -		
		और वर्ष १९४४ के किए (१००० १०४४ के १	ब्यौरा	1 604A			
1		और वर्ष 2011 के लिए (अगस्त 2011 तक) के लिए	11 710	2010	2011 अंगस्त 2011 तक		
1		क्त. 445 लाख लागत विवरणी में वर्णित वास्तविक		राशि(रु.)	राशि (रू.)		
		उपकरण / किराया प्रभारों का उपकरणवार ब्यौरा	प्रकृश्क ग्रेंटा	387870/-	77936/-		
		पेश करे ।	किराया प्रमॉर क्र द्रेमर	ļ	1		
			उपकरण पंट्डा	29004859/- "	16185457/-		
			किराया प्रधार-	~	10.0040		
Į.			आरएसटी	_			
			प्राइम मूर्क्स किराया	23764929/-	1 2222		
ŧ			प्रभार	23/049291-	28197014/-		
i		*	<i>*</i> ,		<u> </u>		
			वाहन किराया प्रभार	3949377/-	•		
		<u>'</u>	कुल संस्थ	67106835/-	44460407/-		
							
	j		. 0	_			
1			(सीआइटीपीएस में वास्त	विक उपकरण वि	रुराया प्रभार की गणना प्र रसु स		
į	į		नहीं की है जो इसे, इसरे	🗗 द्वारा प्रस्तुत अनु	विघ की प्रतियाँ में वर्णित यूनिट		
f			दरों से जॉर्ड i)				
 -	vili)	View Handle and Associated the Control of the Contr			_		
10	AINT	(क) जैम्मिक वर्ष 2010 में सीआईटीपीएल स्थित	ादनाक ३१ अक्तूबुद्ध २० ६	र्शि के अपने पत्र	द्वारों चेन्नई पत्तेन न्यास से		
	į	प्रशुल्क के पिछले संशोधन से संबंधित प्रक्रियाओं के	रिक्लम्भू क्षेत्र का शेव 78	3 000 वर्गमी टर इसे	ने सौपने का अनुरोध किया था		
v.	•	दौरान सीएचपीटी द्वारा बताया गया और बिन्होंक 3	किन्तु यह अभी शक्क सोर्च	ो नहीं गई है। आ	तेरिक्त भूमि अगस्त 2012 तक		
		नवबर 2010 के आयेष्य के द्वारा प्राधिकरण द्वास	, स्त्रैप्रें जाने की आशा है।		•		
		स्टा गुग्र, सीआईटीपीएल को 1 मुई 2007 को सौपे					
Ì		गर्य क्षेत्रफ़क् में विकक्तित क्षेत्रफल का 60428		<u></u>	e e		
ļ	į	एगमीटर और अविक्रॉमत क्षेत्रकल का 146721	u u	•	1 -		
	[वैमिनिहर मामिल है। सीएचपीटी ने आगे बताया कि					
	ľ	78000 वर्गमीटर तक का रिक्लेम्ड क्षेत्र अप्रैल 2010		*			
		में सीआईटीपीएल को सौपे जाने की समावना थी	~ - <u>-</u>		:		
			, ****				
		सीआईटीपीएल वह ठीकु-ठीक तारीख । माह बताए					
1	ļ	जब रिक्लेम्ब्र भूमि सीएचपीटी द्वारा सीआईटीपीएल					
	•	को सौषी गई थी और उसका ठीक-ठीक क्षेत्रफल					
		कितना था। 🔏 📗					
**	<u>}.</u>						
		(ख) सीआईटीपीएल ने लागत विवरणीः;(फार्क 3वी)	चेन्नई पत्तन स्थास है।	पा आबटित क्षेत्र	फल ठीक करने के बाद		
		में उल्लेख किया है कि सीएसफीटी से पटटे पर लिया	सिआईटीपी एल ने सशोधि				
		गया, वर्ष 2010 और 2011 क क्षिये, 126053			· · · · · • • •		
	}	वर्गमीटर था । जैसा कि ऊपर बताया कया है मई					
	j	2007 में सीएचपीटी द्वारा कथित रूप से सौपा गया					
		क्षेत्रफल 207149वर्गमीटर ही था । सीआईटीपीएल					
\sqsubseteq		नाजारा द्वराच्य्याचारर हा या । साआइटापिल			ļ		

<u> </u>	लागत विवरणी के फार्म 3बी में वर्णित क्षेत्रफल को	
Į.	सीएचपीटी द्वारा वास्तव में आबटित क्षेत्रफल से	
Ì	संशोधित करे।	
	· · · · · · · · · · · · · · · · · · ·	वर्ष 2012 तक रिक्लेम्ड क्षेत्र के लिये कोई पट्टेदारी किराया देय नहीं है
	`	क्योंकि यह अभी सुपुर्द नहीं किया गया है और इसीलिये इसका भुगतान
	£ 1	नहीं किया गया। प्राधिकरण के फार्म के फार्म 3बी में कुछ टाइपिंग सबधी
	पट्टेदारी किराया खर्चे रू 870.18 लाख से म़ि्लता	त्रुटिया थी। संशोधित प्रस्तुति में आकडे ठीक कर लिये गये हैं।
	जुलता है । किन्तु सीआईटीपीएल द्वारा प्रस्तुत	
	गणनाओं की जाच पडताल पर यह देखा गया है कि	
	सीआईटीपीएल ने पटटेदारी किराये की परिगणना	٦
-	के लिये विकसित क्षेत्र के 605 वर्गमीटर और	
<u> </u>	अविकसित क्षेत्र के 1468 वर्गमीटर पर ही विचार	, <u> </u>
	किया है और उसने 51480 वर्गमीटर रिक्लेम्ड क्षेत्र	
	पर विवार नहीं किया है । सीआईटीपीएल, इसके	
:	द्वारा सीएचपीटी को 2010 के लिये वास्तव मैं-	
	भूगतान किये गए पट्टेदारी किराये की विस्तृत	
	गणना प्रस्तुत करे जिसमें भूमि की प्रत्येक श्रेणी के	
	लिये क्षेत्रफल और उसके लिये पट्टेदारी किरावे की	
1	दर मी दी गई हो।	
Ĭ	दर मा दा गइ हा।	
(x)	वर्ष 2010 के लिये वर्णित वास्तविक बीमा लागत,	ऊपर क्रम स क (vii) पर प्रश्न के उत्तर के अंतर्गत विवरण पहले दिया जा
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	प्रशुल्क के पिछले संशोधन के दौरान विचार किये	चुका है।
	गये रू.273लाख के मुकाबले रु .57 -लाख है ।.	
İ	सीआईटीपीएल ने फार्म 7 के मिन्नता वाले कॉलम के	
ł	कारणों में समावेशी पत्र (कवरिंग लैटर) का सदर्म	***
1	दिया है। किन्तु, दिनाक 14 अक्तूबर 2011 के	
1	सीआईटीपीएल का समावेशी पत्र इस बारे में कुछ	-
	नहीं कहता है। सीआईटीपीएल, अनुमानों की तुलना	
1	में वर्ष 2010 की वास्तविक बीमा लागत में इतनी तीव्र	ent &
	1	And the control of th
1	गिरावट का कारण प्रस्तुत करे।	
(x)	(क) वर्ष 2010 के लिये लागत दिवरणों में वर्णित	अनुमानित लागत रस्सी बाइते / खोलने संबंधी प्रमार और कर्मचारी
\ \^'	वास्तविक अन्य प्रत्यक्ष खर्चे, प्रशुल्क के पिछले	यातायात तथा प्रीफर प्वाइट:अनुरसण:की:गणना-करके प्राप्त की गई थी
1	संशोधन के दौरान विचार किये गये रू 121 लाख के	जबिक वास्तव में टर्मिनलों के लिये सुरक्षा प्रमार पर भी विचार किया गया
t la Later	अनुमान के मुकाबले रू. 246 लाख दिये गये हैं। यह	है क्योंकि यह खर्च प्रत्यक्ष खर्ची से सीचा जुड़ा हुआ है। इसका ब्योरा
	अंतर अनुमान की तुलना में 51% अधिक ठहरता है।	निम्नानुसार है
1	सीआईटीपीएल ने इस बारे में खर्चों में मिन्तता के	रस्सी बाघने / खोलने सबघी खर्चे रू . 43.00 लाख
`	लिये कोई कारण नहीं दिया है। सीआईटीपीएल इस	रीकर प्रबोध्न रू. 144 00 लाख
		अन्य सीधे खर्चे रू. 59.00 लाख
	अंतर कां कारण बताए।	कुल योग रू. 246,00 लाख
		तुल या क. 240.00 लाख तवनन्तर, सीआईटीपीएल ने बताया कि सुरक्षा सबधी प्रमार भावी वर्षों के
		लिये प्रोजेक्शन में सामान्य उपरिव्ययों के अंतर्गत समूह बद्घ किये गए है।
	(ख) इस प्राधिकरण ने नवंबर 2010 के अपने आदेश	
	के पैराग्राफों स. 13(xxi)(क) से (ग) के द्वारा वर्ष	
	2010 के लिये रस्सी बांधने / खोलने सबधी खर्चे पर	
	@ रू.42/-प्रति टीईयू रीफर अनुरक्षण खर्चे पर @	
	रू ,33/-प्रति टीईयू और कर्मचारी परिवहन व्यय पर	उल्लेख नहीं है। तदनन्तर, दिनाक 14 दिसंबर 2011 के अपने पत्र के द्वारा
Ļ		·—————————————————————————————————————

(xt)

(Jul)

रू. 13.73 लाख प्रतिवर्ष पर और वर्ष 2011 के लिये 3.76% की दर से वृद्घि पर, "इतर व्यय" के अतर्गत विचार किया है और प्रशुक्क की अगली समीक्षा के दौरान वास्तविकों से इनका सत्यापन होगा। सीआईटीपीएल रस्सी बाद्यने / खोलने संबंधी खर्चों और रीफए अनुरक्षण खर्चे की क्रमशः रू. 42/प्रित टीईयू और रू. 33/प्रित टीईयू की दरों के समर्थन में दस्तावेजी साक्ष्य प्रस्तुत करें । सीआईटीपीएल वर्ष 2010 में कर्मचारियों के परिवहन पर इसके द्वारा वास्तव में व्यय किये गए खर्च भी बताए।

सीआहटीपीएल ने, दिमंबर 2010 के लिये व्यय किये गये वास्तविक खर्चों के आधार पर लगमग मासिक सीधे अन्य खर्चों का ब्योरा प्रस्तुत किया है, जो नीचे दिया गया है -

क रस्सी बांघने / निरीक्षण सबधी व्यय

.(I) रस्सी बांघने <mark>सब</mark>धी व्यय -

रू . 532160/-

(26608 यूनिटों के लिये रू .20/-प्रति यूनिट)

(ii) कटेनर निरीक्षण प्रमार »

दिसबर 2010 के लिये कुल

₹ 12,64,320/-

(20,000 यूनिटों तक रू .50/-प्रतियूनिट और

20,000यूनिटों से ज्यादा के लिये रू , 40/- प्रति

यूनिट 20,000 x 50 + 6608 x 40)

₹ 17,96,480/-

दिसंबर 2010 में कुल 35252 टीईयू प्रहस्तित किये गये थे। प्रति टीईयू औसत लागत रू .51/- प्रति टीईयू आती है।

ख. <u>रीफर प्रबोधन तथा अन्य सीधे खर्</u>चे

(i)रीफ्र प्रबोधन

क 78985/∙

(॥)सीये खर्च

₹ 482500/-

(सुरक्षा, जल-व्यय इत्यादि)

दिसंबर 2010 का कुल योग

₹ 5,61,485/-

रीफर प्रबोधन और अन्य सीधे खर्चे रू 5.61 प्रतिमाह अथवा रू 67/-लाख-प्रतिवर्ष परिगणित होते हैं।

वर्ष 2010 के लिये वास्तिक मूल्यहास क. 2922 लाख बताया गया है जो वार्षिक लेखा से मिलता जुलता है। किन्तु यह देखा गया है कि लागत विवरणी में सीआईटीपीएल द्वारा माने गया मूल्यहास में क.10करोड़ के अपफ्रट प्रीमियम तथा क 6.17 करोड़ के भूमि पट्टा किराया प्रीमियम की किश्तवार क्रुएपवापसी शामिल है जिस पर प्राथमिक खर्चों / अपफ्रट प्रीमियम की ऋण वापसी के अतर्गत लागत विवरणी में भी अलग से विचार किया गुया है जो इस मद को दो बार गिना जाना लगता है। एरिआईटीपीएल्, लागत विवरणी, में अपफ्रट प्रीमियम और लीज़ होल्डर (पट्टेचारी) प्रीमियम के रूप में विचार किए गए मूल्यहास बाहर निकाल।

सीआईटीपीएल ने निवेदन किया है कि संशाधित लागत विवरणी से, अपफ्रेंट प्रीमियम और पट्टेवारी प्रीमियम के रूप में विचार किये गए मूल्यहास को निकाल दिया गया है।

(किन्तु यह देखा गया है कि सीआईटीपीएल ने उन्हीं मूल्यहास आकड़ों को संशोधित लागत विवरणी में बरक्ररार रखा है)

वर्ष 2010 के लिए वर्णित वास्तविक प्रशासन एवं प्रेबंचन उपरिवर्षिय, अनुमान अवस्था / चरण पर विचार किये गए रू. 375 लाख की तुलना में रूँ 256लाख है । नवम्बर 2010 के अपने आदेश के पैरा 13(१९०॥) (ख्रुब) के द्वारा प्रोद्धिकरण ने प्रशासन, विस्त और प्रबंधकीय क्षेणी के कर्मचारियों के लिए सीआईटीपीएल द्वारा विचार की गई कर्मचारी सख्या और औसत वार्षिक वेतन पर, प्रशुक्क की अगती समीक्षा के समय वास्तविकों के सत्यापन की शर्त पर विश्वास किया था जो लागत विवरणी में प्रशासन एवं प्रबंधन उपरिव्यय के अतर्गत मानी गयी एकमात्र मद है । सीआईटीपीएल कर्मचारियों की वास्तविक

(Kill)

संख्या और इसके द्वारा वर्ष 2010 में व्यय किया गया वास्तविक औसत वेतन सूचित करे जो लागत विवरणी में वर्णित रू. 256 लाख के खर्चों से मिलता जुलता हो ।

वर्ष 2010 की लागत विवरणी में वर्णित वास्तविक सामान्य उपरिव्यव, अनुमानन चरण में विचार किये गए रू. 367 लाख की तुलना में रू. 910/-लाख है । सीआईटीपीएल इस सबब में निम्नलिखित बातें / बिन्दु स्पष्ट करें:-

(क) जैसा कि नवम्बर 2010 के इसके आदेश पैराग्राफ 13(xviii) (ग) में लिखा है, इस प्राधिकरण ने, प्रशुक्क की अगली समीक्षा के समय वास्तविकों के सत्यापन के अधीन, सीआईटीपीएल और 2011 के लिए प्रस्तुत अनुमानों पर विश्वास किया था। सीआईटीपीएल वर्ष 2010 के लिए वर्णित रू.910 लाख के वास्तविक सामान्य उपरिव्यय का ब्योरा और वर्ष 2011 में अक्तूबर 2011 तक व्यय किये गए सामान्य उपरिव्यय का ब्योरा प्रस्तुत करे।

सीआईपीटीएल ने वर्ष 2010 के लिए सामान्य उपिर व्ययों का ब्यौरा प्रस्तुत किया है जो नीचे दिया गया है:

ब्बौरा	राशि
	(रु. लाखाँ मुँ)
विज्ञापन	3.43
व्यवसाय संवर्धन	14.29
चुपहार एवं मनोरंजन	0.35
कार्वालय व्यय	3.43
पुस्तके एवं पत्रिकाएँ	0.29
पत्तन प्रवेश पत्र	2.20
पूजा संबंधी व्यय	0.14
भेती संबंधी व्यय	0.42
बैंक प्रभार	284.92
दरै एवं कर	-253.24
यात्रा एवं सन्त्रम् व्यय	- 38.73
विविक एव व्यवसुर्विक प्रमार	335.52
मुद्रण एव स्टेशनश्री	8.73
कुल योग:	945.30

(ख) सीआईटीपीएल ने फार्म-7 में बताया है कि वर्ष 2010 में सामान्य उपरिव्यय में उल्लेखनीय वृद्धि अधिक व्यावसायिक एवं विधिक प्रमारों के कारण थीं । सीआईटीपीएल उन कारणों को स्पष्ट करे जिनके लिये इसने वर्ष 2010 में रू. 335.52 लाख विधिक एवं व्यावसायिक प्रमार कुँ रूप में व्यय किए जैसा कि ऑडिटेंड वार्षिक लेखा में वर्णित है और इस की पुष्टि करें के व्यय सीएचपीटी पर प्रचालित टर्मिनल से सबधित है। सीआईटीपीएल ने वर्ष 2010 के व्यावसायिक प्रमार का विवरण प्रस्तुव किवा है जो निम्नानुसार है :-

विवरण	- राशि-(स्ह :) ^-
ऑडिट्र / प्रमाणन	1688998:88
कूं।नूनी दांखिला शुल्क (कृपुनी अधिनियम	9100 9 00
आयक्रर अधिनियम आदि के अनुसार रिटर्न्स)	
विविक्त परामर्श -लाह्न्नैस एग्रीमैंट संमीक्षा	216900.00
विश्विक परामर्श - विक्रेती अनुबंध, ग्राहक अनुबंध	3164605.00
प्रतिघारिता तथा अन्य मामले	
इसीबी कर्ज समाशोधन और एक्सिस बैंक ऋण	44477,22.00
दस्तावज पुनराक्षण	
ऋणु के लुदे मूल्याकन शुल्क (प्रक्रिश्चपत्ति और	2644025.00
उपकरण मूल्यार्कन के लिये)	
लाइसँस मुद्दों तथा ग्राहकों से अन्य मामलों पर	2569444.00
मुकद्दम्बाजी के लिये विद्विक् शुल्कु	
भूमिमापन तृथा सर्वेक्षण प्रमार	- 49 2509.00
पत्तन परामुङ्ग (ग्राह्क अज्ययून, वृब्धाइट. ब्राङ्गाइ-	7208333 00
तथा अनुद्भ विद्भापन सिंहुत-ब्रिप्सूणन् परामर्श)	
परामर्श-टिनिनेल प्रचालन दक्षता तथा सबिवत	9162100.00
मामले	1
वायु प्रबोधन शुल्क	68 950 00
सॉफ्टवेयर प्रचालन तथा आकार्ण के खिक्के	482516,00

(मा) सीमांद्री चीएल में केंक को पुर्शतेन किये गए पुरात के कार के जा पुर्शतेन किये गए पुरात के जा का पुर्शतेन किये गए पुरात के जा का पुर्शतेन किये गए पुरात के जा का का पुर्शतेन किये गए पुरात के जा का का पुरात के जा का का पुरात के जा का का पुरात के जा का का पुरात के जा का का पुरात के जा का का पुरात के जा का का पुरात के जा का का पुरात के जा का का पुरात के जा का का पुरात के जा का का पुरात के जा का का पुरात के जा का का पुरात के जा का का ज			डिजॉईन एवं ओरखन प	रंगमर्श			
अपिक कानून त्याचार्य के सिक्य सताहकार प्रभार 126289.00 विकार मार्गी के मार्गी के स्वाप के कर्म के का पुरतिन किये पाए के मार्गी के सार्गी			बीमांककीय मूल्यांकन				38824.00
(१) रीक्षाइंटीबीएल में बैंक को चुनतिन किये गए वैक्का अनुगतिन किये गए वैक्का अनुगतिन के का ये वर्ष 2010 में क. 285 लाख के ज्वाब का वर्णन किया है। रीजाइंटीबीएल में बेंक जमान के का ये वर्ष 2010 में क. 285 लाख को जमान किया है। रीजाइंटीबीएल में बेंक जमान के लाए को उक्त का वर्णन किया है। रीजाइंटीबीएल में बेंक जमान के लाय को उक्त में वर्ष वार्त का पूर्ण के लिये प्राथमित की का विवरण प्रस्तुत कर दिवा है, जो नीचे सारणीवद्व है. विवरण प्राथमित की विवरण प्रस्तुत कर दिवा है, जो नीचे सारणीवद्व है. विवरण प्राथमित की विवरण प्रस्तुत कर दिवा है, जो नीचे सारणीवद्व है. विवरण प्राथमित की विवरण प्रस्तुत कर दिवा है, जो नीचे सारणीवद्व है. विवरण प्राथमित की व्यवस्था के का का वर्णन के लिये प्राथमित के विवरण प्रस्तुत कर दिवा है, जो नीचे प्रश्नित है। (अंश) विकरण में नवंबर 2010 के आफिट लेका वो का विवरण प्रस्तुत के विवरण प्रस्तुत कर दिवा है, जो नीचे के प्राथम प्रस्तुत के विवरण प्रस्तुत के विवरण प्रस्तुत के विवरण प्रस्तुत के विवरण प्रस्तुत के विवरण प्रस्तुत के विवरण प्रम्तुत के विवरण प्रस्तुत के प्राथमित पर विवरण किया है। रीजाइंटीवीएल ने वर्ष 2010 की लागत विवरण है। (अंश) विवरण प्रस्तुत कर दिवा है जो अवरण किया है। रीजाइंटीवीएल ने वर्ष 2010 की लागत विवरण है। (अंश) विवरण प्रस्तुत कर दिवा है जो अवरण के अवरण के प्रसा्त के विवरण प्रस्तुत के विवरण			अमिक कानून परामश्री	हें लिये संत	गहकार प्रमार	7 1	
(म) सीबाइंटीबीएल ने बैंक को पुर्तिन किया पर हैंग गाईटी क्रमीशन के रूप ये वर्ष 2010 में रूप 285 लाख के खय का वर्णन किया है। सीआइंटीबीएल हम क्ष्म की प्रकृति बताए और इंस बात की पुर्वेट करें कि यह अब सीएयबीटो में प्रचातित टॉर्मनि से संबंधित है। (M) सीवाइंटीबीएल, वर्ष 2010 के आडिस्टेड लेखा में वितेष वरात-प्रवाद आटे के रूप में वर्णित रूप प्रचान के लिये दिनेशी प्रकृति का प्रवाद के किया में वर्णित का व्यवस्था के प्रवृत्द कर दिवा है। (M) इस प्राविकरण ने नवंबर 2010 के आने आदेश के एपग्राफ 13(kb) के द्वारा 30 वर्ष के प्रोजेक्ट जीवन में रूप प्रचान के कारण है। (M) इस प्राविकरण ने नवंबर 2010 के अपने आदेश के एपग्राफ 13(kb) के द्वारा 30 वर्ष के प्रोजेक्ट जीवन में रूप प्रचान के कारण है। (M) इस प्राविकरण ने नवंबर 2010 के अपने आदेश के एपग्राफ 13(kb) के द्वारा 30 वर्ष के प्रोजेक्ट जीवन में रूप प्रचान के कारण है। (M) इस प्राविकरण ने नवंबर 2010 के अपने आदेश के एपग्राफ 13(kb) के द्वारा 30 वर्ष के प्रोजेक्ट जीवन में रूप प्रचान के कारण है। (M) इस प्राविकरण ने नवंबर 2010 के अपने आदेश के एपग्राफ 13(kb) के द्वारा 30 वर्ष के प्रोजेक्ट जीवन में रूप प्रचान के कारण है। (M) इस प्राविकरण ने नवंबर 2010 के अपने अदिशा के एपग्राफ 13(kb) के द्वारा 30 वर्ष के प्रोजेक्ट जीवन के पर्वेच के पर्वेच के प्रचान के किये पर्वेच के प्रचान के कारण है। (M) इस प्राविकरण में नवंबर 2010 के अपने अदिशा के पर्वेच के प्रचान के पर्वेच के प्रचान के प्रचान के प्रचान के प्रचान के कारण है। (M) वास का विवरण अपनता किरणों के फार्म 4ए में वर्ष 2010 के आडिस्टेड जारिक कारण है। (M) वास का विवरणों के फार्म 4ए में वर्ष 2010 के आडिस्टेड जारिक कारण है। (M) वास का विवरणों के फार्म 4ए में वर्ष 2010 के आडिस्टेड जार्म के प्रचान के प्रचान के प्रचान करने के वाद के अपने के प्रचान के प्रचान किया मुल्यहास कारण है कि भीआईटीपीएल ने प्रचान करने के			भविष्य निधि परामर्श तः	था अनुपाल	 -	<u> </u>	
(क्र) विकादिनीएल ने के को वुनितन किये गय विकादिनीएल ने के क्रमण के निवरण प्रस्तुत कर दिवा है, जो नीचे सारणीब्द्य है विकरण विकाद के वयन का वर्णन किया है। वीजादिनीएल इस व्यव को प्रकृति बताए और ईस बात की पूर्ण के किय क्रय को प्रकृति बताए और ईस बात की पूर्ण के किय क्रय को प्रकृति बताए और ईस बात की पूर्ण के किय क्रय को प्रकृति बताए और ईस बात की पूर्ण के किय क्रय को प्रकृति बताए और ईस बात की पूर्ण के किय क्रय को प्रकृति बताए और ईस बात की पूर्ण के किय क्रय को प्रकृति विकाद के प्रविचार है। (AV)						1 33	
ताख के कब का वर्णन किया है। सीआईटीपीएल कर कर में वर्ष 2010 के आडिटेड लेखा में स्वार्थ का वर्णन किया है। सीआईटीपीएल कर किया है। सीआईटीपीएल कर कर में मंदिर कर का वर्णन कर कर में वर्ष वर्ष कर कर में वर्ष वर्ष कर कर में प्राप्ति कर कर में मंदिर कर में मंदिर कर मंदिर कर में मंदिर में मंदिर कर में मंदिर में मंदिर कर में मंदिर में मंदर में मंदिर कर में मंदिर में मंदर में म		(ग) सीआईटीपीएल ने बैंक को मुग्तान किये गए	सीआइटीपीएल ने कि ए	मार्थ का	वेवरण परन	न कर दिया	17.00 18 at 4a
लाख के खय का वर्णन किया है। सीआईटीपीएल इस याय की प्रकृति बताए और हैंस बत की पुष्टिं को कि यह अपस सीएयपीटी में प्रचालित टर्मिन सं संबंधित है। (अर) (अर) सीआईटीपीएल, वर्ष 2010 के ऑक्टेड लेखा में विनिम्म जान के लिये विदेशी विक्रताओं को किये गए पुगतान के कारण है। (अर) (अर) सीआईटीपीएल, वर्ष 2010 के ऑकटेड लेखा में विनिम्म जान के लिये विदेशी विक्रताओं को किये गए पुगतान के कारण है। (अर) इस प्राधिकरण ने नर्वेस 2010 के अपने आदेश के एपगुफा 13(xb) के द्वारा 30 वर्ष के प्रोधेक्ट जीवन में क. 10 करोड अपकृट प्रीमियम और क. 8.17 कराइ के प्रदेशरी ग्रीमियम और क. 8.17 कराइ के प्रदेशरी ग्रीमियम और क. 8.17 कराइ के प्रदेशरी ग्रीमियम और क. 8.17 कराई के प्रदेशरी ग्रीमियम और क. 8.17 कराइ के प्रदेशरी ग्रीमियम और क. 8.17 कराइ के प्रदेशरी ग्रीमियम और क. 8.17 कराइ के प्रदेशरी ग्रीमियम और क. 8.17 कराइ के प्रदेशरी ग्रीमियम और क. 8.17 कराइ के प्रदेशरी ग्रीमियम और क. 8.17 कराइ के प्रदेशरी ग्रीमियम और क. 8.17 कराइ के प्रदेशरी ग्रीमियम और क. 8.17 कराइ के प्रदेशरी ग्रीमियम और क. 8.17 कराइ के प्रदेशरी ग्रीमियम और क. 8.17 कराइ के प्रदेशरी ग्रीमियम और क. 8.17 कराइ के प्रदेशरी ग्रीमियम और क. 8.17 कराइ के प्रदेशरी ग्रीमियम और क. 8.17 कराइ के प्रदेशरी ग्रीमियम और क. 8.17 कराइ के प्रदेशरी ग्रीमियम और क. 8.17 कराइ के प्रदेशरी ग्रीमियम की किरत अवार्यों के प्रवार के जास विवरणों में वाराविक किया अर्थ से एवं विवरणों के जाम के उपले के जास के प्रवार के प्रवेश हैं में जास के जास के प्रवेश हैं में प्रवेश हैं में जास के जास के जास के प्रवेश हैं में विवरणों में में स्वर्ध हैं में प्रवेश हैं में प्रवेश हैं में प्रवेश हैं में प्रवेश हैं में प्रवेश हैं में प्रवेश हैं में विवरणों में में प्रवेश हैं में प्रवेश हैं में प्रवेश हैं में प्रवेश हैं में प्रवेश हैं में विवरणें से में में प्रवेश हैं में विवरणें से के अपने के अर्प हैं में प्रवेश हैं में विवरणें से के अर्प हैं म		बैंक गारटी कमीशन के रूप में वर्ष 2010 में रू .285	सारणीबदध है 👍	-11 (4 4/1)	idata atg	त कर दिया	ह, जा नाप
इस व्यव की प्रकृति बताए और इंस बात की पुष्टें करें कि यह अब सीएचपीटी में प्रचासित टॉर्मनर्स से संबंधित हैं। (AIV) (AIV	1	लाख कें व्यय का वर्णन किया है। सीआईटीपीएल					
करें कि यह व्यव सीएयपीटी में प्रचालित टॉर्मनर्क सं संविधित है। कर्म संविधित है। हिंद होनी संविधित है। हिंद होनी होनि होनि होनि होनि होनि होनि होनि होनि	i	इस व्यय की प्रकृति बताए और ईस बात की पृष्टि	विवरण			राशि(व	जारा
सर्वधित है विकास स्वाप्त स्वर्धित है विकास है जिसके आगे लागत विवरणी के फार्म 4ए में वर्ष 2010 के अधि अंदर के स्वर्ध में स्वर्ध के स्वर्ध में स्वर्ध	•	करें कि यह व्यय सीएचपीटी में प्रचालित टॉमेर्न्स से					
(अप) (अप) सिआईटीपीएल, वर्ष 2010 के ऑडिटेड लेखा में विनिम च उतार-चवाब घाटे के रूप में नीलंग जी किये होनीसिंग गुल्क 28.14 अर्थ के लिये मुनिमिंग गुल्क 28.99 कुल योग 28.45 विनिम च उतार-चवाब घाटे के रूप में नीलंग के रूप में नीलंग के रूप में नीलंग के रूप में नीलंग के रूप में नीलंग के रूप में नीलंग के रूप में नीलंग के रूप में नीलंग के रूप में नीलंग के रूप में नीलंग के रूप में में निम च की रूप में	1	संबंधित है।					79.40
(XV) (XV) सीआईटीपीएल, वर्ष 2010 के ऑडिटेड लेखा में विनिमय जतार-चवाव घाटे के रूप में वर्षित किय गए मुगतान के कारण है। (XV) इस प्राधिकरण ने नर्तवर 2010 के आपने आदेश के एप गुगतान के कारण है। (XV) इस प्राधिकरण ने नर्तवर 2010 के अपने आदेश के एप गुगतान के कारण है। (XV) इस प्राधिकरण ने नर्तवर 2010 के अपने आदेश के एप गुगतान के कारण है। (XV) इस प्राधिकरण ने नर्तवर 2010 के अपने आदेश के एप गुगतान के कारण है। (XV) इस प्राधिकरण ने नर्तवर 2010 के अपने आदेश के एप गुगतान के कारण है। सीआईटीपीएल ने अपग्रेट प्रीमियम और रू. 6.17 करोड़ के एट्टेबरी ग्रीमियम और रू. 6.17 करोड़ के एट्टेबरी ग्रीमियम और रू. 6.17 करोड़ के एट्टेबरी ग्रीमियम और रूप विचार किया है। सीआईटीपीएल ने वर्ष 2010 की लागत विवरणी में वास्तिक किरत अवायगी को सीत के रूप में का विवरण प्रस्तुत करे। (XV) (अ) (अ) (क) लागत विवरणी के फार्म ४ए में वर्ष 2010 के लाख वार्षिक लेवा से एम नर्ति खाते। इसके अता वर्ष 2010 के लिये आरमिक संचयी अध्या सकल खंड और अत सुद्ध खंड, वर्ष 2010 के लिये आरमिक संचयी मुल्यहास मार्ग प्रस्तुत की है। (XVI) (अ) (अ) (अ) (अ) (क) लागत विवरणी के फार्म ४ए में वर्ष 2010 के लिये आरमिक संचयी अध्या सकल खंड और अत सुद्ध खंड, वर्ष 2010 के लिये आरमिक संचयी अध्या सकल खंड अत सकल खंड और अत सुद्ध खंड, वर्ष 2010 के लिये आरमिक संचयी अध्या सकल खंड अत अता वर्ष 2010 के लिये आरमिक संचयी अध्या सकल खंड अत सकल खंड और अत सुद्ध खंड, वर्ष 2010 के लिये आरमिक संचयी अध्या सकल खंड अत अता वर्ष 2010 के लिये आरमिक संचयी अध्या सकल खंड अत अता वर्ष 2010 के लिये आरमिक संचयी अध्या सकल खंड अता अखा खंड के आदिरेड लेखा में मंदन नर्ग एम वर्ष या से एम वर्ष विवरणी प्रस्तुत कर दिया। नदनन्तर, फार्म अध्या अध्या वर्ष 2010 के ऑडिटेड लेखा में वर्प 2010 के ऑडिटेड लेखा में वर्ण ता कारण है। (अपने आरमिक संचयी अध्या से के मंत्रा मंत्रा वर्ष 2010 की लिये अध्या मंत्र करल खंड और सुद्ध खंड के अतिरिक्त रूप 2010 के लिये वेक णार्टे अध्या पर में देवा या है के मंत्र मिलाए विवरणी में प्रस सकल खंड और सुद्ध खंड के अतिरिक्त रूप शिक्यरणी में प्रस सकल खंड और सुद्ध खंड के अतिरिक्त रूप शिक्यरणी में प्रस सकल खंड और सुद्ध खंड के अतिरिक्त रूप शिक्यरणी में प्रस सकल खंड और सुद्ध खंड के अतिरिक्त रूप शिक्यरणी मुल्	1		ऋणु के लिये एससीबी	को दलाली			125.00
(XV) (XV) सीआईटीपीएल, वर्ष 2010 के ऑफ्टिंड लेखा में विनिमय उतार-चवाव घाटे के रूप में वर्षित रू. 2.06 लाख की प्रकृति स्पष्ट करें। (XV) इस प्राधिकरण ने नर्वबर 2010 के अपने आदेश के पेराग्राफ 13(xbt) के द्वारा 30 वर्ष के प्रोपंजिक लावान में रू. 10 करोड़ अपफ्ट प्रीमियम और रू. 0.17 करोड़ के पट्टेबरी प्रीमियम और रू. 0.17 करोड़ के पट्टेबरी प्रीमियम और रू. 0.17 करोड़ के पट्टेबरी प्रीमियम और रू. 0.17 करोड़ के पट्टेबरी प्रीमियम और रू. 0.17 करोड़ के एवं में सीआईटीपीएल ने अपफ्रेट प्रीमियम तथा पट्टे दारी प्रीमियम की किरत अवायगी के रूप में सीआईटीपीएल ने वर्ष 2010 के लाख वार्षिक की शांति पर विचार किया है। सीआईटीपीएल ने वर्ष 2010 के लाख वार्षिक का उल्लेख किया है। सीआईटीपीएल, इसके द्वारा उत्लेख की गई रू. 58/- लाख की गई रू. 58/- लाख की गई रू. 58/- लाख की आडिट वार्षिक लेखा से मेल नहीं खाते। इसके अलाख वर्ष 2010 के लिये आरिमक संचयी मुल्यहास सामिल करने के बाद सीआईटीपीएल ने प्रयान में सामिल अलाख और अत सकल खड और अत सुन्द खड, वर्ष 2010 के ऑडिटेड वार्षिक लेखा से मेल नहीं खाते। इसके अलाख वर्ष 2010 के लिये आरिमक संचयी मुल्यहास "मूल्य" बताया गया है जिसकी समीक्षा की जानी चाहिए क्योंकि सीआईटीपीएल ने प्रवालन सितबर 2009 में युक्त किया और वर्ष 2009 में 3 माह का मुल्यहास मागा था। सीआईटीपीएल ऑडिटेड लेखा से अपने आकडे मिलाए। (ख) इसके आने, लागत विवरणी के फार्म-4ए में सीआईटीपीएल ने तर्म 2010 के लिये आरिक के प्राप्ते के प्रयान विवरणी के फार्म-4ए में सीमा के अतर्गत के साम गई है। सिलत है। (ख) इसके आने, लागत विवरणी के फार्म-4ए में सीआईटीपीएल ने तर्म 2010 के लिये आरिक साम्य मुल्यहास तथा 3 अर्थियों से नी मिलत है।) (ख) इसके आने, लागत विवरणी के फार्म-4ए में सीआईटीपीएल ने तर्म वर्ष 2010 के लिये आरिक साम वर्ष मुल्यहास तथा 3 अर्थियों, लगात विवरणी के काम पर व्याप मुल्यहास तथा 3 अर्थियों, व्याप समत परित्स सिला है वर्ष युच खड और शुद्ध खड के अतिरिक्त रू. 2876 लाख पर विचार किया है अर्थ अर्थ शुद्ध खड के अतिरिक्त रू. 2876 लाख पर विचार किया है अर्थ अर्थ शुद्ध खड के अतिरिक्त रू. 2876 लाख पर विचार किया है अर्थ अर्थ शुद्ध खड के अतिरिक्त रू. 2876 लाख पर विचार किया है अर्थ अर्थ शुद्ध खड के अतिरिक्त रू. 2876 लाख पर विचार किया है अर्थ अर्थ अर्थ शुद्ध खड के अतिरिक्त रू.			दस्सावज तयार करना /	स्टम्प स्यू	<u>टा</u>		
(XV) सीआईटीपीएल, वर्ष 2010 के ऑडिटेड लेखा में विशित्त उतार-चवाव घाटे के रूप में वर्षित रूप हुन. विनिमय संबंधी घाटा पूंजीगत सामान के लिये विदेशी विक्रेताओं को कर 2.06 लाख की प्रकृति स्पष्ट करें। (XV) इस प्राधिकरण ने नर्वेबर 2010 के अपने आदेश के पेराग्राण 13(xk) के द्वारा 30 वर्ष के प्रोजैक्ट जीवन में रूप 10 करोड़ अपफ्रट प्रीमियम और रू. 8.17 करोड़ के पट्टेदारी ग्रीमियम की किरत अदायगी के रूप में सीआईटीपीएल द्वारा सीएवर्गटी को दी गई रूप के लिये की का अपक्रेट प्रीमियम की किरत अदायगी के रूप में सीआईटीपीएल देश सीएवर्गटी को दी गई रूप के लिये वर्षित अपक्रेट प्रीमियम की किरत अदायगी के रूप में रूप के लिये की का उल्लेख किया है। सीआईटीपीएल ने वर्ष 2010 की लागत विवरणी में वास्त्रीक किरत अदायगी गरिश के रूप में रूप के लिये का उल्लेख की गई रूप के उस रूप में रूप के लिये वर्षित अपलप्तिस्त्री अथवा सकल खंड अत सकल खंड और अत सुद्ध खंड, वर्ष 2010 के आडिटेड वर्ष को मान नहीं खाते। इसके अलावा वर्ष 2010 के लिये आरमिक संवधी मूल्यहास मागा था सीआईटीपीएल ने प्रवालन सितंबर 2009 में सुरू किया और वर्ष 2009 में 3 माह का मूल्यहास मागा था सीआईटीपीएल ऑडिटेड लेखा से अपने आकडे मिलाए। (XV) (XV	'		रतमाआइएलएल का उ	रणशुल्क			
(XV) रिक्षेण से स्वाप्त के अपित स्वाप्त से 2010 के अपित से वित्र के स्वप्त	1			युल्क			
किये गए युगतान के कारण है (XV) इस प्राधिकरण ने नर्वबर 2010 के अपने आदेश के पंराप्राफ 13(xk) के द्वारा 30 वर्ष के प्रोजेक्ट जीवन में रू. 10 करोड़ अपफ्रट प्रीमियम और रू. 8.17 करोड़ के पट्टेदारी प्रीमियम और रू. 8.17 करोड़ के पट्टेदारी प्रीमियम की किश्त अदायगी के रूप में सीआईटीपीएल हारा सीएचपीटी को दी गई रू 53,90 लाख वार्षिक को गई रू .56/- लाख की सी वास्तीक किश्त अदायगी राम के रूप में सीआईटीपीएल हारा सीएचपीटी को दी गई रू 53,90 लाख वार्षिक को गई रू .56/- लाख की राशि पर विचार किया है । सीआईटीपीएल ने वर्ष 2010 की लाय तिवरणी में वास्तिक किश्त अदायगी सो के रूप में रू .56/- लाख की राशि का दिवरण प्रस्तुत करे । (XXI) (क) लागत विवरणी के कार्म 4ए में वर्ष 2010 के लाख को राशि रू .56/- लाख की अपि अचलपिरमपतियों अथवा सकल खंड अत सकल खंड और अत् शुद्ध खंड, वर्ष 2010 के आडिटेड वार्षिक को आर में ल नहीं खाते । इसके अलाव वर्ष 2010 के लिये आरमिक संचयी मूल्यहास "यून्य" दतावा गया है जिसकी समीक्षा की जानी वाहिए क्वोंकि सीआईटीपीएल ने प्रचालन सितबर 2009 में गुरू किया और वर्ष 2009 में 3 माह का मूल्यहास मागा था । सीआईटीपीएल आडिटेड लेखा से अपने आकडे मिलाए । (स्व) इसके आगे, लागत विवरणी के फार्म-4ए में ती के रूप में वर्ष 2010 के लिये आरमिक सच्ची मूल्यहास मागा था । सीआईटीपीएल जी उपालन सितबर 2009 में गुरू किया और वर्ष 2009 में 3 माह का मूल्यहास मागा था । सीआईटीपीएल जी उपालन सितबर 2009 में गुरू किया और वर्ष 2009 में 3 माह का मूल्यहास मागा था । सीआईटीपीएल आडिटेड लेखा से अपने अकडे मिलाए । (स्व) इसके आगे, लागत विवरणी के फार्म-4ए में तीआईटीपीएल ने वर्ष 2010 के लिये आरमिक सच्ची मूल्यहास तथा 3 श्रीणों तथा ने वर्ष 2010 के लिये आरमिक सच्ची मूल्यहास तथा 3 श्रीणों, तथा, सचत्र पर मंत्रीनरी, सूचना प्रीसांगिकी और वर्थ, यार्ड एव	(xiv)	सीआईटीपीएल, वर्ष 2010 के ऑडिटेड लेखा में		प्रतिस्व :	umra 🛬 🖰	A (3-3-4) (284.92
(XV) इस प्राधिकरण में नर्वबर 2010 के अपने आदेश के पेराग्राफ 13(xk) के द्वारा 30 वर्ष के प्रोजेक्ट जीवन में रू. 10 करोड़ अपफुट प्रीमियम और रू. 8.17 करोड़ के पट्टेदारी प्रीमियम और रू. 8.17 करोड़ के पट्टेदारी प्रीमियम और रू. 8.17 करोड़ के पट्टेदारी प्रीमियम और रू. 8.17 करोड़ के पट्टेदारी प्रीमियम और रू. 8.17 करोड़ के पट्टेदारी प्रीमियम और रू. 8.17 करोड़ के पट्टेदारी प्रीमियम और रू. 8.17 कर 3.10 करोड़ आपफुट प्रीमियम और रू. 8.17 कर 3.10 करोड़ आपफुट प्रीमियम और रू. 8.17 कर 3.10 करोड़ के पट्टेदारी प्रीमियम और रू. 8.17 कर 3.10 करोड़ के प्राथम के अतर अवायगी राश्च के रू. 18 कर 18 कर 14 के .56 लाख वार्षिक का उल्लेख की गई रू. 56/- लाख की शांक का उल्लेख की गई रू. 56/- लाख की शांक का उल्लेख की गई रू. 56/- लाख की शांक का उल्लेख की गई रू. 56/- लाख की शांक का उल्लेख की गई रू. 56/- लाख की शांक का उल्लेख की गई रू. 56/- लाख की शांक का उल्लेख की गई रू. 56/- लाख की शांक का वार्ष 2010 के आविटेड लेखा में में में में स्था माना कर के हुए सीआईटीपीएल ने एक विवरणी प्रस्तुत की है। सीआईटीपीएल ने प्रमालन कर हुए सीआईटीपीएल ने एक विवरणी प्रस्तुत की है। सीआईटीपीएल ने प्रमालन कर हुए सीआईटीपीएल ने एक विवरणी प्रस्तुत की है। सीआईटीपीएल ने अवाल परिस्पितियों के सकल खड़ और अनु सुव्ह खड़ आंतर खुट खड़ के अतिरिक्त रू. 28/0 के आविटेड लेखा में वर्णा ता को शांक के साम प्रमाल कर हुए सीआईटीपीएल ने का प्रसाल परिस्पितियों के सकल खड़ और सुव्ह खड़ आलड़ भी वर्ष 2010 के लिये आरमिक सचवी मुल्यहास माना था। सीआईटीपीएल और बेंदि के लेखा से अपने आकड़े मिलाए।	1		किये गए भगतान के काल	n ‡ei u	CHALL AN IG	ा प ापदशा ।	वक्रवांआ का
(XV) इस प्राधिकरण ने नर्वबर 2010 के आपने आदेश के पेराप्राफ 13(xb) के द्वारा 30 वर्ष के प्रोजेक्ट जीवन में रू. 10 करोड़ अपफ्ट प्रीमियम की किरत अवायगी के रू. 10 करोड़ अपफ्ट प्रीमियम की किरत अवायगी के रू. 10 करोड़ के पट्टेदारी प्रीमियम की किरत अवायगी के रू. प में सीआईटीपीएल द्वारा सीराप्रणीटी को दी गई रू. 53.90 लाख वार्षिक की राशि पर विचार किया है। सीआईटीपीएल ने वर्ष 2010 की लागत विवरणी में वास्तविक किरत अवायगी राशि के रू. प में रू. 56 लाख वार्षिक का उल्लेख किया है। सीआईटीपीएल, इसके द्वारा उल्लेख की गई रू. 56/- लाख की राशि का विवरण प्रस्तुत कर । (XVI) (क) लागत विवरणी के फार्म 4ए में वर्ष 2010 के लीवे वर्णित अचलपरिसपत्तियों अथवा सकल खंड अत सकल खंड और अत शुद्ध खंड, वर्ष 2010 के ऑडिटेड वर्षिक लेखा से मेल नहीं खाले। इसके अलावा वर्ष 2010 के लिये आरमिक संचयी मूल्यहास गामिल करने के बाद सीआईटीपीएल ने प्रवाद कराव 2010 के लिये आरमिक संचयी मूल्यहास गामिल करने के बाद सीआईटीपीएल ने एक विवरणी प्रस्तुत की है। अध्याद मान स्वर्ध 2010 के लिये आरमिक संचयी मूल्यहास मागा था। सीआईटीपीएल ने प्रवादन सितबर 2009 में शुरू किया और वर्ष 2009 में 3 माह का मूल्यहास मागा था। सीआईटीपीएल ने प्रवादन सितबर 2009 में शुरू किया और वर्ष 2009 में 3 माह का मूल्यहास मागा था। सीआईटीपीएल जे प्रवाद के लेखा से पर्या मुल्यहास मागा था। सीआईटीपीएल जे प्रवाद के लेखा से अपने आकडी मेला ही जान के अपने अकडी मेला है। इसके अलावा वर्ष यो सीचा के सकल खंड और शुद्ध खंड और शुद्ध खंड आकडे मी वर्ष 2010 के लिये काम 4ए में दिला गए आकडी से नई पिलते है। इसके अलावा वह मी देखा गया है कि मेल मिलाप विवरणी में प्रवत्त सकल खंड और शुद्ध खंड के अतिरिक्त रू. 2876 लाख पर विचार किया है। इसके अलावा वह मी देखा गया है कि मेल मिलाप विवरणी में प्रवत्त सकल खंड और शुद्ध खंड के अतिरिक्त रू. 2876 लाख पर विचार किया है। इसके आगो, लागत विवरणी के फार्म-4ए में मिलते है।) (खंड) इसके आगे, लागत विवरणी के फार्म-4ए में सीचा की सेव 2010 के लिये आरमिक सचयी मूल्यहास तथा उसने सीचा के सेव विवरणी में प्रवृत्त सकल खंड और शुद्ध खंड के अतिरिक्त रू. 2876 लाख पर विचार किया है। इसके अलावा वह मी देखा गया है कि मेल मिलाप विवरणी में प्रवृत्त सकल खंड और शुद्ध खंड के अतिरिक्त है।	1;		The state of the s	101			
पैराग्राफ 13(xbt) के द्वारा 30 वर्ष के प्रोजैक्ट जीवन में ल.10 करोड़ अपफ़ट प्रीमियम और रू. 6.17 करोड़ के पट्टेवरी प्रीमियम और रू. 6.17 करोड़ के पट्टेवरी प्रीमियम की किरत अदायगी के रूप में सीआईटीपीएल द्वारा सीएवपीटी को दी गई रू 53.90 लाख वार्षिक की राशि पर दिचार किया है। सीआईटीपीएल ने वर्ष 2010 की लागत विवरणों में वास्तविक किरत अदायगी राशि के रूप में रू. 56 लाख वार्षिक का उल्लेख किया है। सीआईटीपीएल, इसके द्वारा उल्लेख किया है। सीआईटीपीएल, इसके द्वारा उल्लेख किया है। सीआईटीपीएल, इसके द्वारा उल्लेख किया है। सीआईटीपीएल, इसके व्वारा उल्लेख की गई रू. 56/- लाख की राशि का विवरणों के फार्म 4ए में वर्ष 2010 के लिये वर्णत अचलपरिसपतियों अथवा सकल खंड अत सकल खंड और शुद्ध खंड, वर्ष 2010 के ऑडिटेड लेखा में मेल नहीं खाते। इसके अलावा वर्ष 2010 के तिये आरमिक संचयी मूल्यहास "शून्य" बताया गया है जिसकी समीक्षा की जानी चाहिए क्योंकि सीआईटीपीएल ने प्रचालन सितंबर 2009 में गुक्त किया और वर्ष 2009 में 3 मांड का मूल्यहास मागा था। सीआईटीपीएल ऑडिटेड लेखा से अपने आकडे मिलाए। (खं) इसके आगे, लागत विवरणों के फार्म-4ए में सीआईटीपीएल ने समस्त परिसपतियों को 3 श्रीणयों, यथा, सवन्न 2010 के लिये आरमिक सचयी मूल्यहास खंड और शुद्ध खंड के अतिरिक्त के 2878 लाख पर विचार किया है। इसके अलावा यह मी देखा गया है कि मेल मिलाप विवरणों में प्रवह्म सकल खंड और शुद्ध खंड के अतिरिक्त के 2878 लाख पर विचार किया है। इसके अलावा यह मी देखा गया है कि मेल मिलाप विवरणों में प्रवह्म सकल खंड और शुद्ध खंड आकडे मी वर्ष 2010 के लिये आरमिक सचयी मूल्यहास तथा 3 श्रीणों, यथा, सवन्न 2010 के लिये आरमिक सचयी मूल्यहास तथा 3 श्रीणों, यथा, सवन्न 2010 के लिये आरमिक सचयी मूल्यहास तथा 3 श्रीणों योजन ने वर्ष 2010 के लिये आरमिक सचयी मूल्यहास तथा 3 श्रीणों, यथा, सवन्न 2010 के लिये आरमिक सचयी मूल्यहास तथा 3 श्रीणों, यथा, सवन्न 2010 के लिये आरमिक सचयी मूल्यहास तथा 3 श्रीणों योजन वे 2010 के लिये आरमिक सचयी मूल्यहास तथा 3 श्रीणों योजन वे 2010 के लिये आरमिक सचयी मूल्यहास तथा 3 श्रीणों योजन वे 2010 के लिये आरमिक सचयी मूल्यहास तथा 3 श्रीणों योज	ļ.						
पराग्राफ 13(xk) के द्वारा 30 वर्ष के प्रोजैक्ट जीवन में रू. 10 करोड़ अपफुट प्रीमियम और रू. 6.17 करोड़ के पट्टेशरी प्रीमियम की किरत अदायगी के रूप में सीआईटीपीएल द्वारा सीएचपीटी को दी गई रू 53.90 लाख वार्षिक की राश्चि पर विचार किया है। सीआईटीपीएल ने वर्ष 2010 की लागत विवरणी में वास्तिक किरत अदायगी का पर के 5.56 लाख वार्षिक का उल्लेख किया है। सीआईटीपीएल, इसके द्वारा उल्लेख किया है। सीआईटीपीएल, इसके द्वारा उल्लेख किया है। सीआईटीपीएल, इसके द्वारा उल्लेख किया है। सीआईटीपीएल, इसके द्वारा उल्लेख की गई रू. 56/- लाख की राश्चि के वार्ष के 1 कियर अचलपरिसपत्तियों अथवा सकल खंड अत सकल खंड और अत शुद्ध खंड, वर्ष 2010 के आडिटेड वार्षिक लेखा से मेल नहीं खाते । इसके अलाव वर्ष 2010 के तिये आरमिक संचयी मूल्यहास "शून्य" बताया गया है जिसकी समीक्षा की जानी चाहिए क्योंकि सीआईटीपीएल ने प्रचालन सितबर 2009 में शुरू किया और वर्ष 2009 में शुरू किया पर विवर में में सीआईटीपीएल ने एक विवरणी में किया है। इसके अलावा यह भी देखा गया है कि मेल मिलाप विवरणी में किया ने वर्ष 2010 के आडिटेड वितीय वरतावेजों में वर्ष या इसके अलावा यह भी देखा गया है कि मेल मिलाप विवरणी में पर सकल खंड और शुद्ध खंड आकर में वर्ष वरवावेजों में पर सकल खंड और शुद्ध खंड आकर में वर्ष 2010 के लिये आरमिक सचयी मूल्यहास तथा 3 अभियों, यथा, सवत्र 2010 के लिये आरमिक सचयी मूल्यहास तथा 3 अभियों, यथा, सवत्र 2010 के लिये आरमिक सचयी मूल्यहास तथा 3 अभियों, यथा, सवत्र 2010 के लिये आरमिक सचयी मूल्यहास तथा विवर साम के वर्ष विवर सम्लेक सच्चे विवर सम्लेक सचया म	(xv)		सीआईटीपीएल ने अपफ्रे	ट प्रामियम	तथा पट्टे	दारी प्रीमिय	म की किश्त
में रू. 10 करोड़ अपफुट प्रीमियम और रू. 8.17 करोड़ के पट्टेदारी प्रीमियम की किस्त अदायगी के रूप में सीआईटीपीएल द्वारा सीएचपीटी को दी गई रू 53.90 लाख वार्षिक की राशि पर विचार किया है । सीआईटीपीएल ने वर्ष 2010 की लागत विवरणी में वास्तिक कि उत्स्ते अवायगी राशि के रू में रू. 58 लाख वार्षिक का उल्लेख किया है । सीआईटीपीएल, इसके द्वारा उल्लेख की गई रू. 58/- लाख की राशि का विवरण प्रस्तुत करे । (XVI) (क) लागत विवरणी के फार्म ४ए में वर्ष 2010 के लिये आर्योक संचयी मूल्यहास शामिल करने के बाद सीआईटीपीएल अवायगी में का विवरण प्रस्तुत करे । (XVI) (क) लागत विवरणी के फार्म ४ए में वर्ष 2010 के लिये आर्योक संचयी मूल्यहास शामिल करने के बाद सीआईटीपीएल अवायगी में रूप में वर्ष 2010 के अविवरण प्रस्तुत करे । (XVI) (क) लागत विवरणी के फार्म ४ए में वर्ष 2010 के अविवर्ण अवायगी के फार्म ४ए में वर्ष 2010 के अविवर्ण अवायगी के फार्म ४ए में वर्ष 2010 के अविवर्ण अवायगी के साथ मिलान करते हुए सीआईटीपीएल ने एक विवरणी प्रस्तुत की है । (XVI) (क) लागत विवरणी के फार्म ४ए में वर्ष 2010 के अविवर्ण के आर्योक संचयी मूल्यहास शामिल करने के बाद सीआईटीपीएल ने एक विवरणी प्रस्तुत की है । (XVI) (क) लागत विवरणी के फार्म ४ए में वर्ष 2010 के अविवर्ण में देखा गया है कि सीआईटीपीएल ने वर्ष 2010 की लागत विवरणी में देखा गया है कि सीआईटीपीएल ने वर्ष 2010 की लागत विवरणी में देखा गया है कि सीआईटीपीएल ने वर्ष 2010 की लागत विवरणी में उच्च का अवायगी में किए तसकल खंड और शुद्ध खंड में ईपीसीजी योजना के अवर्गत बचाई गई उपूटी राशि के लिये बेक गारटी की मद में वर्ष 2010 के अविवर्ण कर 2010 के लिये आरंपिक सच्ची मूल्यहास का वर्ष और शुद्ध खंड और शुद्ध खंड के अविविक्त के 2876 लाख पर विचर किया है । इसके अतावा यह भी देखा गया है कि मेल मिलाप विवरणी में पुर्ल सकल खंड और शुद्ध खंड और शुद्ध खंड और शुद्ध खंड और में वर्ष 2010 के लिये आरंपिक सच्ची मूल्यहास तथा । उसके अवर्ण में वर्ष 2010 के लिये आरंपिक सच्ची मूल्यहास तथा । वर्ष अवर्ण में पुर्ल सकल खंड और शुद्ध खंड अवर्ण में वर्ष विवरणी में पुर्ल सकल खंड और शुद्ध खंड अवर्ण में वर्ष विवरणी में वर्ष विवरणी में वर्ष विवरणी में वर्ष विवरणी में वर्ष विवरणी में वर्ष विवरणी में वर्ष विवरणी में वर्ष विवरणी में वर्ष विवरणी में वर्ष विवरणी में वर्ष वि		· ·	अवायगी का स्वीत प्रस्तुत	किया है जे	ो निम्नानुसार	है -	
र्भित पूर्व से सीआईटीपीएल द्वारा सीएचपीटी को दी गई क 53.90 लाख वार्षिक की राश्चि पर दिचार किया है । सीआईटीपीएल ने वर्ष 2010 की लागत विवरणी में वास्तविक किय है । सीआईटीपीएल, इसके द्वारा उल्लेख किया है । सीआईटीपीएल, इसके द्वारा उल्लेख की गई क . 58/- लाख वार्षिक का उल्लेख की गई क . 58/- लाख की . इसके अलावा वर्ष 2010 के लिये आरिक संचयी मूल्यहास "सून्य" बताया गया है जिसकी समीक्षा की जानी चाहिए क्योंकि सीआईटीपीएल ने प्रचलन तित्वर पार्टिक के . 3 माह का मूल्यहास मागा था । सीआईटीपीएल ऑडिटेड लेखा से अपने आकडे मिलाए। (ख) इसके आगे, लागत विवरणी के फार्म-वए में सीआईटीपीएल ने समस्त परिसपितों को 3 अंशियों सथा, सचत्र एव मशीनरी, सूचना प्रौद्योगिक और वर्श, यार्ड एवं मशीनरी, सूचना प्रौद्योगिको और वर्श, यार्ड एवं मशीनरी, सूचना प्रौद्योगिको और वर्श, यार्ड एवं मशीनरी, सूचना प्रौद्योगिको और वर्श, यार्ड एवं मशीनरी, सूचना प्रौद्योगिको और वर्श, यार्ड एवं मशीनरी, सूचना प्रौद्योगिको और वर्श, यार्ड एवं मशीनरी, सूचना प्रौद्योगिको और वर्श, यार्ड एवं मशीनरी, सूचना प्रौद्योगिको और वर्श, यार्ड एवं मशीनरी, सूचना प्रौद्योगिको और वर्श, यार्ड एवं मशीनरी, सूचना प्रौद्योगिको और वर्श, यार्ड एवं मशीनरी, सूचना प्रौद्योगिको और वर्श, यार्ड एवं मशीनरी, सूचना प्रौद्योगिको और वर्श, यार्ड एवं मशीनरी, सूचना प्रौद्योगिको और वर्श, यार्ड एवं मशीनरी, सूचना प्रौद्योगिको और वर्श, यार्ड एवं मशीनरी, सूचना प्रौद्योगिको और वर्श, यार्ड एवं मशीनरी, सूचना प्रौद्योगिको और वर्श, यार्ड एवं मशीनरी, सूचने प्रौद्योगिको और वर्					.		
क प म साआइटापाएल द्वारा सीएचपीटी को दी गई क 53.90 लाख वार्षिक की राशि पर विचार किया है। सीआईटीपीएल ने वर्ष 2010 की लागत विवरणी में वास्तविक किश्त अवायगी राशि के रूप में रू.56 लाख वार्षिक का उल्लेख किया है। सीआईटीपीएल, इसके द्वारा उल्लेख की गई रू. 56%- लाख की राशि का विवरण प्रस्तुत करे। (XM) (क) लागत विवरणी के फार्म ४ए में वर्ष 2010 के लिये आरिक सचयी मूल्यहास सामिल करने के बाद सीआईटीपीएल अवायगि समेल गई खात । इसके आतावा वर्ष 2010 के लिये आरिक लेखा से मेल नहीं खात । इसके अलावा वर्ष 2010 के लिये आरिक संचयी मूल्यहास "शून्य" बतावा गया है जिसकी समीक्षा की जानी चाहिए क्योंकि सीआईटीपीएल ने प्रचालन सितबर 2009 में शुक्त किया और वर्ष 2009 में 3 माह का मूल्यहास मागा था । सीआईटीपीएल ऑडिटेड लेखा से वर्णत सकल खंड और शुद्ध खंड के अतिरिक्त रू 2676 लाख पर विचार किया है । इसके अलावा यह भी देखा गया है कि मीक्षा विवरणी में प्रवत्त सकल खंड और शुद्ध खंड के अतिरिक्त रू 2676 लाख पर विचार किया है । इसके अलावा यह भी देखा गया है कि मीक्षा विवरणी में पुट्य खंड और शुद्ध खंड ओर शुद्ध खंड के अतिरिक्त रू 2676 लाख पर विचार किया है । इसके अलावा यह भी देखा गया है कि मीक्षा विवरणी में पुट्य सकल खंड और शुद्ध खंड के अतिरिक्त रू 2676 लाख पर विचार किया है । इसके अलावा यह भी देखा गया है कि मीक्षा विवरणी में पुट्य सकल खंड और शुद्ध खंड के अतिरिक्त रू 2676 लाख पर विचार किया है । इसके अलावा यह भी देखा गया है कि मीक्षा विवरणी में पुट्य सकल खंड और शुद्ध खंड के अतिरिक्त रू 2676 लाख पर विचार किया है । इसके अलावा यह भी देखा गया है कि मीक्षा विवरणी में पुट्य सकल खंड और शुद्ध खंड के अतिरिक्त रू 2610 के लिये आरिक सचयी मूल्यहास तथा 3 अरिणों, यथा, सयत्र एव मशीनरी, सूचना प्रौद्योगिको और बर्स, यार्ड एव	Ì	करोड़ के पद्टेदारी प्रीमियम की किश्त अदायगी के				1	1
क 53.90 लाख वार्षिक की राशि पर विचार किया है। सीआईटीपीएल ने वर्ष 2010 की लागत विवरणी में वास्तविक किश्त अवायगी राशि के रूप में रू. 56 लाख वार्षिक का उल्लेख किया है। सीआईटीपीएल, इसके द्वारा उल्लेख की गई रू. 56/- लाख की राशि का विवरणी के फार्म ४ए में वर्ष 2010 के लिये वर्णित अचलपरिसपतियों का था के अर्थिक लेखा से मेल नहीं खाते। इसके अलावा वर्ष 2010 के लिये आरमिक संचयी मूल्यहास गामिल करने के बाद सीआईटीपीएल ने लिये आरमिक संचयी मूल्यहास गामिल करने के बाद सीआईटीपीएल ने सशोधित फार्म-४ए प्रस्तुत कर दिया। तदनन्तर, फार्म ४ए में वर्णित ओक्का का वर्ष 2010 के ऑडिटेड लेखा में वर्णित आकड़ों के साध मितान करते हुए सीआईटीपीएल ने एक विवरणी प्रस्तुत की है। अर्था वा वर्ष 2010 के लिये आरमिक संचयी मूल्यहास गामिल करने के बाद सीआईटीपीएल ने एक विवरणी प्रस्तुत की है। सिल-मिलाप विवरणी में देखा गया है कि सीआईटीपीएल ने वर्ष 2010 की लागत विवरणी के सकल खंड और शुद्ध खंड के अतिरिक्त रूप सीआईटीपीएल ने वर्ष 2010 की लागत विवरणी प्रमुत की है। सिल-मिलाप विवरणी में वर्ष 2010 के ऑडिटेड किसी वर्षा के लिये बैक गारटी की मद में वर्ष 2010 के ऑडिटेड किसी वर्षा के लिये बैक गारटी की मद में वर्ष 2010 के ऑडिटेड किसी वर्षा मागा था। सीआईटीपीएल ऑडिटेड लेखा से अपने आकड़े मिलाए। (ख) इसके आगे, लागत विवरणी के फार्म-४ए में सीआईटीपीएल ने समस्त परिसपतियों को 3 श्रीणयों स्था, सथत एव मशीनरी, सूचना प्रौद्योगिको और बर्स, यार्ड एव			समूक्त्र विवस्त्य विश्व विवस्त्र	का वर			
के । सम्प्रहटापएल ने वर्ष 2010 की लोगत विवरणों में वास्तिक किरत अवायगी राशि के रूप में रू. 56 लाख वार्षिक का उल्लेख किया है । सीआईटीपीएल, इसके द्वारा उल्लेख की गई रू. 56/- लाख की राशि का विवरण प्रस्तुत करें । (क) लागत विवरणों के फार्म ४ए में वर्ष 2010 के लिये आरमिक सचयी मूल्यहास शामिल करने के बाद सीआईटीपीएल अवाय वर्ष 2010 के आंडिटेड वार्षिक लेखा से मेल नहीं खाते । इसके अलावा वर्ष 2010 के लिये आरमिक संवयी मूल्यहास "शून्य" बताया गया है जिसकी समीक्षा की जानी चाहिए क्योंकि सीआईटीपीएल में प्रचालन सितबर 2009 में शुरू किया और वर्ष 2009 में 3 माह का मूल्यहास मागा था । सीआईटीपीएल ऑडिटेड लेखा में वर्णित सकल खंड और शुद्ध खंड के अतिरिक्त रूप 2010 के लिये का महल्यहास मागा था । सीआईटीपीएल ऑडिटेड लेखा से अपने आकडे मिलाए। (ख) इसके आगे, लागत विवरणी के फार्म-४ए में तीआईटीपीएल ने वर्ष 2010 के लिये आरमिक सचयी मूल्यहास वर्ष अर शुद्ध खंड और शुद्ध खंड के अतिरिक्त रूप 2876 लाख पर विचरणी में प्रक्त सकल खंड और शुद्ध खंड के अतिरिक्त रूप 2876 लाख पर विचरणी में प्रक्त सकल खंड और शुद्ध खंड के अतिरिक्त रूप 2876 लाख पर विचरणी में प्रक्त सकल खंड और शुद्ध खंड आकडे भी वर्ष 2010 के लिये का मं वर्ष विचरणी में प्रक्त सकल खंड और शुद्ध खंड के अतिरिक्त रूप 2876 लाख पर विचरणी में प्रक्त सकल खंड और शुद्ध खंड आकडे भी वर्ष 2010 के लिये आरमिक सचयी मूल्यहास तथा 3 के भीआईटीपीएल ने समस्त परिसपितियों को 3 श्रेणियों, यथा, सयत्र एव मशीनरी, सूचना प्रोद्योगिकी और बर्स, यार्ड एव	1			1.33%	*		
में वास्तविक किरत अवायगी राशि के रूप में रू. 58 लाख वार्षिक का उल्लेख किया है। सीआईटीपीएल, इसके द्वारा उल्लेख की गई रू. 58/- लाख की राशि का विवरणी के फार्म ४ए में वर्ष 2010 के लिये आरमिक सचयी मूल्यहास शामिल करने के बाद सीआईटीपीएल ने सशोधित फार्म-४ए प्रस्तुत कर दिया। तदनन्तर, फार्म ४ए में वर्णत आंकडों का वर्ष 2010 के ऑडिटेड वार्षिक लेखा से मेल नहीं खाते। इसके अलावा वर्ष 2010 के तिये आरमिक संचयी मूल्यहास "शून्य" बताया गया है जिसकी समीक्षा की जानी चाहिए क्योंकि सीआईटीपीएल ने प्रचालन सितबर 2009 में शुरू किया और वर्ष 2009 में 3 माह का मूल्यहास मागा था। सीआईटीपीएल ऑडिटेड लेखा से वर्णत आंडिटेड लेखा से वर्णत आंडिटेड लेखा से अपने आंकडे मिलाए। (ख) इसके आंगे, लागत विवरणी के फार्म-४ए में सीआईटीपीएल ने के विवरणी में युव्ह सकल खंड और शुद्ध खंड के अतिरिक्त रू. 2876 लाख पर विचार किया है। इसके अलावा यह भी देखा गया है कि मेल मिलाप विवरणी में युव्ह सकल खंड और शुद्ध खंड और शुद्ध खंड को अतिरिक्त रू. 2876 लाख पर विचार किया है। इसके अलावा यह भी देखा गया है कि मेल मिलाप विवरणी में युव्ह सकल खंड और शुद्ध खंड आंगे, लागत विवरणी के फार्म-४ए में लिए गए आंकडों से नहीं मिलते है।) (ख) इसके आंगे, लागत विवरणी के फार्म-४ए में सीआईटीपीएल ने वर्ष 2010 के लिये आरमिक सचयी मूल्यहास तथा 3 श्रेणियाँ, यथा, सयत्र एव मशीनरी, सूचना प्रौद्धारिकी और वर्श, यार्ड एव		है। सीआईटीपीएल ने वर्ष 2010 की लागत विवरणी					
(XM) (क) लागत विवरणों के फार्म 4ए में वर्ष 2010 के लिये आरिमक सचयी मूल्यहास शामिल करने के बाद सीआईटीपीएल ने समस्त परिसपतियों के प्रार्थ की गई रू. 58/- लाख को गई रू. 58/- लाख को गई रू. 58/- लाख को गई रू. 58/- लाख को गई रू. 58/- लाख को गई रू. 58/- लाख को गई रू. 58/- लाख को गई रू. 58/- लाख को गई रू. 58/- लाख को गई रू. 58/- लाख को गई रू. जो है। जो	ł		पर प्रवत्त प्रीमिक्स				i
(XVI) (क) लागत विवरण प्रस्तुत करे । (क) लागत विवरणों के फार्म ४ए में वर्ष 2010 के लिये आरमिक सचयी मृत्यहास शामिल करने के बाद सीआईटीपीएल ने सशाधित फार्म-४ए प्रस्तुत कर दिया । तदनन्तर, फार्म ४ए में वर्णत आंकडों का वर्ष 2010 के ऑडिटेड लेखा में वर्णत आकडों के साथ मिलान करते हुए सीआईटीपीएल ने एक विवरणों प्रस्तुत की है । (मेल-मिलाप विवरणों में देखा गया है कि सीआईटीपीएल ने वर्ष 2010 की लागत विवरणों में देखा गया है कि सीआईटीपीएल ने वर्ष 2010 की लागत विवरणों एक मिलाप विवरणों में अचल परिसपित्तयों के सकल खड और शुद्घ खंड में ईपीसीजी योजना के अतर्गत बचाई गई डयूटी राशि के लिये बैक गारटी की मद में वर्ष 2010 के आंडिटेड वित्ताय दस्तावेजों में वर्णित सकल खंड और शुद्घ खंड के अतिरिक्त कर 2876 लाख पर विचार किया है । इसके अलावा यह मी देखा गया है कि मेल मिलाप विवरणों में प्रदत्त सकल खंड और शुद्घ खंड अंक अतिरिक्त कर 2876 लाख पर विचार किया है । इसके अलावा यह मी देखा गया है कि मेल मिलाप विवरणों में प्रदत्त सकल खंड और शुद्घ खंड आंकडे मी वर्ष 2010 के लिये कार्म ४ए में लिए गए आंकडों से नंहीं मिलते हैं ।		लाख वार्षिक का उल्लेख किया है। सीआईटीपीएल,	1 77	3.70%	4149000	45050	
(क) लागत विवरणों के फार्म 4ए में वर्ष 2010 के लिये आरमिक सचयी मूल्यहास शामिल करने के बाद सीआईटीपीएल ने सशोधित फार्म-4ए प्रस्तुत कर दिया। तदनन्तर, फार्म 4ए में वर्णित अंकल खंड और अत शुद्ध खंड, वर्ष 2010 के ऑडिटेड वार्षिक लेखा से मेल नहीं खात। इसके अलावा वर्ष 2010 के लिये आरमिक संचयी मूल्यहास "शून्य" बताया गया है जिसकी समीक्षा की जानी चाहिए क्योंकि सीआईटीपीएल ने प्रचालन सितबर 2009 में शुक्त किया और वर्ष 2009 में 3 मांड का मूल्यहास मागा था। सीआईटीपीएल ऑडिटेड लेखा से अपने आकडे मिलाए। (खं) इसके आगे, लागत विवरणी के फार्म-4ए में सीआईटीपीएल ने समस्त परिसपित्यों के फार्म-4ए में सिलत है।) (खं) इसके आगे, लागत विवरणी के फार्म-4ए में सीआईटीपीएल ने समस्त परिसपित्यों को 3 श्रीणयाँ, यथा, सचत्र एव मशीनरी, सूचना प्रौद्योगिकी और वर्थ, यार्ड एव		इसके द्वारा उल्लेख की गई रू. 58/- लाख की		370%	0190800	1/2/89	172769
लिये वर्णित अचलपरिसपितयों अथवा सकल खंड अत सकल खंड और अत शुद्ध खंड, वर्ष 2010 के ऑडिटेड वार्षिक लेखा से मेल नहीं खाते । इसके अलावा वर्ष 2010 के लिये आरिमक संचयी मूल्यहास "शून्य" बताया गया है जिसकी समीक्षा की जानी चाहिए क्योंकि सीआईटीपीएल ने प्रचालन सितबर 2009 में शुक्त किया और वर्ष 2009 में 3 माह का मूल्यहास मागा था । सीआईटीपीएल ऑडिटेड लेखा से अपने आकडे मिलाए। (खं) इसके आगे, लागत विवरणी के फार्म-४ए में तीआईटीपीएल ने समस्त परिसपितयों के फार्म-४ए में तीआईटीपीएल ने समस्त परिसपितयों के फार्म-४ए में तीआईटीपीएल ने समस्त परिसपितयों के अंगियाँ, यथा, सयत्र एव मशीनरी, सूचना प्रौद्यांगिकी और बर्थ्स, यार्ड एव	1	राशि का विवरण प्रस्तुत करे।	কুল				5582278
लिये वर्णित अचलपरिसपितयों अथवा सकल खंड अत सकल खंड और अत शुद्ध खंड, वर्ष 2010 के ऑडिटेड वार्षिक लेखा से मेल नहीं खाते । इसके अलावा वर्ष 2010 के लिये आरमिक संचयी मूल्यहास "शून्य" बताया गया है जिसकी समीक्षा की जानी चाहिए क्योंकि सीआईटीपीएल ने प्रचालन सितबर 2009 में शुक्त किया और वर्ष 2009 में 3 माह का मूल्यहास मागा था । सीआईटीपीएल ऑडिटेड लेखा से अपने आकडे मिलाए। (खं) इसके आगे, लागत विवरणी के फार्म-४ए में तीआईटीपीएल ने समस्त परिसपितयों के फार्म-४ए में तीआईटीपीएल ने समस्त परिसपितयों के फार्म-४ए में तीआईटीपीएल ने समस्त परिसपितयों के अंग्रेण सं वर्ष 2010 के लिये आरमिक सच्यी मूल्यहास तथा 3 श्रीणयाँ, यथा, सयत्र एव मशीनरी, सूचना प्रौद्योगिकी और बर्थ्स, यार्ड एव							
अत सकल खड और अत शुद्ध खड, वर्ष 2010 के ऑडिटेड वार्षिक लेखा से मेल नहीं खाते । इसके अलावा वर्ष 2010 के लिये आरिमक संचयी मूल्यहास "शून्य" बताया गया है जिसकी समीक्षा की जानी चाहिए क्योंकि सीआईटीपीएल ने प्रचालन सितबर 2009 में शुक्त किया और वर्ष 2009 में 3 माह का मूल्यहास मागा था । सीआईटीपीएल ऑडिटेड लेखा से अपने आकडे मिलाए। (मेल-मिलाप विवरणी में देखा गया है कि सीआईटीपीएल ने वर्ष 2010 की लागत विवरणी (फार्म4ए) में अचल परिसपितयों के सकल खड और शुद्ध खंड में ईपीसीजी योजना के अतर्गत बचाई गई डयूटी राशि के लिये बैंक गारटी की मद में वर्ष 2010 के ऑडिटेड वित्तीय दस्तावेजों में विणित सकल खंड और शुद्ध खंड के अतिरिक्त क्र 2876 लाख पर विचार किया है। इसके अलावा यह भी देखा गया है कि मेल मिलाप विवरणी में प्रदत्त सकल खंड और शुद्ध खंड के आतिरिक्त क्र 2876 लाख पर विचार किया है। इसके अलावा यह भी देखा गया है कि मेल मिलाप विवरणी में प्रदत्त सकल खंड और शुद्ध खंड आंकडे भी वर्ष 2010 के लिये आरिमक सचयी मूल्यहास तथा 3 श्रेणियों, तथा, सयत्र एव मशीनरी, सूचना प्रौद्योगिकी और बर्स्स, यार्ड एव	(xvi)		वर्ष 2010 के लिये आरो	मेक सचर्य	मूल्यहास	शामिल क	रने के बाद
अत सकल खड़ आर अत शुद्ध खड़, वर्ष 2010 के ऑडिटेड लेखा में वर्णित आकड़ों के ऑडिटेड वार्षिक लेखा से मेल नहीं खाते । इसके अलावा वर्ष 2010 के लिये आरमिक संचयी मूल्यहास "शून्य" बताया गया है जिसकी समीक्षा की जानी चाहिए क्योंकि सीआईटीपीएल ने प्रचालन सितबर 2009 में शुरू किया और वर्ष 2009 में 3 माह का मूल्यहास मागा था । सीआईटीपीएल ऑडिटेड लेखा से अपने आकड़े मिलाए। खड़ में ईपीसीजी योजना के अतर्गत बचाई गई डयूटी राशि के लिये बैक गारटी की मद में वर्ष 2010 के ऑडिटेड वित्तीय दस्तावेजों में वर्णित सकल खंड और शुद्ध खंड के अतिरिक्त रू 2876 लाख पर विचार किया है। इसके अलावा यह भी देखा गया है कि मेल मिलाप विवरणी में प्रदत्त सकल खंड और शुद्ध खंड और शुद्ध खंड के अतिरिक्त रू 2876 लाख पर विचार किया है। इसके अलावा यह भी देखा गया है कि मेल मिलाप विवरणी में प्रदत्त सकल खंड और शुद्ध खंड आकड़े भी वर्ष 2010 के लिये फार्म 4ए में लिए गए आकड़ों से नहीं मिलते है।) (ख) इसके आगे, लागत विवरणी के फार्म-4ए में सीआईटीपीएल ने समस्त परिसपित्यों को 3 श्रेणियों, यथा, सयत्र एव मशीनरी, सूचना प्रौद्योगिकी और बर्स्स, यार्ड एव			सीआईटीपीएल ने सशोधि	त फार्म-4ए	प्रस्तुत कर	दिया। तद	नन्तर, फार्म
आडिटेड वार्षिक लेखा से मेल नहीं खाते । इसके अलावा वर्ष 2010 के लिये आरिमक संचयी मूल्यहास "शून्य" बताया गया है जिसकी समीक्षा की जानी चाहिए क्योंकि सीआईटीपीएल ने प्रचालन सितबर 2009 में शुरू किया और वर्ष 2009 में 3 माह का मूल्यहास मागा था । सीआईटीपीएल ऑडिटेड लेखा से अपने आकडे मिलाए। (ख) इसके आगे, लागत विवरणी के फार्म-4ए में सीआईटीपीएल ने समस्त परिसपत्तियों के फार्म-4ए में सीआईटीपीएल ने समस्त परिसपत्तियों के फार्म-4ए में सीआईटीपीएल ने समस्त परिसपत्तियों के फार्म-4ए में सीआईटीपीएल ने समस्त परिसपत्तियों के फार्म-4ए में सीआईटीपीएल ने समस्त परिसपत्तियों के फार्म-4ए में सीआईटीपीएल ने समस्त परिसपत्तियों को 3 श्रेणियाँ, यथा, सयत्र एव मशीनरी, सूचना प्रौद्योगिकी और बर्थ्स, यार्ड एव	. :		4ए में वर्णित आंकड़ों का व	र्ष 2010 के	ऑडिटेड ले	खा में वर्णित	। आकड़ों के
अलावा वर्ष 2010 के लिये आरमिक संचयी मूल्यहास "शून्य" बताया गया है जिसकी समीक्षा की जानी चाहिए क्योंकि सीआईटीपीएल ने प्रचालन सितबर 2009 में शुक्त किया और वर्ष 2009 में 3 माह का मूल्यहास मागा था। सीआईटीपीएल ऑडिटेड लेखा से अपने आकड़े मिलाए। (ख) इसके आगे, लागत विवरणी के फार्म-4ए में सीआईटीपीएल ने समस्त परिसपत्तियों को 3 श्रेणियाँ, यथा, सयत्र एव मशीनरी, सूचना प्रौद्योगिकी और बर्ध्स, यार्ड एव	1		साथ मिलान करते हुए सी	आ <mark>ईटीपी</mark> एरु	न ने एक विव	रणी प्रस्तुतः	की है।
चाहिए क्योंकि सीआईटीपीएल ने प्रचालन सितबर 2009 में शुक्त किया और वर्ष 2009 में 3 माह का मूल्यहास मागा था। सीआईटीपीएल ऑडिटेड लेखा से अपने आकडे मिलाए। विवरणी के प्रामें के सार के अतिरिक्त के 2878 लाख पर विचार किया है। इसके अलावा यह मी देखा गया है कि मेल मिलाप विवरणी में प्रदत्त सकल खंड और शुद्ध खंड आंकडे मी वर्ष 2010 के लिये फार्म 4ए में लिए गए आकडों से नहीं मिलते है।) (ख) इसके आगे, लागत विवरणी के फार्म-4ए में सीआईटीपीएल ने समस्त परिसपितयों को 3 श्रेणियों, यथा, सयत्र एव मशीनरी, सूचना प्रौद्योगिकी और वर्श्स, यार्ड एव							
2009 में शुरू किया और वर्ष 2009 में 3 माह का मूल्यहास मागा था। सीआईटीपीएल ऑडिटेड लेखा से अपने आकड़े मिलाए। खंड में ईपीसीजी योजना के अतर्गत बचाई गई डयूटी राशि के लिये बैक गारटी की मद में वर्ष 2010 के ऑडिटेड वित्तीय दस्तावेजों में वर्णित सकल खंड और शुद्ध खंड के अतिरिक्त रू 2876 लाख पर विचार किया है। इसके अलावा यह भी देखा गया है कि मेल मिलाप विवरणी में प्रदत्त सकल खंड और शुद्ध खंड आंकड़े भी वर्ष 2010 के लिये फार्म 4ए में लिए गए आकड़ों से नहीं मिलते हैं।) (खं) इसके आगे, लागत विवरणी के फार्म-4ए में तीआईटीपीएल ने वर्ष 2010 के लिये आरमिक संचयी मूल्यहास तथा 3 श्रेणियों, यथा, सयत्र एव मशीनरी, सूचना प्रौद्योगिकी और वर्श्स, यार्ड एव							
मूल्यहास मागा था। सीआईटीपीएल ऑडिटेड लेखा से अपने आकडे मिलाए। पारटी की मद में वर्ष 2010 के ऑडिटेड वित्तीय दस्तावेजों में वर्णित सकल खंड और शुद्ध खंड के अतिरिक्त रू 2876 लाख पर विचार किया है। इसके अलावा यह मी देखा गया है कि मेल मिलाप विवरणी में प्रदत्त सकल खंड और शुद्ध खंड आंकडे मी वर्ष 2010 के लिये फार्म 4ए में लिए गए आकडों से नहीं मिलते है।) (ख) इसके आगे, लागत विवरणी के फार्म-4ए में सीआईटीपीएल ने वर्ष 2010 के लिये आरमिक संचयी मूल्यहास तथा 3 श्रेणियाँ, यथा, सयत्र एव मशीनरी, सूचना प्रौद्योगिकी और बर्थ्स, यार्ड एव			लागत विवरणा (फामे4ए) ।	र्ग अचल पर्ग	रेसपत्तियाँ के	सकल खर	और शुद्घ
से अपने आकड़े मिलाए। खंड और शुद्ध खंड के अतिरिक्त रू 2878 लाख पर विचार किया है। इसके अलावा यह भी देखा गया है कि मेल मिलाप विवरणी में प्रदत्त सकल खंड और शुद्ध खंड आंकड़े भी वर्ष 2010 के लिये फार्म 4ए में लिए गए आकड़ों से नहीं मिलते है।) (खं) इसके आगे, लागत विवरणी के फार्म-4ए में सीआईटीपीएल ने समस्त परिसपत्तियों को 3 श्रेणियों श्रेणियों, यथा, सयत्र एव मशीनरी, सूचना प्रौद्योगिकी और बर्थ्स, यार्ड एव	ľ	2009 में शुक्त किया और वर्ष 2009 में 3 माह का	खंड में इंपीसीजी योजना	के अतर्गत	बचाई गई ड	यूटी राशि दे	रु लिये बैक
इसके अलावा यह भी देखा गया है कि मेल मिलाप विवरणी में प्रदत्त सकल खड और शुद्ध खड आकडे भी वर्ष 2010 के लिये फार्म 4ए में लिए गए आकडों से नहीं मिलते हैं।) (ख) इसके आगे, लागत विवरणी के फार्म-4ए में सीआईटीपीएल ने समस्त परिसपत्तियों को 3 श्रेणियों, यथा, सयत्र एव मशीनरी, सूचना प्रौद्योगिकी और बर्थ्स, यार्ड एव		मूल्यहास मागा था । सीआईटीपीएल ऑडिटेड लेखा	गारटी की मद में वर्ष 2010	के ऑडिटे	ड वित्तीय दर	तावेजों में व	र्णित सकल
खड और शुद्घ खड आकडे भी वर्ष 2010 के लिये फार्म 4ए में लिए गए आकड़ों से नहीं मिलते है।) (ख) इसके आगे, लागत विवरणी के फार्म-4ए में सीआईटीपीएल ने वर्ष 2010 के लिये आरमिक सचयी मूल्यहास तथा 3 श्रीणयाँ, यथा, सयत्र एव मशीनरी, सूचना प्रौद्योगिकी और बर्श्स, यार्ड एव		से अपने आकडे मिलाए।	खंड और शुद्ध खंड के उ	भतिरिक्त र	⁵ 287 6 लार	ब पर विचार	र किया है।
अकड़ों से नहीं मिलते है।) (ख) इसके आगे, लागत विवरणी के फार्म-४ए में सीआईटीपीएल ने वर्ष 2010 के लिये आरमिक सचयी मूल्यहांस तथा 3 सीआईटीपीएल ने समस्त परिसपत्तियों को 3 श्रेणियों श्रेणियों, यथा, सयत्र एव मशीनरी, सूचना प्रौद्योगिकी और बर्श्स, यार्ड एव							
(ख) इसके आगे, लागत विवरणी के फार्म-4ए में रीआईटीपीएल ने वर्ष 2010 के लिये आरमिक सचयी मूल्यहास तथा 3 सीआईटीपीएल ने समस्त परिसपत्तियों को 3 श्रेणियों श्रेणियों, यथा, सयत्र एव मशीनरी, सूचना प्रौद्योगिकी और बर्श्स, यार्ड एव					2010 के लि	वे फार्म 4ए	में लिए गए
सीआईटीपीएल ने समस्त परिसपत्तियों को 3 श्रेणियों श्रेणियों, यथा, सयत्र एव मशीनरी, सूचना प्रौद्योगिकी और बर्श्स, यार्ड एव			आकर्डों से नहीं मिलते हैं।)				1
सीआईटीपीएल ने समस्त परिसपत्तियों को 3 श्रेणियों श्रेणियों, यथा, सयत्र एव मशीनरी, सूचना प्रौद्योगिकी और बर्श्स, यार्ड एव		(पर्व) देखके आगे ज्ञान किराके के नार्व क	A	<u> </u>	 .		
A STATE OF THE PROPERTY OF THE							
ा प्रामिल करने के बाद संशोधित फार्म 4ए प्रस्तुत							
	<u></u>	न तमूहबद्ध ।कथा ह, यथा संयत्र एवं मशानरी,	अन्य सावल निर्माण भी श	ामल करने	के बाद स	रोधित फार्म	4ए प्रस्तुत

	THE GREET OF		
<u> </u>	सूचना प्रौद्योगिकी और बर्ध, यार्ड एव अन्य सिविल	कर दिया है।	
	निर्माण । वर्ष 2010 के ऑडिटेड वार्षिक लेखा के	7	
	अचल परिसपत्ति अनुसूची में प्रदर्शित परिसपत्तियाँ	· · · · · · · · · · · · · · · · · · ·	
	की सूची के समान, परिसपत्तियों की प्रत्येक श्रेणी का	•	
l	ब्यौरा प्रस्तुत करे । परिसपत्तियों की प्रत्येक श्रेणी का	4.	
	ऐसा ही विवरण वर्ष 2011 से 2014 के लिये मी	**************************************	
	प्रस्तुत करें।	* ~ → y ^k ~ ~ \$	٠
		7. 2.184.1 1.2 4	
	(ग) वर्ष 2010 के दौरान सकल खंड में अमिवृद्धियाँ	ऑस्ट्रिट किये लेखा परिसंपत्तियों में रू .114 लाख की अमिर	
	के सब्ध में, फार्म-4ए रू 186 लाख का नकारात्मक	क्त .309.34 लाख का समायोजन दिखाते हैं, शुद्ध (अतिम) प्रशि	गाम फाम-
	(ऋणात्मक) आकडा दिखाता है जबकि ऑडिट	4ए में लिया गया है, चूकि लोप, वर्ष के अत में विनिमय अंतर	दशात है।
· ·	किये लेखा की अचल परिसपत्ति अनुभूची	सीआईटीपीएल ने सशोधित फार्म-4ए प्रस्तुत कर दिया है।	
	रू.114 36 लाख का संकारात्मक (धनात्मक)		
ļ	आकडा दिखाती है। इसी प्रकार, फार्म-४ए लोगों के		
	विषय में कोई आकडा नहीं दिखाता जबकि वार्षिक		1
1	लेखा रू.309.24 लाख का आकडा दिखाता है।	, - + 2 "	.
	सीआईटीपीएल स्थिति स्पष्ट करे ।		- }
	(घ) 1ई 2010 के ऑडिट किये लेखा, रू 10 करोड	सीआईटीपीएल कोई जवाब नहीं दियाँ है।	
	के अपफ्रट प्रीमियम में अमिवृद्घियों के रूप में रू 61 69 लाख की राशि दिखाते हैं । सीआईटीपीएल इस व्यय की प्रकृति स्पष्ट करे ।	(किन्तु दिनांक 14 दिसंबर 2011 के अपने पत्र के सीआईटीपीएल द्वारा प्रस्तुत अक्तूबर 2011 तक वर्ष 2011 के कितीय विवरणों में कथित राशि, अचल परिसपित अनुसूची के विजीय विवरणों में कथित राशि, अचल परिसपित अनुसूची के विप्तायोजन के अंतर्गत अपर्कट प्रीमियम से कटौती के रूप में है और परिसपित शीर्ष "पट्टेदारी सुधार" के अंतर्गत अमिवृधि में ली गई है।)	त्र वास्तविक कॉलम-लोप दिखाई गई
-	(ड) संअर्ड्डीपीएल ने वर्ष 2011 के लिये सकल	न्सीआईटीपीएल ने वर्ष 2011 के दौरान अमिवृद्घियों का ब्यौरा	्र पूर्णता की
	खंड में रू 300 लाख तक अमिवृद्घिया सूचित की	1	
ļ	गई थीं, जैसे, रू 125 लाख कार्यशाला की मद में	सीआईटीपीएल द्वारा प्रस्तुतः ब्यौरा नीचे दिया गया है -	
	क्त 125लाख उपकरण / मस्तूल की मद में और		
	रू 50लाख सूचना प्रोद्योगिकी की मद में ।		ब्यारा
	सीआईटीपीएल पुष्टि करे कि क्या अभिवृदिधय	बिरा र	ाशि (रू)
	पहले ही क्रियान्वित कर दी गई है अथवा नहीं।		438565/-
	•	11"	256734/-
			578000/-
		कार्यालय उपकरण	143312/-
			570558/-
:			987169/-

ब्यौरा	राशि	स्थिति
ककरीट की	4742900/-	आदेश जारी हुआ, काम आरभ हुआ
सडक		(पीओ स शून्य दिनाक 25,11 2011
		अपेक्षित पूर्णता 25.12 2011)
अतिरिक्त	12500000/-	विक्रेता / निर्माता मूल्याकन के लिये
रीफर		जाच-पडताल के अंतर्गत प्राप्त
संरचना		कोटेशन कार्य की पूर्णता अप्रैल 2012
		तक
कार्यशालाए	12500000/-	अतिरिक्त उपकरण के लिये नई
		कार्यशाला विक्रेताओं से कोटेशन
		मगवाए गए है। पूर्णता अगस्त 2012
		तक अपेक्षित
सूचना	5000000/-	नए ईआरपी समाधान क्रियान्वयन पर
प्रौद्योगिकी		फैसला 2012 तक स्थगित पूर्णता
बुनियादी		दिसंबर 2012 तक अपोक्षत
सरचना		
कुल योग	34742900/-	

सूचना प्रौद्योगिक बुनियादी सरचना को छोडकर कुल पूनीगत व्यय = रू 35730069/- तदनन्तर, सीआईटीपीएल ने दिनाक 27 दिसबर 2011 के अपने ई-मेल के माध्यम से दिनाक 25 नवबर 2011 के कार्य आदेश की प्रति प्रस्तुत की । यह कार्य आदेश रू. 47 43 लाख की अनुमानित लागत से एक ककरीट सडक बनवाने के लिये था। कार्य आदेश की प्रति के साथ अग्रिम भुगतान और इसके द्वारा रू. 18 42 लाख तक के आशिक भुगतान के दस्तावेजी साक्ष्य के साथ थी) (लागत विवरणी (फार्म-4ए) में विचार की गई, वर्ष 2011 के लिये सकल खड़ में अमिवृद्धिया, ऊपर बतायी गई रू 357.30 लाख की तुलेंना में रू 300 लाख की ही है।)

(च) इस प्राधिकरण ने नवबर 2010 के अपने आदेश के पैराग्राफ स 13(xx)(क) के द्वारा उस रिक्लेमेशन क्षेत्र के विकास के लिये वर्ष 2011 में रू 1275 लाख की राशि की सकल खड़ में अमिवृद्धि का उल्लेख किया था जो अप्रैल 2010 तक सीएचपीटी द्वारा (सीआईटीपीएल को) सौपा जाना था । सीआईटीपीएल प्रस्तुत फार्म-4ए में इस मद के समक्ष कोई व्यय नहीं दर्शाया गया है। सीआईटीपीएल इस सबंध में वास्तविक स्थिति स्पष्ट करे।

सीआईटीपीएल ने बताया है कि रिक्लेम्ड क्षेत्र, सीएचपीटी द्वारा अभी तक सौपा नहीं गया है।

(क) सीआईटीपीएल द्वारा वर्ष 2010 से 2014 तक के लिये विचार किये गये विविध ऋणदाताओं में, अन्य बातों के साथ कंटेनरों के सीमाशुल्क अभिरक्षकों के रूप में, बैंक गारटी के मूल्य की मद में, कथित वर्षों में से प्रत्येक के लिये रू 610 लाख भी शामिल है। सितबर 2008 में इस प्राधिकरण द्वारा पारित आदेश के साथ-साथ मार्च 2005 के प्रशुक्क मार्गदर्शियों की धारा 2.99 में प्रदत्त मानदडों के अनुसार भारतीय रेल द्वारा देय दो माह के सपदा किराए दो माह के

यह सीमा शुल्क अधिसूचित क्षेत्र के मीतर कटेनरों को रोक रखने के लाइसैस एग्रीमेंट के अतर्गत अनिवार्यताओं का निर्वाह करने में / हेतु प्रस्तुत गारटी है और इसलिये इसे सीआईटीपीएल की कार्यकारी पूजी आवश्यकता का हिस्सा माना जाना चाहिये।

(xvil)

	टर्मिनल प्रभार और जिस सीमा तक ये अन्यया	
	अनुमति के काप में अनुमेय हैं लाइसँस एग्रीमेंट के	
:	अनुसार अनिवार्यताओं के कारण लाइसैंस प्रवाता	
	पत्तन को किये गए पूर्व मुगतान विविध ऋणदाताओं	
.	के अतर्गत अनुमेव हैं । सीआईटीपीएल, विविध	
	ऋणदाताओं के अंतर्गत बैंक गारटी मूल्य को शामिल	~
1	किया जाने का प्रशुस्क मार्गदर्शियों के प्रक्रांश में,	
	औचित्य सिद्ध करे।	· · · · · · · · · · · · · · · · · · ·
	जाना नामुख करा	
	(ख) सीआईटीपीएल ने इसके द्वारा सीएक्पीटी की	सीआइटीपीएल ने राजस्य भाग की विक्रिस ऋणदाताओं के (मृह्य के) रूप
	किये गए / किये जाने वाले अग्रिम मृगतान की कुन	में नहीं माना है भूमि पट्टेदारी प्रभार और अग्रिम रूप से देव निमादनता
,	सभी वर्षी में विविध ऋणदाताओं के अंतर्गत रायंख्टी	जमानत को विविध ऋणदाताओं के भाग के रूप में मान्यता है। यथा
; 	/ राजस्व भाग माना है। इस सबघ में सितंबर 2008	निर्देश, निष्पादमता जमानत विविध ऋणदाताओं से बाहर कर दी गई है।
. !	का आदेश साफ-साफ कहता है कि भूमि मास्त्रिक	
	पत्तन को राजस्थ भाग / शासर े सा सहित शुरा साम	
	को तमी और 'इसी भावा / सीमा में विशिध	
	अवस्था के रूप में मुख्या दी जहरगी जिस	
	सीमा में और जंब ऐसे राजस्व भाग / रायल्टी को	
	प्रशुक्क में अनुमत्ति माना जाएगा । सीआईकीनीएल	
	को सासून है कि उसके मामले में रावस्टी / राजस्य	
Ì.	था मालून रूपि छसक नानल न संपद्धा राज्यका भाग लामत की स्वीकार्य मद मही है । अतस्रक.	
1		
	सीआईटीपीएल रायल्टी / राजस्व माग की मब मे	
1	अग्रिम भुगतान को सभी सबंबित वधी के लिये दिविध	
: · · · ·	ऋणदाताओं के मूल्य से बाहर करे।	
	(ग) सीआईटीपीएल ने कार्यकारी पूँजी की परिगणना	आडिट किये लेखा के अनुसार के 2903 लाख की वर्तमान देनदारियों में
	में, ऑडिटेड वर्सर्वेक लेखा में वर्णित वर्तमान	रू .2785 लाख के पूजीगत उपकरणों की आपूर्वि की राश्ति भी शामिल है
	देनदारियों के वास्तरिक मूल्द रू 2903 लाख के	और इसक्रिये वह कार्यकारी पूजी से अलग / बाहर है।
	मुकाबले वर्ष 2010 के लिये चालू देनदारियों के मूल्य	
	को रू.138 लाख माना है । सीआईटीपीएल	
	कार्यकारी पूंजी की परिगणना में विचार किये गए	4.
	वर्तमान देनदारियों के कम मूल्य का ओचित्य सिद्ध	.: .
	करें।	· ·
L		<u> </u>
(ग)	क्तिीय / लागत विकरणीः	
(1)	क्षमंत्रा	
(i)	सीआईटीपीएल ने 2008 के अध्कट प्रशुक्क	
	मार्गदर्शियों से फार्मूला उठाते हुए वर्ष 2012 से 2014	
}	तक की टर्मिनल की वार्षिक वर्ध क्षमता परिकालित	
	की है। किन्तु, सीआईटीपीएल ने, कार्मूला में ग्रदत्त	
1	1.3 के मानदंड के स्थान पर 0.99 के बाबस अनुपात	
	पर विचार किया है जो संवित रूप में वर्ष 2011 के	
	दौरान प्राप्त बॉक्स अनुपात कर आधारित है और इस	1 .
	प्रकार, सीआईटीपीएल ने 1962369 टीईयू की	
	वार्षिक क्षमता परिगणित की । इस सदर्म में,	
	सीआईटीपीएल निम्नलिखित प्रस्कुत करे -	
	- mandamater to minima sufficient	
	(क) स्रीअईटीपीएल द्वारा जनवरी 2011 से अक्तूबर	सीआईटीपीएल ने फार्मेट बी में शामिल किया है। (जान पडता है कि
. [
		1

	2011 तक की अवधि में प्रहस्तित कटनरी के विभिन्न	
	आकारों की वास्तविक संख्याओं का विवरण देते हुए	1.33 संशोधित कर दिया है।)
	0.99 के बॉक्स अनुपास की गणना।	
	7-17	
	(ख) अगले तीन देवी में बोक्स सेनुपात के क झान	केटेनरों के आकारों का रू झान, वर्तमान वर्ष के रू झान पर आधारित है।
-	का विम्लुङ विश्लेषण, जिसमें 0.99 के बॉक्स अनुपात	
	का आधार तैयार किया।	<u> </u>
(H)*	सीआईब्रीपीएल ने को शासता की परिगणना में 26	
''''	मूल्य / . प्रंट्रा के मानक पर विवास क्रिया है। जैसाकि	जैसोकि ऊपर क (i) के उत्तर में पहले ही बताया गया है कि लक्ष्य टॉमैनसे
	पहिले ब्लॉबर गढ़ा है, सीआईडीपीएल ने बताक है कि	की दक्षता को त्वरित खाली करने / लादने के लिये अधिक क्रेनों को
	उत्तकी प्रमानीति प्रचालनीय परिमापकी में दक्षता	लगाकर पोतों के वापस लौटने के समय में कमी करना है। ग्रॉस क्रेन स्ट
1.	सुधार के साथ ,पोतों का वापिस लीटने का समूत्र	(जीसीकार) के लिये बैंचमार्क 20 मूळ प्रति घंटा ही बनाए रखने का
	यदाने की है। उपशेक्त को ध्वान में रक्षते हुए	प्रस्ताव है क्वोंकि लगातार आबार घर बेहतर दक्षता से क्रेन् किस्वार्फ रेट
	निवार्य की है। उपराक्त की ह्यांच में एखत हुए	को सुप्रशिक्षित कार्यक्षम मानवबल और लॉजिस्टिक सिन्क्रोमाइप्रेशन की
	सीआईदीपीएम प्रति को क्रेन प्रति घंटा मूट्य की	आवश्यकता होगी । टिकाऊ आघार पर इसे प्राप्त करने के सिकं अधिक
1	संद्या फार्मुला में प्रवत्त से बढ़ाने पर विचार करे और	समय चाहिए। 20 मूब्ब के बैंचमार्क स्तर तथा 1.33 के बॉक्स अनुपात पर,
	क्षमता का पुनर्निधारण करे।	क्रेम 163111 कंटेनर प्रति क्रेन प्रतिवर्ष का प्रहस्तन कर सकेंगी और 7 क्वे
	•	क्रेने मिसकर 11.4 लाख टीईयू का प्रहस्तन कर सकेगी।
(10)	सीओईटीपीएल वर्तमान यार्ड क्षमता बताए । इसके	वर्तमान यार्ड क्षमता १००४६वरिक
''''	अलावा, वर्ष 2013 में अतिरिक्त यार्ड के विकास के	129139140
	जिये अमिकव्यित स .30 करोड़ के प्रस्तावित निवेश	१८००प्रापट(अनुमान)
1	के संदर्भ से, विस्तृत गणना के साथ, अतिरिक्त यार्ड	कुल यार्ड क्षमता : 25415यूनिट
	क्षमतः भी बताएं।	(प्रेजैक्टेड)
	वानता ना बतायू ।	तदनन्तर, स्रीआईटीपीएल ने वर्तमान यार्ड और प्रस्तावित यार्ड की वार्षिक
İ		क्षम्या कुत्र विवरण मिम्नानुसार प्रस्तुत किया
		यार्ड कमता = 0.7 °G* H* P / (8 * Q)
	- 	G=प्रति Ha मूमि रवीचे = 286
ŀ		H = औसत स्टेक ऊचाई = 2,5
}		P = अवधि (दिन) = 365
		S = सर्ज़ फैक्टरें = 1,3 और
		D = औसत ठहरने का समय (दिन) = 3
1		
		यार्ड कमता प्रति Ha : 0.7 * 286 * 2.5 * 385 / (1 3 * 3)= 46842 टीईयू
		वर्तमान यार्ड क्षेत्रफल, 207149 व.मी. या 2.07149 Ha
		वर्तमान यार्ड क्षमता (46842 * 20.7149) = 970327 टीईयू
		अतिरिक्त क्षेत्रफल 78000 वुर्गमीटर अथवा 7 8 हैक्टेयर
	-	अतिरिक्त यार्ड झमता (46842 * 7 8) = 365,367 टीईयू
(iv)	सीआईटीपीएल ने बतायां है कि इसके टीमैनल मैं	कुल यार्ड क्षमता = 1,335,694 टीइंयू
1 ""	विजी रेल प्रचालन शीघ्र ही आरंग होंगे	अपने टर्मिनलों में रेल प्रचालन आरंग करने हेतु सीआईटीपीएल की
1		विमिन्न निजी रेल प्रवालकों से बातवीत क्ल रही है। सीआईटीपीएल ने
	सीआईड़ीपीएल ने बुजाया है कि वह 725 मीटर प्रत्येकके दी रेक्स (एकसाथ) प्रहस्तित कर सकता	कुल सामान का ६% रेलन्स करने का विचार किया-है।
	है। सीआईटीपीएल कटेनरों के ठहरने के समय में	-
		*
	इस सुविधा के प्रमाव की मात्रा सुनिश्चित करे और	^ ~
	बसाए तथा टर्मिनल की यार्ड क्षमता में परिणाम	
,	स्वरू प सुधार विस्तृत गणना के साथ बताए।	
(v)	सीआईटीपीएल, अपने परिसर के भीतर निजी-रेल	Thomas Archae A. A.
*/ :	्राज्यद्वाराय्याः जानच नारसार क भावर (नजी⊱रल	सीआईटीपीएल ने रेल प्रचालकों के साथ प्रस्तिवित प्रशुक्क खवस्था का
<u> </u>		व्यौरा दे दिया है। सीआईर्ट्रिंग्िएल-द्वारा प्रस्तुत विवरण सक्षेप में नीचे दिया

	प्रचालनों के लिये प्रशुक्क व्यवस्था प्रस्तुत करें।	गया है	•				
	Adici ii da iii a aga a a a a a a a a a a a a a a	क्र. सं.	ब्यीरा	प्रति LCL कटेनर 20' तक	प्रति LCL कटेनर 20' से बंदा 40'	प्रति LCL कटेनर 40' संबद्धा	
		1	रेलवे कंटेनर यार्ड पर लिफ्ट ऑड़ / लिफ्ट ऑफ समेत कंटेनर यार्ड में		নক		
			प्रहस्तन -विदेशी भरा हुआ	₹ ,407 94	₩ 811 92	रू 815 6€	
			-विदेशी खाली तटीय परा हुआ	₹ 202.02	₹ 303.03 ₹ 378.18	₹ 404.06 ₹ 489.51 ₹ .242.42	
		2.	तटीय खाली जितिरिका हत्यस्त टर्मिनल से रेल यार्ड	₹ 121.21 ₹ 2878.00	₹ 181 82 ₹ A313.00	₩ 6489,00	
			अधावा व्युतक्रम अतिरिक्त इत्वचत्र√परिवहन कें प्रमार (विदेशी	· •			
			तटीय मरे और खाली कटेनरों के लिये समान स्ट				
		3,	किसी अन्य रत तीर्व अध्या सीएचपीटी परिसर	·	₹ 4313 00	₹ 6469.00	
			के भीतर कंटेनर टर्मिनल को कंटेनर परिवडन	h			
(2)	यातायात :	+		_!			
	यातायात के अनुमानन के सदर्म से सीआईटीपीएल निम्निलिखत स्पष्ट करें / प्रस्तुत करें (I)सीआईटीपीएल, जनवरी 2011 से अक्तूबर 2011 तक 10 मांड के दौरान प्रहस्तित बास्तिवक कंटेनर मात्रा के साथ-साथ कंटेनर मिश्रण का विवरण प्रस्तुत करें।	सीअ के र्व है।	गईटीपीएल ने जन्म तेषे मात्रा का ब्यौरा	प्रस्तुत किया	है । प्रह्नस्तित म	ਸਕਾ399906 ਰੰ	ीईयृ
	(ii) सीआईटीपीएल वर्ष 2012 से 2014 तक, विस्तृर विश्लेषण के साथ, यातायात प्रोजैक्शनों के आधा प्रदान करे।	र अद्य गति	ाहकारों की सहाय यंग, फीड्ड एरिय विधियों के आधार ? वर्ष 2013 तथा 201	ा तथा आसपा पर प्रोज ैक्टेड र	ास आ रहे ट गातामान वृदिघ	र्मिनलों में आ वर्ष 2012 में	धिव
	(iii) सीआईटीपीएल ने बताया है कि मात्रा में प्रत्याशित वृद्धि की आवश्यकता को पूरा करने वे लिये इसका वर्ष 2012 के उत्तरार्थ में अतिरिक्त कंटेनर प्रहस्तन उपकरण प्रचालित करके अतिरिक्त	ह निम् द्र अस्या	ने पुंजाल में भा रहे ट निलिखत उपकरण र रहे हैं :-	मिनल और जो या तो हैं अध्यवा	יים אפרו דו	ज़िंद हैं, उनके ल करने की यो	_
	क्षमता निर्माण करने की योजना है । वर्ष 2012 और 2013 के लिये सीआईटीपीएल ह्वारा यातायात	7 1		टर्मिनल लिमिदेड		24 .	
	प्रोजैक्शनों में विचार की गई वृद्धि क्षमता है अनुमानित वृद्धि से मेल नहीं खाती। इसके अलावा	t	तक पहला च		72012 6 देसंबर 6	18	-

सीआईटीपीएल उम्मीद करता है कि निजी प्रशासक शीघ्र ही ऑफ-डॉकरेल साझोड़ग शुरू करेंगे । सीआईटीपीएल ने वर्ष 2013 में अतिरिक्त यार्ड का विकास भी प्रस्तावित किया है अतएव, सीआईटीपीएल क्षमता में वृद्घि के अनुरूप वर्ष 2012 से 2014 तक अनुमानित यातायात की समीक्षा करे।

	2011 तक पहला चरण)		
4	इन्नोर (शुरू हो गया है)	10	33

उपरोक्त के मुकाबले इस समय सीआईटीपीएल के पास केवल 3 क्वे क्रेन और 10 आरटीजी हैं जो इसे स्पर्धा में बहुत ही पिछड़ी स्थिति में खड़ा करते हैं । सीआईटीपीएल 8.52 मी लबी क्वे लबाई के कारण अलग लाम की स्थिति में है इसमें एक समय में 3 पोतों को खड़ा किया जा सकता है किन्तु इसके पास दक्षता कटेनर लादने / उतारने के लिये क्रेने नहीं हैं। यदि केवल 3 ही क्रेनों से काम चलाया गया तो 700 कटेनर वाले एक पोत को खाली करने में लगभग 35 घटे लगेंगे। और यदि 3 पोत आ जाएं तो किन्तु सामान्यत. जब टर्मिनल में 3 क्यूसी होती है तो टर्मिनल में सामान्यत. एक से ज्यादा पोत अदर नहीं आता है और बर्थ में बहुमूल्य निवेश अप्रयुक्त ही रहता है। इसलिये, पत्तन पर पोतों को आकर्षित करने हेत् स्पर्धा की वर्तमान स्थिति के अतर्गत, प्रस्ताव के अनुसार अतिरिक्त उपकरण हासिल करना जरू री हो गया है। जैसाकि ऊपर कहा गया है. सभी 7 क्रेने प्रचालित कर देने के बाद बर्ध की क्षमता 114 लाख टीईय वार्षिक हो जाएगी । टर्मिनल ने 2014 में 10.6 लाख टीईयू यातायात मात्रा प्रोजैक्ट की है। वर्ष 2014 में क्रेने पूरी तरह से प्रयुक्त होंगी और आरम में कंटेनरों की त्वरित आवाजाड़ी के लिये प्रयुक्त होंगी टर्मिनल पर शीघ्र पोत वापसी टर्मिनल के प्रचार प्रसार के लिये रणनीति होगी।

यहा यह घ्यान देना उपयुक्त होगा कि उसी पत्तन पर अन्य टर्मिनल ने जिसकी बर्ध लबाई 885 मीटर थी, वर्ष 2010 में 8 क्वे क्रेनों और 24 आरटीजी के साथ 11,40,638 टीईयू मात्रा की है।

(iv) वर्ष 2012 से 2014 के अनुमानित यातायात मैं क टेनरों के विभिन्न प्रकार के मिश्रण को, यदि जरू री समझे तो वर्ष 2011 के लिये प्राप्त वास्तविक कृटेनर मिश्र से अद्यतन कर लिया जाए। सीआईटीपीएल ने बताया है कि सशोधित फार्मेंट बी, अक्तूबर 2011 तक के वास्तविकों के आधार पर अद्यतन कर लिया गया है।

(सीआईटीपीएल ने सशोधित लागत विवरणी में जनवरी 11 से अक्तूबर 11 तक वास्तविकों के आधार पर कॅटेनरों के विमिन्न प्रकारों के मिश्र-अनुपात को अद्यतन नहीं किया है)

(3) प्रचालनीय आय

(क) सीआईट्रेंगिएल द्वारा प्रशुक्क के वर्तमान स्तर पर वर्ष 2012 से 2014 तक के लिये प्रस्तुत, अनुमानित आय परिकलन दर्शाता है कि इसने कटेनरों के प्रत्येक प्रकार के लिये एक समेकित दर पर विचार किया है जैसे, मरे हुए 20 कटेनर के लिये रू 1428/- तटीयु भरे हुए 20 कटेनर के लिये रू 1978/- इत्यादि। सीआईटीपीएल द्वारा विचार की गई प्रत्येक समेकित दर के लिये सीआईटीपीएल के वर्तमान दरमाज में प्रदत्त मदवार प्रशुक्क के रूप में सीआईटीपीएल द्वारा विचार की गई समेकित दरों का झ्यौरा पेश किया जाए।

दिनाक 16 दिसबर 2011 के अपने ई-मेल के द्वारा सीआईटीपीएल ने, आय अनुमानन में इसके द्वारा विचार की गई रू 3007/- प्रति 20' भरा हुआ कटेनर की समेकित दर का ब्यौरा प्रस्तुत किया है। सीआईटीपीएल द्वारा प्रस्तुत ब्यौरा नीचे सारणीबद्ध है -

75	- विवरण	राशि (स्त्रः)
1	रस्सी बांधने / खोलने संबंधी प्रभार समेत को क्रेन द्वारा .	1076 93
	प्रहस्तन (अमे डालर 22 53 x 47 80)	
2	क्वे क्रेन से याई और व्युक्तम में परिवहन	641.91
3	कटेनर यार्ड सिपट ऑन /सिफ्ट ऑफ पर प्रहस्तन -	3 54 73
	आन्तरिक अंतरण वाहन से/तक	
4	कंटेनर यार्ड लिफ्ट ऑन /लिफ्ट ऑफ पर प्रहस्तन -	354 73
	ग्राहक से/को प्राप्ति / सौँपने हेतु	
5	कंटेनर पोतघाट शुल्क प्रति टीईयू (अम डाल 1.29 प्रति	46 37
	बॉक्स/1 33 x 47 80)	
6	कार्गी पातचाट शुल्क श्रामास्थान एक 707 85 प्रति बॉक्स	532 22

6 कारी पतिचार शुक्क अध्यक्त है। (07 65 अस बावत 552 22

/ 1 33) कुल योग

(किन्तु सीआईटीपीएल ने इसके द्वारा विचार की गई, अन्य प्रकार के

<u> </u>					<u> </u>
		कटेनरॉ जैसें, खाली कटेनर,			L.
	ļ	विचार की गई समेकित दरों	के लिये ब्यौरा प्र	।स्तुत नहीं किय	ाहै।)
	(ख) समेकित दरों की परिगणना में, डॉलर में अकित	1अम.डालर = रू. 48 00			
]	प्रशुल्क की सीआईटीपीएल द्वारा विचार की गई	(वर्तमान प्रशुल्क स्तर पर आ	र के असमानन	के दियों सीधार्व	ද්රීගීලය අග
Ì	विनिमय दर बताई जाए।	•	_		
}		प्रस्तुत गणनाए दिखाती है वि	क इसन रू क	१ छ। प्रात अभः	अलिस का दर
ļ		प्रयोग की है।)			1
(ii)	वर्ष 2012 से 2014 के लिये अनुमानित कटेनर	वर्तमान वर्ष में प्रति टीईयू अ	सित आवसि स	मये आय लग	ाग ₹5. 250V-
(4)	मंडारण प्रमारों की परिगणना में सीआईटीपीएल ने	है । अमरीकी डालर में 5.5			
	माना है कि खतरनांक और अति विशाल कटेनरों से	दिन के भंजारण प्रभारों के बर			
		। दिन के नकारण प्रनारा के बर् 	and only 6 1		
	इतर, समस्त अनुमानित कटेनर यातायात, नि.शुल्क				. }
	अवधि के बाद औसतन एक दिन ठहरेगा ।				
1	सीआईटीपीएल, ठहरने के समय का वह विश्लेषण				
	प्रस्तुत करे जिसके आधार पर सीआईटीपीएल ने				
	कटेनरों के ठहरने का औसतन समय एक दिन				
-	परिगणित किया है और वर्ष 2010 एव 2011 में				
	कंटेनर्स के उहरने के वास्तविक समय के आधार पर]			·
	उसका औचित्य बताएँ ।	1			·
(iii)	(क) सीआईटीपीएल ने 2012 से 2014 तक के वर्षी	रेल साइंडिंग सुविधा अभी ह	तल में शुरू हुइ	है। रूझान /	प्रवृत्ति टर्मिनल
	के लिए अनुमानित रेल प्रहस्तन आय के परिगणन में		त है ।		
1	यह माना है कि इन वर्षों के लिए कुल अनुमानित			•	
1	यातायात का 5% रेल साइंडिंग सुविधा का उपयोग			+ ,	
ŀ	करेगा । सीआईटीपीएल वर्ष 2010 और 2011 में रेल	- ·			
	प्रहस्तन सुविधा का लाम उठाने वाले वास्तविक		4. +		
	यातायात के सदर्भ से, इसके द्वारा परिगणित		e e e e e e e e e e e e e e e e e e e	•	
1	प्रतिशतता का आचार बताए । सीआईटीपीएल, अपने			4	
•	टर्मिनल में निजी रेल प्रचालकों की शुरू आत के			41 to	
	प्रकाश में रेल साइंडिंग सुविधा का उपयोग करने				•
• •					
	वालों के भाग की समीक्षा भी करे ।				
-	(ख) सीआईटीपीएल वर्ष 2011 के लिए रेल प्रहस्त-	सीआईटीपीएल ने, इसके	तारा रेल प्रचार	नकों के लिए व	र्तपान में तसत
	िख्या प्राचीवर्धावर्थं येव द्वारा का खिद रख अवस्ता	I dionacial to a star			
	ा क्षेत्रकार के आग के अवसायन में क 4400/ स्ति	। किये जा उटे क्याउ पञ्च	(கெற் உட்ட வி		
	सेवाओं से आय के अनुमानन में रू 1400/- प्रति		किये हैं। सी	आर्थकासादेल ह	2.3
	टीईयू की दर पर विचार करने का आधार प्रस्तुत	नीचे तालिकाबद्ध है ।	किये हैं। सी	आर्थकातादव स	2.3
	टीईयू की दर पर विचार करने का आधार प्रस्तुः करे । सीआईटीपीएल इस सबध में अपने वर्तमा	नीचे तालिकाबद्ध है ।		आध्वापाएल <u>ध</u>	40 से बद्धा
	टीईयू की दर पर विचार करने का आधार प्रस्तुत	नीचे तालिकाबद्ध है ।			
	टीईयू की दर पर विचार करने का आधार प्रस्तुः करे । सीआईटीपीएल इस सबध में अपने वर्तमा	नीचे तालिकाबद्ध है ।	20'বক কা	20 से बड़ा	40 से बड़्ड कटेनर
	टीईयू की दर पर विचार करने का आधार प्रस्तुः करे । सीआईटीपीएल इस सबध में अपने वर्तमा	ति नीचे तालिकाबद्ध है । विवरण प्रशुल्क पद सं.	20'বক কা	20'से बडा और 40'तक	40 से बस्
	टीईयू की दर पर विचार करने का आधार प्रस्तुः करे । सीआईटीपीएल इस सबध में अपने वर्तमा	निषे तालिकाबद्ध है । विवरण प्रशुल्क पद सं. 3 12.13(न)क अनुसार-	20'तक् का कटेनर	20'से बडा और 40'तक का कटेनर	40 से बड़्ड कटेनर
	टीईयू की दर पर विचार करने का आधार प्रस्तुः करे । सीआईटीपीएल इस सबध में अपने वर्तमा	प्रशुल्क मद सं. 3 12.13(लं) के अनुसार- कटेनर यार्ड में लिफ्ट ऑन	20'तक् का कटेनर	20'से बडा और 40'तक का कटेनर	40 'से बझ् कटेनर
	टीईयू की दर पर विचार करने का आधार प्रस्तुः करे । सीआईटीपीएल इस सबध में अपने वर्तमा	प्रशुल्क पद सं. 3 12.13(लं) के अनुसाद- कटेनर यार्ड में लिफ्ट ऑन / लिफ्ट ऑफ	20 तक का कटेनर इ 707 85	20 से बड़ा और 40 तक का कटेनर रू 1061.78	40 से बड़्ड कटेनर रू 1415.20
	टीईयू की दर पर विचार करने का आधार प्रस्तुः करे । सीआईटीपीएल इस सबध में अपने वर्तमा	प्रशुल्क पद सं. 3 12.13(लं)के अनुसार- कटेनर यार्ड में लिपट ऑन / लिपट ऑफ	20 तक का कटेनर इ 707 85	20'से बडा और 40'तक का कटेनर	40 से बड़्ड कटेनर
	टीईयू की दर पर विचार करने का आधार प्रस्तुः करे । सीआईटीपीएल इस सबध में अपने वर्तमा	विवरण प्रशुल्क पद सं. 3 12.13(न)के अनुसार- कटेनर वार्ड में लिफ्ट ऑन / लिफ्ट ऑफ प्रशुल्क पद सं 3 12 13(४) के अनुसार-अतिरिक्त	20 तक का कटेनर इ 707 85	20 से बड़ा और 40 तक का कटेनर रू 1061.78	40 से बड़्ड कटेनर रू 1415.20
	टीईयू की दर पर विचार करने का आधार प्रस्तुः करे । सीआईटीपीएल इस सबध में अपने वर्तमा	विवरण प्रशुल्क मद सं. 3 12.13(न) के अनुसार- कटेनर यार्ड में लिपट ऑन / लिपट ऑफ प्रशुल्क मद सं 3 12 13(४) के अनुसार-अतिरिकत हलवल-किसी अन्य रेज-	20'तक का कटेनर ह 707 85 रू. 965 25	20 से बड़ा और 40 तक का कटेनर रू 1061.78	40 से बड़्ड कटेनर रू 1415.20
	टीईयू की दर पर विचार करने का आधार प्रस्तुः करे । सीआईटीपीएल इस सबध में अपने वर्तमा	प्रशुल्क मद सं. 3 12.13(ल) के अनुसाद- कटेनर यार्ड में लिफ्ट ऑन / लिफ्ट ऑफ प्रशुल्क मद सं 3 12 13(४) के अनुसार-अतिरिक्त हलवल-किसी अन्य रेत-	20'तक़ का कटेनर ह 707 85 रू. 965 25	20 से बड़ा और 40 तक का कटेनर रू 1061.78	40 से बड़्ड कटेनर रू 1415.20
	टीईयू की दर पर विचार करने का आधार प्रस्तुः करे । सीआईटीपीएल इस सबध में अपने वर्तमा	विवरण प्रशुल्क मद सं. 3 12.13(न) के अनुसार- कटेनर यार्ड में लिपट ऑन / लिपट ऑफ प्रशुल्क मद सं 3 12 13(४) के अनुसार-अतिरिकत हलवल-किसी अन्य रेज-	20'तक़ का कटेनर ह 707 85 रू. 965 25	20 से बड़ा और 40 तक का कटेनर रू 1061.78	40 से बड़्ड कटेनर रू 1415.20

- W. W.		
C	(ग) सीआइटीपीएल ने वर्ष 2012 से 2014 के लिये	सीओइंटी गेएक ने काई उत्तर दाखल नहीं किया है।
	सींइडिंग सुविधा के से आय अनुमानन के प्रयोजन से	
	वर्ष 2012 से आगे क .2500/- प्रति टीईयू की दर पर	
	विचार किया है। सीआईटीपीएक इस सर्वध में अपने	
	वर्तमान अनुमोदित वरमान में प्रशुत्क मद का सदर्भ	·
	दे।	
(iv) **	भीआईडीपीएल ने हैच-कवर खोलने की सेनाओं से	सीआईटीपीएल ने कोई उत्तर दाखिल नहीं किया है।
•	अनुमानिस आय की गणना में विदेशी कंटेनर के लिये	
1	अम. डा.58.3125 प्रति टीईयू तथा तटीय कटेनर के	
1	लिये रू .1590/- प्रति टीईयू की दरों पर विचार	
	किया है। ये वरें वर्तमान अनुमोदित दरमान की	
	अनुसूची 3.7 पर प्रवत्त हैचकवर प्रवालन हेतु प्रदत्त	·
	वरों से अधिक मालूम पडती हैं। सीआईडीपीएल	
	्याः तः जावमः नालून पडता हः। साआहटापाएल स्थिति स्पष्ट करे।	· .
		
(v)	सीआईटीपीएल ने वर्तमान दरमान की अनुसूची	सीआईटीपीएल ने तार्ज पानी की आपूर्ति और कचरे की निकासी से कोई
	3.12.13, 3.13 और 3.14 पर प्रदत्त विविध प्रमार,	आय अर्जित नहीं की है।
	ताजे पानी की आपूर्ति के लिये प्रभार, कचरे की	
	निकासी हेतु प्रभार, से न तो वर्ष 2010 और 2011 के	
l l	लिये वास्तविक आय बतायी है और न ही वर्ष 2012	
* -	से 2014 तक किसी आय का अनुमान ही लगाया है।	
_	सीआईटीपीएल इस बात की पुष्टि करे कि इसने वर्ष	•
	2010 और 2011 के दौरान इन सेवाओं से कोई आय	
	अर्जित नहीं की है और न ही वर्ष 2012 से 2014 तक	<u>:</u>
j	(इन सेवाओं से)किसी आय की अपेक्षा ही है।	
	(इन सवाओं स)किसा आयं का अपक्षा हा है।	
(4)	प्रचालन लागत	
(0)	प्रचालन लागतों के लिये लागू किये जाने वाले वृद्घि	
	अवयव के संबंध में सीआईटीपीएल नोट करे कि	
Ĭ	जैसाकि पत्र स.टीएएमपी /27/2005-विविध दिनाक	
	11 जुलाई 2011 के द्वारा पहले ही सूचित किया जा	
	चुका है, लागत विवरणी में व्यय प्रोजैक्शनों के लिये	
	6% वार्षिक के वृद्घि अवयव पर विचार किया	
	1 · · · · · · · · · · · · · · · · · · ·	
	जाएगा ।	
(ii)	<u>प्रचालन एवं प्रत्यक्ष श्रम</u>	/
	(क) सीआईटीपीएल ने प्रत्यक्ष प्रचालनीय संख्या वर्ष	पहले ही बता दिया गया है कि कटेनर यातायात को आकर्षित करने की
	2010 और 2011 में क्रमश 67 और 86 की वास्तविक	व्यापारिक रणनीति के रूप में और स्वय प्रशुल्क अवधि में उपकरणों को
	संख्या से बढ़ाकर वर्ष 2012 से 2014 तक के लिये	पूरी तरह प्रयोग करने / करवाने के लिये नये अतिरिक्त उपकरण प्राप्त
1	क्रमशः 166,245 और 267 कर दी है ।	किये जा रहे हैं। प्रोजैक्टेड मानवबल आवश्यकता अर्जित किये जाने के
1	सीआईटीपीएल द्वारा मानवबल आवश्यकता में विश्वार	लिये प्रस्तावित अतिरिक्त उपकरणों पर आघारित मानवबल की न्ययोचित्त
	की गई वृद्धि सगत वर्षों के लिये अनुमानित	आवश्यकता पर आधारित है । इसकी बीते समय से तुलना करना
	ı	·
	यातायात में वृद्धि के अनुरूप नहीं है । इसके	न्यायोधित्त नहीं होगा क्योंकि बीते समय में प्रवत्त मानवबल, सीआईटीपीएल
	मद्देनजर और ऊपर प्रश्न स.बी(Iv)पर वर्णित स्थिति	को उन दिनों हो रहे घाटे को देखते हुए उपयुक्त नहीं था। 4 नये क्वे क्रेन
	के लिये, सीआईटीपीएल वर्ष 2012 से 2014 तक के	और 8 आरटीजी को प्रचालित करने के लिये अतिरिक्त मानवबल की
	लिये मानवबल आवश्यकता की समीक्षा करे।	आवश्यकता तो होगी ही प्रस्तावित मानवबल खरीदे गये अतिरिक्त
		उपकरणां सं न्याय करने हेतु पर्याप्त है । सीआईटीपीएल महस्रूस करता है
		कि वर्ष 2012 से 2014 तक मानवबल की आवश्यकता पर न्यायोचित्त रूप
		से ही विचार किया गया है।

(ख) वर्ष 2011 में प्रत्येक कर्मचारी का वर्णित औसत वार्षिक वेतन रू.2.46 लाख वर्ष 2012 में बढ़ाकर रू.2.73 लाख कर दिया गया है जो 11% की वृद्धि दर्शाता है। सीआईटीपीएल वर्ष 2012 के लिये विचार किये गये अधिक / उच्चतर वृद्धि अवयव का औचित्य बताए। शुरू आती वर्षों में यार्ड प्लानर्स, शिपप्लानर्स, आपरेशन एक्जीक्यूटिव्य और सुपरवाइचर्स जैसे अनेक आवश्यक कार्मिक मर्ती नहीं किये गये थे क्योंकि मात्रा बहुत कम थी और टर्मिनल को घाटा मी हो रहा था। हालांकि पूरी शिक्त (मात्रा) में नहीं, इन श्रेणियों के कार्मिकों को, बंबती हुई मात्रा के साथ भरती किये जाने का प्रस्ताव है। ये सभी पद, प्रत्यक्ष श्रमिकों की अपेक्षा अधिक वेतन पाने । कमाने वाले हैं। इसलिये, प्रति कर्मचारी औसत वेतन बढ़ गया है। जैसांकि प्राधिकरण द्वारा प्रदान किया गया है, वेतन दरें स्फीति (मंहगाई) के कारण 6% बढ़ा दी गई हैं। वर्ष 2012 में, प्रत्यक्ष श्रमिकों के अलावा अधिक मात्रा के कारण सीआईटीपीएल को यार्ड प्लानर्स, शिपप्लानर्स, आपरेशन एकडीक्यूटिव्य और सुपर वाइचर्स मर्ती करने हैं। चूकि इन कर्मचारियों का वेतन, इस कर्मचारी मिश्रण के कारण वर्ष 2012 में वेतन वृदिष 11% हो गई है।

(iii) अनुरक्षण मजदूर

(क) सीआईटीपीएल ने अनुरक्षण मजदूरों की वास्तविक संख्या वर्ष 2010 और 2011 में क्रमश 25 और 28 की तुलना में वर्ष 2012 और 2013 में क्रमश: 33 और 34 कर दी है। सीआईटीपीएल वर्ष 2012 और 2013 के लिये मानवबल की मर्ती में वृद्धि का औवित्य बताए।

अतिरिक्त क्वे क्रेने और आरटीजी खरीदने से इन उपकरणों के रखरखाव का काम भी बढ़ जाएगा। इस की वजह से अतिरिक्त अनुरक्षण श्रमिकों की मतीं करनी पड़ेगी।

(ख) सीआईटीपीएल द्वारा वर्ष 2012 के लिये विचार की गई अनुमानित औसत वार्षिक कर्मचारी लागत रू. 2.16 लाख, वर्ष 2011 के लिये वर्णित वास्तविक / अनुमानित औसत कर्मचारी लागत रू. 2.25 लाख से कम है। इसके अलावा सीआईटीपीएल ने वर्ष 2013 और 2014 के लिये, पिछले वर्षों के अनुमानों पर क्रमशः 7% और 6% के वृद्धि अवयव पर विचार किया है। सीआईटीपीएल वर्ष 2012 के लिये नकारात्मक वृद्धि अवयव पर विचार करने का कारण बताए और 6% वृद्धि अवयव लागू कर वर्ष 2013 के लिये अनुमान को संशोधित करे।

वेतन वृद्धि तो 6% पर ही लगाई गई है, किन्तु वर्ष 2012 में औसत कर्मचारी लागत में नकारात्मक वृद्धि अवयव, कम वेतन पर अधिक संख्या में प्रवेश स्तर के अनुरक्षण कर्मचारियों की मर्ती के कारण है।

(iv) <u>उपकरण प्रचालन लागत</u>

(क)<u>विद्युत लागत</u>

सीआईटीपीएल ने, वर्ष 2010 और 2011 के लिये वर्णित क्रमशः 6 कि.वा.हा.प्रति टीईयू (वास्तविक) और 6.50 कि.वा.हा.प्रति टीईयू (वास्तविक /अनुमान)की विद्युत खपत के मुकाबले वर्ष 2012 से 2014 के लिये विद्युत खपत का अनुमान 8 कि.वा.हा.प्रति टीईयू विचार किया है । सीआईटीपीएल वर्ष 2012 से 2014 के लिये अनुमानित विद्युत खर्च में बढ़ोत्तरी का औचित्य बताएं।

सीआईटीपीएल ने बताया है कि उसने ऊपर प्वाइंट स बी(v), के उत्तर में संशोधित लागत विवरणी प्रस्तुत कर दी है।

(सशोधित लागत विवरणी में सीआईटीपीएल ने (अक्तूबर 2011 तक) वर्ष 2011 के लिये 10.99 कि.वा हा प्रति टीईयू की विद्युत खपत पर विचार किया है और 2012 से 2014 तक के मावी वर्षों के लिये भी उसी यूनिट विद्युत खपत पर विचार किया है।) 1 E - ~ 5 % - 1 1 1 1 2 1 2 1 2 1

(II) सीआईटीपीएल ने वर्ष 2011 के लिए रू 10 75 प्रति कि.वाहा. की यूनिट विद्युत लागत का वर्णन किया है जो कथित रूप से अगस्त 2011 तक वास्तविक खर्चौ पर आधारित है और उसने वर्ष 2012 से 2014 तक के वर्षों के लिए अनुमानित यूनिट लागत की गणना के लिए इस यूनिट लागत पर चक्रवृद्धि आधार पर 6% वार्षिक का वृद्धि अवयव लागू किया है । सीआईटीपीएल अगस्त 11 से अक्तूबर 11 तक के महिनों के लिए लागू बिजली की वास्तविक यूनिट लागत को दर्शाने हेतु दस्तावेजी सब्त प्रस्तुत करे ।

सीआईटीपीएल ने बताया है कि उसने संशोधित लागत विवरणी प्रस्तुत कर दी है, जैसांकि उसने ऊपर पाइट स बी(४) के उत्तर में बताया है और अगस्त से अक्तूबर 2011 के माह के बिजली बिलों की प्रतिया प्रस्तुत की

(सशोधित लागत विवरणी में, सीआईटीपीएल ने वर्ष 2011 के लिये (अक्तूबर 2011 तक) रू.6.72 की वास्तविक यूनिट विद्युत लागत पर विचार किया है और वर्ष 2012 से 2014 के लिये 6% वार्षिक वृद्धि के साध उसी को अपना लिया है। इसने मई 2010 और मई 2011 के बिजली बिलो की प्रतियां प्रस्त्त की हैं।)

(ख) <u>ईंधन</u> लागत

सीआईटीपीएल ने वर्ष 2012 से 2014 तक के लिये ईंघन लागत के अनुमानन में, वर्ष 2010 और 2011 के लिये वर्णित 3.45 लिटर प्रति टीईयू (वास्तविक) और 3.65 लिटर प्रति टीईयू (वास्तविक / अनुमाम) की खपत के मुकाबले 4 लिटर प्रति टीईयू की ईंघन खपत पर विचार किया है। सीआईटीपीएल, वर्ष 2010 और 2011 के लिये वास्तविक खपत के संदर्भ से वर्ष 2012 से 2014 तक के वर्षों के लिये अनुमानित ईंघन खपत का औचित्य सिद्ध करे।

समय बीतने के साथ, खपत बढ़ने की समावना है। पिछला ट्रेंड भी बढ़ता हुआ ट्रैंड दर्शाता है। खपत अपफ्रट प्रशुक्क निर्घारित करने के लिये प्राधिकरण द्वारा अनुमोदित मानदंड (नॉर्म) के स्तर पर प्रोजैक्ट की गई है। (अक्तूबर 2011 तक वास्तविक कुल ईंधन खर्चे रू. 454 लाख और सशोधित लागत विवरणी (फार्म3-बी) में सीआईटीपीएल द्वारा प्रस्तुत रू.45/- प्रतिलिटर की यूनिट दर के आधार पर, सीआईटीपीएल द्वारा वर्णित 3 65 लिटर के मुकाबले वास्तविक ईंघन खपत 2 52 लिटर प्रति टीईयू परिगणित होती है।)

(ग) मुरम्मत और अनुरक्षण लागत

(1)सीआईटीपीएल ने वर्ष 2012 से 2014 तक के लिये मरम्मत एवं अनुरक्षण खर्चे, मशीनी तथा विद्युत परिसंपतियों के सकल खंड के 1.5% पर और. सिविल परिसंपत्तियों के सकल खंड के 0.5% पर अनुमानित किये हैं। कथित तीन वर्षों के लिये इन परिसपत्तियाँ का मूल्य क्रमशः रू 1740 लाखः, क्त 1789लाख और कं 1841लाख बताया गया है। ये अनुमान वर्ष 2010 और 2011 के लिये (अगस्त 2011 तक) वर्णित वास्तविक मरम्मत एवं अनुरक्षण खर्चों से उल्लेखनीय रूप से ज्यादा मालूम पडते हैं जो क्रमश'रू 207लाख और रू 282लाख बताए गए हैं । अलएव, सीआईटीपीएल, वर्ष 2012 से 2014 तक के अनुमानों का, वर्ष 2010 और 2011 के वास्तविकों के सदर्भ से, औचित्य बताए।

जैसाकि पिछले ट्रैंड से देखा जा सकता है, मरम्मत और अनुरक्षण पर धर्च 2011 में वार्षिकीकृत खर्च वर्ष 2010 में रू 207लाख की तुलना में, धर्ष 2011 में रू 423 लाख (8माह के लिये क 282लाख) है। मरम्मत खर्चों में बढोत्तरी का रू ख उपकरणों के पुराना पड़ने के कारण है। बीते वधीं में वारटी / गारटी अवधि के चलते भी अतिरिक्त पूजों की खरीद में कमी आई है। इन्हीं कारणों से, मैकेनिकल एव इलैक्ट्रिकल परिसपत्तियों के सकल खंड की 1.5% की दर पर और सिविल निर्माणों के सकल खंड की 0.5% पर मरम्मत एव अनुरक्षण खर्च का प्रावधान उचित ही माना गया है।

(सरोधित लागत विवरणी में सीआईटीपीएल ने, वर्ष 2011 के लिये. अक्तूबर 2011 तक, वास्तविक मरम्मत एव अनुरक्षण व्यय इससे पहले अगुस्त 2011 तक 6 माह के लिये वर्णित रू 2.62 लाख के आंकड़े की नुलना में रू 211 लाख ही माना है। संशोधित लागत विवरणी के अनुसार वार्षिकीकृत व्यय, सीआईटीपीएल द्वारा वर्णित रू .423 लाख नहीं, रू .253 लाख परिकलित होता है।)

(II) सीआईटीपीएल यह भी नोट करे कि वर्ष 2010 की लागत विवरणी में वर्णित वास्तविक मरम्मत और अनुरक्षण खर्चै का वर्ष 2010 के ऑडिटेड वार्षिक लेखा में वर्णित मरम्मत और अन्रक्षण खर्ची से मिलान किया जाना है।

· (v) उपकरण किराया प्रभार

सीआईटीपीएल द्वारा विचार किये गए उपकरण किराया प्रभारों में रीच स्टेकर्सप्राइम, प्राइम मूवर्स, फोर्कलिफ्ट ट्रक्स, कार्यशाला औजार, ईओ ट्राली, एयर-कम्प्रेशर्स और यूएचएफ के किराये समाहित है।

सीआईटीपीएल निम्नलिखित पेश करे। स्पष्ट करे -सीआईटीपीएल ने बढ़ती हुई ईंघन लागत पर विचार करते हुए सशोधित (क) सीआईटीपीएल ने प्राइम मूवर्स के बारे में रू .90 स्लैब स्ट्रक्वर के साथ दो और वर्षों के लिये ठेका / अनुबंध आगे बढ़ा दिया प्रति टीईयू की दर पर विचार किया है और वर्ष 2012 से 2014 के लिये इस दर पर, चक्रवृद्धि आधार पर है । सीआईटीपीएल ने दस्तावेजी सबुत 16सितबर 2011 की एक प्रति क्रमशः ४%, ६% और ६% का वृद्धि अवयव लागू प्रस्तुत की है जो एक माह में 30,000 टीईयू तक रू .92.62 प्रति टीईयू की दर और उसके बाद अर्थात 30,001 और उसके बाद रू .82 62 प्रति टीईब् किया है। प्रशुल्क के पिछले सशोधन के दौरान सीआईटीपीएल द्वारा प्रस्तुत दस्तावेजी साध्य के की दर दिखाता है। अनुसार एक माह में 27000 टीईयू तक रू 90/- प्रति टीईयू की और डीजल की कीमत में उतार-चढाव के साथ दरों में समायोजन के साथ, 27000 टीईयू प्रतिमाह से अधिक के लिये रू.80/-प्रति टीईयू की दर, सीआईटीपीएल द्वारा देय है । इसके अलावा, अनुबंध की वैधता, एक और वर्ष के विस्तार के प्रावचान के साथ जून 2010 से 1 वर्ष की थी। सीआईटींपीएल बताये कि क्या अनुबंध एक और वर्ष के लिये बढ़ा दिया गया है और डीजल के वर्तमान मूल्य के साथ इस समय प्रति टीईयू देव स्लैब दरें क्यां-क्या हैं ? किराया प्रभारों के अनुमानन में विचार की गई दरों के दस्तावेजी सबूत की एक प्रति भी प्रस्तुत की जाए। (ख) सी:आईटीपीएल ने अन्य उपकरण के विषय में सीआईटीपीएल ने किराया प्रभारों का ब्यौरा प्रस्तुत किया है । एक मुक्त अनुमानित किराया प्रभार पर विचार किया सीऑईटीपीएल द्वारा, दिनाक 14 दिसबर 2011 के अपने पत्र द्वारा प्रस्तृत है । सीआईटीपीएल वर्ष 2012 से 2014 के लिये विवरण सक्षेप में नीचे दिया गया है 🔸 उपकरण किराया प्रभारों के अनुमानन में, इसके द्वारा विवरण 邳. 2012 2013 2014 प्रत्येक उपकरण के लिये विचार की गई एक मुश्त रीच स्टेकर्स (-8) 301 315 :34 354 दरों के समर्थन में दस्तावेजी साह्य प्रस्तुत करे। प्राइम मूवर्स (टीटी) 558 799 1143 3 फोर्कितपट (3) 30 35 कार्यशाला औजार 55 57 64 इं ओ ट्रॉली 20 41 43 46 एयर कम्प्रेशर 10 यूएचएफ 430 1043 1313 कुल बोग 1688 (सीआईटीपीएल ने ऊपर क्रम सं उसे 7 तक पर वर्णित उपकरण के किराये के सबघ में दस्तावेजी साक्ष्य प्रस्तुत नहीं किये हैं।) (ग) सीआईटीपीएल द्वारा, वर्ष 2012 से 2014 तक के सीभाईनीपीएल ने बताया है कि प्रोजैक्ट किये जा रहे किराया प्रभार लिये अनुमानित उपकरण किराया प्रमार में अन्य अन्रक्षण क लिये आवश्यक अन्य औजारों के लिये हैं। बातों के साथ कार्यशाला उपकरणों के किराया प्रमार के रूप में क्रमश रू.57 लाख, रू 61लाख और क्त .64 लाख भी शामिल हैं । सीआईटीपीएल द्वारा विचार किये गए सकल खंड में वर्ष 2011 और 2012 के लिये अनुमानित अमिवृद्धियों में कार्यशाला और अनुषेंगिक उपकरणों की पद में क्रमशः रू .250लाख

और रू.900लाख शामिल हैं।

पट्टेदारी किराये (vi)

(क) सीआईटीपीएल इस बात की पृष्टि करे कि वर्ष 2012 से 2014 तक के लिये पट्टेदारी किरायों का अनुमानन लाइसैंस एग्रीमैंट की शर्तों के अनुसार है।

हां, हम पुष्टि करते हैं कि अनुमान चेन्नई पत्तन न्यास के साथ सहमत हुए 🗗 किये गए मापन के अनुसार हैं।

गणना के आधार के साथ पटटेदारी किराये की विस्तृत गणना, प्रस्तुत किये

(ख) जैसाकि इससे पहले क्रम स ख (ix)(क) से (ग) गए वित्तीय मॉडयूल में प्रस्तुत की गई है। में बताया गया है, पटटेदारी प्रभारों की गणमा के लिये लागत दिवरणी में बताए गए क्षेत्रफल में कुछ विसंगति / मिन्नता दिखाई पडती है । सीआईटीपीएल अनुमानित पटटेदारी किरायों की विस्तृत गणना प्रस्तुत करे जिसमें पटटे पर किये गये क्षेत्रफल और भूमिकी प्रत्येक श्रेणी, यथा, विकसित, अविकसित और रिक्लेम्ड भूमि के लिये विचाराधीन सभी वर्षों के लिये प्रति वर्गमीटर दर दर्शायी जाए। (vii) बीमा सीआईटीपीएल ने वर्ष 2012 से 2014 के लिये काणेदार में हो रहे घाटे के कारण कुछ सामान्य बीमा सुरक्षाओं के साथ मैकेनिकल और इलैक्ट्रिकल परिसपत्तियाँ के सकल समझौता किया गया था (उनके लिये कोताही बुरती गई थी) प्रोजैक्शन खंड के 05% पर और वर्ष के शुरू में सिविल वर्तमान बाजारी यथार्थ मूल्याँ प्रचालन क समुचित जोखिम मूल्याकन पर परिसपत्तियों के सकल खंड के 01% पर बीमा आधारित है और इनका मूल्याकन सिविल निर्माणों के लिये 0 1% पर तथा प्रीमियम अनुमानित किया है। कथित तीन वर्षों के उपकरणों के लिये 0.5% पर किया गया है जो अपफ्रट प्रशुल्क के लिये लिये यह बीमा प्रीमियम मूल्य क्रमशः क्त 204 लाख, प्रधिकरण द्वारा निर्घारित मानदङ के अतर्गत प्रदत्त 1% से बहुत कम है। क्त .206 लाख और रू .270 लाख बताया गया है । ये लाइसैस एग्रीमैट् की शतौं के अनुपालन में टर्मिनल के लिये उपयुक्त अनुमान वर्ष 2010 और 2011 (अगस्त 2011 तक) के आवश्यकतानुसार निर्मित बीमा सुरक्षा की, प्रोज़ैक्शनों के अनुरू प लागत लिये वर्णित क्रमशः रू.57 लाख और रू.41 लाख आने का अनुमान है। जब पालिसी सुरक्षा जी जाती है उसी समय उनके के वास्तविक बीमा प्रीमियम से उल्लेखनीय रूप से अनुसार वास्तविक लागत की गणना की जाती है। अधिक दिखाई दे रहे हैं। अतएव, सीआईटीपीएल, सीआईटीपीएल ने, इसके द्वारा ली गई बीमा पालिसियों की प्रतिया प्रस्तुत पिछले वर्षों 2010 और 2011 के वास्तविक बीमा की हैं। यह बीमा 22 अप्रैल 2011 से 21 अप्रैल 2012 तक की अवधि के प्रीमियम के संदर्भ से वर्ष 2012 से 2014 के अनुमानी लिये वैद्य है। इसके द्वारा प्रस्तुत की गई बीमा पालिसियों की प्रतियों के का औवित्य बताएं । बीमा कम्पनियों के साध किये अनुसार सीआईटीपीएल ने उपरोक्त अवधि के लिये रू 48,61,986/- के गये एग्रीमेंटों की एक प्रति भी प्रस्तुत की जाए कुल बीमा प्रीमियम का भुगतान किया है। (इसने अक्तूबर 2011-तक, वर्ष 2011 के लिये वास्तविक बीमा लागत, लागत विवरणी में, रू 50 लाख बतायी है।) (vilr) अन्य खर्चे (क) सीआईटीपीएल "अन्य खर्चे" शीर्ष के अंतर्गत ''अन्य खर्चै ''के अतर्गत निम्नलिखित मदौ पर विचार किया गया है 🕡 विचार की गई मदों की सूची दे। 1 रस्सी बाधने / खोलने सबधी खर्चे 2 पाली-कर्मचारियों के लिये परिवहन व्यय (ख) वर्ष 2012 से 2014 के लिये अनुमानित प्रत्येक 3 रीफर सफाई प्रभार मद का लागत ब्यौरों और गणमाओं तथा, वर्ष 2010 और 2011 के लिये वास्तविकों के सदर्भ से मी सीआईटीपीएल ने निम्नलिखित ब्यौरा प्रस्तुत किया है -औचित्य बताएं। म्यीरा 2012 2013 2014 रस्सी बांधना / खोलना 93 126 पाली कर्मचारियों के लिये परिवहन ज्यंच 60 68 रीफर सफाई 5 कुल यांग 157 196 (सशोधित लागत विवरणी में सीआईटीपीएल ने वर्ष 2012 से 2014 तक के तिये अन्य खर्चों को क्रमश रू 713लाख रू 865 लाख और रू 1095 लाख अनुमानित किया है।) (IX) उपरिव्यय (क) सीआईटीपीएल, प्रबंधन और प्रशासन प्रबंधन और प्रशासन कर्मचारियों के वेतन पर लागत में विचार किया गया उपरिव्यय के अंतर्गत विचार किये गए खर्च की मदो है। सीआईटीपीएल ने सशोघित प्रस्ताव में गणना प्रस्तुत की है।

जैसाकि पहले ही बताया गया है, श्रमिक संख्या और उपरिव्यय विगत में

की सूची प्रस्तुत करे और इस शीर्ष के अंतर्गत विचाराधीन वर्षों के लिये विस्तृत गणना प्रस्तुत करे। (ख) वर्ष 2010 और 2011 (अगस्त 2011 तक) के लियं वर्णित वास्तविक प्रबंधन और प्रशासन उपिरुव्य क्रमशः रू. 256 लाखं और रू. 165 लाखं (8माह के लियं)हैं । इसकी तुलना में, सीआईटीपीएल ने पूरे 2011 वर्ष के लियं प्रबंधन और प्रशासन उपिरुव्य रू. 367 लाखं अनुमानित किया है जो वर्ष 2010 के वास्तविकों से 43% ज्यादा है । इसके अलावा, वर्ष 2012 के लिये प्रबंधन एवं प्रशासनिक उपिरुव्य गत वर्ष 2011 के आकड़े से 44% अधिक पर विचार किया गया है । सीआईटीपीएल वर्ष 2010 और 2011 के वास्तविकों के संदर्भ से (2012 से 2014 तक के) अनुमानों का औषित्य बताए।

आवश्यकयता से कम रखे गए थे क्योंकि (उस समय) घाटा अधिक हो रहा था और मात्रा (वॉल्यूम) कम था जो अब व्यावहारिक और समय नहीं है। सीआईटीपीएल ने संशोधित प्रस्ताव में, इसके द्वारा अनुमानित सामान्य उपरिकायों का स्वीरा प्रस्तुत कर दिया है।

(ग) सीआईटीपीएल ने सामान्य कार्यालय खर्च *l* व्यय और बैंक गारटी कमीशन पर 'सामन्य उपरिव्यय' के अंतर्गत विचार किया गया है। लागत विकरणी में वर्ष 2010 के लिये वर्णित वास्तविक सामान्य उपरिवाद रू. 910 लाख, सीआईटीपीएन के कथनानुसार, ऊंचे कानूनी और व्यावसायिक प्रभारों के कारण कुछ अधिक ही हैं। अगले वर्ष 2011 के लिवे सीआईटीपीएल ने, अगस्त 2011 तक पहले आठ महिनों के वास्तविकों के आधार पर वर्ष 2011 के लिये सं.555लाख सामान्य उपरिव्यय अनुमानित किया है। वर्ष 2012 से 2014 तक के अनुमानित सामान्य उपरिव्यव, अलग-अलग पिछले वर्षों के अनुमानित आंकडों से क्रमज्ञः लगमग 48%, 10% और 10% अधिक विचार किये गए हैं । अतएव, सीआईटीपीएल, वर्ष 2011 के लिये प्रस्तुत किये जाने वाले अद्युतन वास्तविक आकड़ों के संदर्भ से, अनुमानों का औचित्य बताए।

वर्ष 2012 में 48% की वृद्धि, अतिरिक्त छपकरणों के कारण मती किये जाने वाले अतिरिक्त मानवबल की मद में है। केवल 6% की सामान्य वृद्धि को ही अमल में लाबा गया है। सीआईटीफीएल ने संशोधित प्रस्ताव में ब्यौरे प्रस्तुत कर दिये है।

(x) म्ल्वहास

सीआई टींपीएस, सशोधित प्रशुल्क मार्गदर्शियों की धारा 2.7.1 को ध्वान में रखते हुए सभी विचाराधीन वर्षों के लिये अनुमानित मूल्यहास की विस्तृत गणना प्रस्तुत करें। ऑडिटेड क्तिय विवरणियों में प्रदत्त वर्णनों के अनुसार परिसंपत्तियों के प्रत्येक समूह के लिये अपनाए गए मूल्यहास की दरें, कपनी-अधिनियम अध्या कत्सेशन एग्रीमेंट, जैसा भी:मामसा हो, के प्राक्वानों का सदर्भ देते हुए, प्रस्तुत करें।

सीआईटीपीएल ने बताया है कि अपेक्षित ब्यौरा संशोधित फार्म 4ए में प्रवान किया गया है। सीआईटीपीएल ने, कपनी अधिनियम के अनुसार इसकें द्वारा अनुपालन की गईं, मूल्यहास की दरें प्रस्तुत की हैं, जो निम्नांनुसार है:

भवन

: 3.64%

संयंत्र एवं मशीनरी

· 4.75% - 10.34% तक

कंप्यूटर्स

: 16.21%

(5) निवोजित पूंजी

(क) अचल परिसंपत्तिया

सीआईटीपीएल ने बताया है कि उसका प्रस्ताव, वर्तमान कटेनर प्रहस्तन उपकरणों के अलावा; इस वर्ष 4 आरएमक्यूसी और 8 आरटीजीज (खरीदने और) प्रचालनरत करने का है। इस विषय में कार्य आदेश पहले ही जारी कर दिए गए है। इसने वर्ष 2012 में इस मद में रू 247.68 करोड़ के पूजी व्यय का अनुमान लगाया है। सीआईटीपीएल इस सबध में

निम्नलिखित बिदुओं पर स्पन्धीकरण दे

(I)सीआईटीपीएल में क्रेनों की लागत के अनुमान में प्रति आरएमक्यूसी 6495000 अमरीकी डालर और प्रति आरटीजी 1340000 अमरीकी डालर की बुनियादी दरों पर विचार किया है। सीआईटीपीएल इन बुनियादी लागतों के समर्थन में कार्य आवेत्रों तथा क्रय समझौतों की प्रतियों पेश करें। सीआईटीपीएल ने 4 अदव आरएमक्यूसी, 8 अदव आरटीजीसी और स्प्रेंडर्स के लिये आपूर्तिकर्ताओं को जारी किये गए वर्क-आर्डर्स की प्रतियों प्रस्तुत की हैं। सीआईटीपीएल द्वारा प्रस्तुत कार्य आदेशों (वर्क आर्डर्स) की प्रयितों का ब्योरा संक्षेप में नीचे दिया गया है:-

豖.	स्योग	राशि	अभ्युक्तियो
<i>-</i> 1.	स्त्रीकृति पत्र से	अम्.डा.	4अदद क्यूसी
	सीआईटीपीएस / ईएनजी	25360000	प्रचालित करने
ŀ	/ क्यूसी/ 01 विनांकः 3		का अनुसूचित
	मई 2011. 4 अदद क्र्यूसी		समय दोनों पक्षो
	स्प्रेडर्स के बिना. यूनिट	ľ	द्वारा एलओए
	लागतः अम.डालर		हस्तामर करने
	6340000		की तिथि से 52
			सप्ताह के भीतर
2.	स्वीकृति पत्र सं.	अम.डा.	8अदद आरटीजी
	सीआईटीपीएल / ईएनजी	9480000	प्रचालितं करने
	/ आरटीजी/ 01 दिनांक 3		का अनुसृचित
	मई 2011. 8 अवद		समय दोनों पक्षो
	आरटीजी के लिये स्प्रेंडर्स		द्वार एलओए
]	के बिना. यूनिट लागुतः		हस्ताक्षर करने
	अम. डालर 1185000		की तिथि से 52
			सुप्ताह के मीतर
3.	क्रय आदेश सं.	एसजी डा.	क्रय आदेश सीघे
1	सीआईटीपीएल / ईएनजी	1844000	क्रेन आपूर् तिकर्ता
	/ 2011/ 19 दिनांक 4 मई		को देने की तिथि
	2011. क्यूसी और	1	से 18 से 20
	आरटीजी के लिये		सप्ताह के मीतर
	आरएएम स्प्रैडर्स की		डिलीवरी
	खरीद के लिये		
	or affinished to the		~ + - + -

तदनन्तर, सीआईटीपीएल ने, दिनोंक 28 दिसंबर 2011 के अपने इंग्रेल के माध्यम से, क्रेनों के आपूर्तिकर्ता को रू 2183:44 लाख के अग्रिम मुगतान और आशिक मुगतान के समर्थन में दस्तावेजी प्रमाण प्रस्तुत किया।

(॥) पूंजी लागंत के अनुमानन के लिये सीआईटीपीएल द्वारा प्रस्तुत गणनाओं से देखा गया है कि सीआईटीपीएल ने, इसके द्वारा प्रस्तावित 8आरटीजी की बजाय 10 अदद आरटीजी पर विचार किया है! सीआईटीपीएल स्थित स्पष्ट करे और तदनुसार अनुमान सशोधित करे। सीआईटीपीएल ने 5 विसंबर 2011 के अपने संशोधित प्रस्ताव में आंकड़े ठीक कर लिये हैं।

(III) सीआईटीपीएल ने, इंपीसीजी योजना के अंतर्गत सीमाशुल्क ख्यूटी रियायत की मद में सीमाशुल्क को प्रस्तुत किये जाने वाले बँक गारटी मूल्य को आरएमक्यूसी आरटीजी की पूजी लागत में शामिल कर लिया है। सीमा शुल्क को दी गई बँक गारटी जियात अनिवार्यता का वचन पूरा करने हेतु 'सुरक्षा राशि के रूप में है। यह कथित उपकरण के आयात के लिये सीआईटीपीएल द्वारा व्यय की जाने वास्तविक लागत नहीं है। इस विषय में संबंधित इपीसीजी योजना के अंतर्गत आयातकत्ता को रियायती दर पर पूजीगत सामान आयात करने की इजाजत हैं। आयातकर्त्ता को सीमा शुल्क ड्यूटी में प्रदत्त रियायत के लिये उसके द्वारा बँक गारटी दी जानी है। यदि आयातकर्त्ता योजना के अंतर्गत निर्यात अनिवार्यताए पूरी करता है तो बँक गारटी उसे लौटा दी जाती है। यह स्थिति वैसी ही कि जैसे आयातकर्त्ता सामान्य सीमाशुल्क ड्यूटी का भुगतान करे और अनिवार्यता पूरी करने के बाद सीमाशुल्क ड्यूटी का रिफंड प्राप्त कर ले। जहां तक सीआईटीपीएल का सबद है, इसने पूरी सीमा शुल्क डयूटी भरी / अद्य की है -कुछ नकद और कुछ बँक गारटी के रूप में। इसलिये अनुरोध है कि जब तक निर्यात लागत, बैंकों को देय बैंक गारटी कमीशन हो सकता है जो सामान्य उपरिव्यय में पहले ही शामिल किया गया है। उपरोक्त को देखते हुए सीआईटीपीएल, क्रेमों की पूंजी लागत में से बैंक गारटी को मूल्य निकाल दे। अनिवार्यता पूरी की जाती हैं, बैंक गारटी राशि को पूजीगत व्यय का हिस्सा ही माना जाए।

(ल) सीआईटीपीएल ने कु छ अवधारणाओं, यथा, 1आरएमक्ष्यूसी प्रति 200000 टीईयू माल ढुलाई और प्रति आरएमक्ष्यूसी 3आरटीजी के आधार पर अतिरिक्त कंटेनर प्रहस्तन उपकरण की आवश्यकता का अनुमान तैयार किया है। सीआईटीपीएल की अवधारणाओं को मानते हुए और वर्ष 2012 से 2014 के लिये सीआईटीपीएल द्वारा विचार किये गए अनुमानित यातायात के आधार पर अतिरिक्त कटेनर प्रहस्तन उपकरण की आवश्यकता की गणना की गई है. और नीचे सारणीबदध है.

7 अदद आरएमंत्रपूसी, 20 मून्य प्रति घंटे के जीसीआर बैंबमार्क और 1.33 का बॉक्स अनुपात 1.14 लाख टीईयू की कुल क्षमता देता है। 2014 में 10.7 लाख टीईयू की क्षमता आवश्यकता को कुल 7आरएमक्यूसी की आवश्यकता है। वर्ष 2012 और 2013 में आने के लिवे अनुमानित कंटेनर यातायात को खाली करने / लादने के लिवे हो सकता है सभी केनों की जरू रत न हो, किन्तु पोतों की त्वरित वापसी का वाबचा करके और उसे निमाकर टीमेंनल की ओर अनुमानित यातायात खींच कर लाने के लिवे बह जरू री है। क्षमता निर्माण पर अन्य प्रश्नों के उत्तर में पहले ही बताया जा चुका है कि वर्तमान और शीघ्र ही आने वाले टीमेंनलों में पोतों त्वरित वापसी हासिल करने के लिवे उपकरणों / मशीनों की तुलना में विद खोआईटीपीएल चुनौती का ज्वाब देने के लिवे उपकरण हासिल नहीं करता है तो लड़ने से पहले ही बुद्ध हार जाएगा। इसलिये, निवेदन है कि उपकरण आवश्यकता से ज्वादा नहीं हैं। अतिरिक्त उपकरण प्रोजेक्टेड यातायात को हासिल करने के लिवे रणनैतिक औजार हैं।

ठ, जार अब सारमायपुर्व छ उ					
स्पीरा	2012	2013	2014	7	
यातायात टीईबू	58500	789750	1068163	đ	
आवश्यक आरएमक्यूसी की सख्या (2000) टीईयू / प्रति आरएमसी पर)	3	4.	6	אישו	
वर्तमान आर एम वयूसी	3	3	3		
अतिरिक्त आवश्यकता	•	1	3	_	
सीआईटी पीएल द्वारा प्रस्तावित	4	4	4		
अत्यधिक/फालतू	4	3	1		
आवश्यक आरटीजी की संख्या (प्रति आरएमक्यूसी-3)	3	12	18		
वर्तमान आरदीजी (एलए के अनुसार)	10	10	10		
अतिरिक्त आवश्यकता		2	8		
सीआईटीपीएल द्वारा प्रस्तावित	8	8	8		
अत्यधिक / फालतू	8	8	•		
जैसाकि ऊपर से देखा जा सकता है, प्रदान किये					

जसािक ऊपर से देखा जा सकता है, प्रदान किये जाने के लिये अनुमानित अतिरिक्त कंटेनर प्रहस्तन उपकरण या तो आवश्यकता से अधिक है या उसकी आवश्यकता से बहुत पहले अर्जित किये जाने के लिये अनुमानित है । उपरोक्त को देखते हुए, सीआईटीपीएल अतिरिक्त उपकरणों की मात्रा और उनको प्रचालित करने की समीक्षा करे तािक अतिरिक्त पूजी लागत की मद में उपयोगकर्चाओं पर बोझ कम किया जा सके।

(v)(क) सीआईटीपीएल द्वारा वर्ष 2012 में विचार किये गए रू. 247.68 करोड़ के पूजी व्यय में कार्यशाला एवं अन्य सहायक उपकरण में से प्रत्येक पर रू. 4.5 करोड़ (का व्यय) भी शामिल है। सीआईटीपीएल अपने अनुमान के समर्थन में दस्तावेजी सबूत भी प्रस्तुत करे और इनके साथ इस

आंदेश दिये जो रहे नये उपकरण के अनुरक्षण के लिये सीआईटीपीएल को अतिरिक्त कार्यशालाओं और भड़ार की आवश्यकता है। सीआईटीपीएल का कार्यशाला और भड़ार क्यू 2 (दूसरी तिमाही) 2012 में निर्माण करने का प्रस्ताव है।

(सीआईटीपीएल ने अपने अनुमानों के समर्थन में कोई दस्तावेजी सबूत प्रस्तुत नहीं किया है।)

	गर्द पर परिकलित निर्माणों का ब्यौरा, वर्तमान स्थिति	
1	और प्रचालित किये जाने का अनुमानित समय मी	
-	प्रस्तुत करें।	
ļ	(ख) सीआईटीपीएल ने वर्ष 2013 में अतिरिक्त यार्ड.	
	रेल संपर्क (रेलमार्ग) इत्यादि के विकास की मद में	सीआईटीपीएल ने एक निजी फर्म से इसके द्वारा प्राप्त किये गए अपरिपक्व
}	रू. 30.00 करोड़ के अतिरिक्त निवेश पर विचार	(अनन्तिम) लागत अनुमान दिनांक 30 नवबर 2011 की एक प्रति प्रस्तुत
1	किया है । सीआईटीपीएल, इस मद पर परिकल्पित	की है। कच्चे (रक) लागत अनुमान का ब्योरा नीचे दिया गया है
1	निर्माणों के ब्योरे, वर्तमान स्थित और उनके आरंम	क्रम सं. ब्बीरा राशि (रू तासी में)
		अनुसंधान . डिजाइन एवं अनुमोदन 55 50 स्थान स्वीकृति कार्च 148 00
	करने के अनुमानित समय के साथ, उपरोक्त	14000
1.	अनुमानौ के समर्थन में दस्तावेजी सब्त प्रस्तुत करें।	100 30
1		4 पक्क फरा का काय/नमाण 2183 00 5. यूटीलिटीज 851 00
1		6 विक्रिस 296.00
		कुलर्याम 3700 00
1	(ग) सीआईटीपीएल नोट करे कि नियोजित पूजी के	
}	लिये पूर्ण निर्मित और कार्य रूप में लादी गई	
	परिसंपत्तियां ही गिनी जाएगी और जिनका निर्माण	
1	कार्य चल रहा (अघूरा) होगा, वह नियोजित पूजी मे	
	शामिल नहीं किया जाएगा । सीआईटीपीएल इसकी	and the second of the second o
· ·	पुष्टि सूचना दें।	
(ख)	कार्यकारी पूँजी	
(i)	सीआईटीपएल, क्रम सं.ख (xvIII) (क) एव (ख) पर	सीआईटीपीएल ने फार्मेट बी में आवश्यक शुद्धिया लगा दी हैं।
1	उद्घृत बिंदुओं के अनुरू प, विविध ऋणदाताओं के	(संशोधित लागत विवरणी मैं, सीआईटीपीएल ने विविध ऋणदाताओं से
l	उस अनुमानित मूल्य की समीक्षा करे जो उसके द्वारा	राजस्व भाग का अग्रिम भुगतान अलग कर दिया है। किन्तु, उसने कटेनरों
	2012 से 2014 के लिये विचार किया गया है।	के सीमाशुल्क अमिरक्षकों के रूप में दिये गए बैंक गारटी मूल्य को विविध
		्रक्र भागपुरक्र आगायाकार कर अने नायक गए बक्र गारटा मूल्य का विविध ऋणदाताओं में बस्क्ररार रखा है।)
(il)	सीआईटीपीएल, वर्ष 2012 से 2014 के लिये	सीआईटीपीएल ने बताया है कि यह आमतीर पर अनुपानित सामान्य नियम
	कार्यकारी पूंजी के इन्वेटरी अवयव के अनुमानन में	(थबरू ल) पर आधारित है।
ļ	भंडार की खपत के मूल्य के रूप में मरम्मत और	(440 d) 40 Mailed 81
	अनुरक्षण खर्चों के 25% पर विचार करने का आधार	
	प्रस्तुत करे।	
(m)		वर्ष 2009 और 2010 में इसकी प्रचलित देनदारिया क्रमश रू .2685 लाख
,,	गए सामान और सेवाओं के लिये 15 दिन की उधारी	वर्ष २००७ आर २०१० म इसका प्रचालत दनदारिया क्रमश रू .2685 लाख
	के रूप में वर्तमान देनदारियों का आकलन किया है।	और रू 2903 लाख थी जिसमें पूजीगत सामान के लिये लेनदारों क्रमश
	सीआईटीपीएल वर्ष 2010 और 2011 के लिये	क्त 2848 लाख और क्त 2785 लाख भी शामिल थे। वर्तमान देनदारियों
	वास्तविक प्रचलित देनदारियों के संदर्भ से अपने	का स्तर निर्धारित / सुनिश्चित करने के लिये इन्हें अलग रखा गया है। वर्ष
	आक़लन / निर्घारण का औचित्य बताए ।	2009 में क्र.37 लाख और वर्ष 2010 में क्र. 138 लाख की वर्तमान
	जामला / मिथारण का आचित्य बताए।	देनदारियों की तुलना में, वर्ष 2012 से 2014 तक के लिये विचार किये गए
<u> </u>	(77)	प्रोजैक्शन तर्कसगत है।
-	(ख) सीआईटीपीएल द्वारा प्रस्तुत गणनाओं से यह	सामान्य रूप से ये उस माह के अतिम दिन मुगतान कर दिये जाते हैं।
	देखा गया है कि प्रचालन और प्रत्यक्ष श्रमिक	जिस माह ये देय हो जाते है।
	अनुरक्षण श्रमिक, उपकरण किराया प्रमार और	
	प्रबंधन और प्रशासन उपरिव्यय के सबंध में	}
	अनुमानित् खर्चौ को वर्ष 2012 से 2014 तक के लिये	
	15 दिन की उधारी पर वर्तमान देनदारियों के	
	अनुमानन में सीआईटीपीएल द्वारा विचार नहीं किया	
	गया है।	•
(घ)	दुरमान	
(i)	सीआई रेपीएल ने, अपने प्रचलित प्रशुक्क में 15%	प्रहस्तन उपकरणों में वृद्धि करके सीआईटीपीएल बेहतर और अधिक तेज
		हत्या करण सम्बद्धका गरेश बर्ग्यर जार जा वर् ग स्था

Ē	Ť	की वृद्धि करते हुए अपना प्रस्तावित दरमान तैयार	पात वापसी समय से उपयोगकर्ताओं की मंबा करेगा। उपयोगकर्ता को
1			फ्तन में कम समय लगाना पड़ेगा।
1		लामों की सूची दे जो वह, इस वृद्धि को जायज	
İ		उहराते हुए उपयोगकर्ताओं को प्रदान करेगा।	
ŀ	(B)	सीआईटीपीएल ने वर्तमान दरमान में, नोटी	सीआईटीपीएल ने वर्तमान दरामन की धारा / के खंड 3 के अंतर्गत वर्तमान
ı	(0)	(टिप्पणियाँ) को एक स्थान से दूसरे स्थान पर	परिमाषाओं और नोटों के साथ प्रस्तावित परिमाषाओं और नोटों की
İ		स्थानान्तरित करने समेत, विमिन्न उप-खडौं के	तुलनात्मुक शिथंति, प्रस्तावित परिवर्तन के लिये कारणों के साथ प्रस्तुत
1	٠. '	अतर्गत प्रदत्त नोटौं के साध-साथ परिभाषाओं, रातौं,	किया है।
- {		शीषौँ आदि में अनेक परिवर्तन प्रस्तावित किये हैं।	
1		सीआईटीपीएल, अलग कॉलम में प्रत्येक फेर बदल	
		के लिये कारण देते हुए, तालिका के रूप में वर्तमान	
İ		दरमान और प्रस्तावित दरमान की तुलनात्मक स्थिति	
١		प्रदान करे।	
1	(m)	सीआईटीपीएल ने "परिमाषाएं और शत के अंतर्गत"	अविक स्पष्टता के लिये सटीकता के लिये परिवर्तन किये गये हैं।
	,	शीर्षक पैराग्राफ में, ''समय-समय पर'' शब्द	
		डालकर और "इसके कटेनर टर्मिनल पर" के	
		स्थान पर "सीआईटीपीएल " शब्द लगाकर	
		परिवर्तन प्रस्तावित किये हैं । इन परिवर्तनों की	
		आवश्यकता स्पष्ट की जाए।	
į	(iv)	(क) ''अतिविशाल कटेनर (ओवर डाइमॅशनल	"अतिविशाल कंटेनर (ओवर डाइमैंशनल कटेनर)" शब्दों में "कोना
		कटेनर), " "रीफर" और "पोतान्तरण कटेनर"	ढालने वाली समस्या के बाक्सों समेत " शब्द हटा दिए गए हैं।
		शब्दों की वर्तमान परिभाषाएं सुधारने / बदलने के	
		लिये प्रस्तावित हैं । इसकी आवश्यकता स्पष्ट की	
		जाए।	
		(ख) सीआईटीपीएल ने "बान्डेड ट्रकिंग",	इन शब्दों को वर्तमान दरमान में समाहित नहीं किया जा सका है और
		''आईसीडी कटेनर'' और ''पर शिफ्ट '' (बचा हुआ	प्रचालनों की अधिक स्पष्टता के लिये इन्हें शामिल किया गया है।
		ट्रकिंग, आई सीडी कंटेनर और प्रतिपाली) शब्दों के	
	1	लिये परिमाधाएं प्रस्तावित की हैं । इनकी	
		आवश्यकताएं स्पष्ट की जाए।	
	(v)	1 ' '	'सामान्य शतें' के अंतर्गत वर्तमान धारा 2.2 पर प्वाइट, जो खतरनाक
	i		कार्गे कंटेनरों । अविशाल कटेनरों के लिये प्रभार लगाए जाने को गवर्न
		खतरनाक कार्गों कहेनर्स / अतिविज्ञाल कहेनर्स पर	करते हैं, प्रस्तावित दरमान की घारा 2 (세) (a) में समाविष्ट किया गया है 🛙
		प्रमार लगाने को गवर्न करते हैं।	
		(ख) सीआईटीपीएल ने सामान्य शती की वर्तमान	1 .4
		धाराओं 2.3, 2.5 और 2 9 में कुछ परिवर्तन प्रस्तावित	
	1 2 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	किये हैं । इनकी आवश्यकता को स्पष्ट किया जाए ।	(सीआईटीपीएल ने उपरोक्त धाराओं में फेरबदल की आवश्यकता को
	İ		स्पष्ट नहीं किया है।)
	(N)	सीआईटीपीएल, अनुप्रयोग (ॲप्लीकेशन) शीर्षक के	
		अतर्गत एक अलग खंड, जिस में दो नए प्रावधान हैं,	अबुप्रयोज्यता को स्पष्ट करने के लिये दो नए खंड जोडे गए है।
		प्रस्तावित करने की आवश्यकता बताए।	
	(vii)	सीआईटीपीएल ने प्रस्तावित दरमान के खंड 4 3.4	
	-	पर कंटेनर की दर्मिनल से रेलवार्ड अथवा उल्टे क्रम]
		में अतिरिक्त हलबल के लिये नई दरें प्रस्तावित की	· i
		हैं। एक 20 कंटेनर (खाली एवं मरे हुए) के लिये	
		प्रस्तावित दर रू. 2875/- है। सीआईटीपीएल वह	· · · · · · · · · · · · · · · · · · ·
		लागत ब्यौरे सहित आघार प्रस्तुत करे जिससे	· .
		क्त 2875/- की दर परिगणित की गई है। साथ ही	
		•	

==	(A STATE OF THE STA
		वह वर्ष 2012 से 2014 तक के वर्षों में इस मद में	
		उत्पन्न होने वाले अतिरिक्त राजस्व का ब्यौरा,	
		संबंधित गणनाओं के साथ दे।	
	(Aii)	(क) सीआईटीपीएल ने वर्तमान शीर्ष ''पोत	उपयोग और स्पष्टता की सरलता के लिये 'खेंड' को "पीतौ (रेल्टोव्ब) के
		(रोस्टोब्ब) के मीतर ही कंटेनर स्थलान्तरित करने	भीतर कंटेनरों के स्थलान्तरण" के साथ आमेलित कर दिया गया है। (नए
		के लिये प्रमार" के अंतर्गत "शट आउट कंटेनराँ"	दरमान में खंड 4.7)
		हेतु प्रशुल्क मी शामिल किया है। वर्तमान दरमान में	
		इसे खंड 3.10 पर एक अलग खंड के रूप में दिया	
		गया है। कथित प्रावधान को स्थलान्तरति करने का	
2		কাংण बताया जाये।	
:		(ख) सीआईटीपीएल ने 20' विदेशी केंट्रेनर के लिये	हमारे प्रस्ताव में यह टाइपिंग संबंधी है और दिनोंक 5 दिसंबर 2011 के
1.	ļ.	लागू "शट आउट कंटेनर" की दर में, इसके द्वारा	इसके पत्र में प्रस्तुत संशोधित दरमान में यह गलती सुधार ली गई है।
	 :	प्रस्तावित 15% की सामान्य वृद्धि के मुकाबले 30%	
		की वृद्धि प्रस्तावित की है।	
	~ (bt)~~_	सीआइटीपीएल ने वर्तमान खंड 3.12.13 विविध	
		प्रभार का प्रस्तावित दरमान (प्रस्तावित दरमान का	
		खंड 4.9) को "अतिरिक्त प्रमार" नाम देने का	<i>*</i>
		प्रस्ताव किया है। इसके अलावा, इसने निम्नलिखित	
		नई प्रशुल्क मदौं को इस शीर्ष के अन्तर्गत शामिल	
ž		करने का प्रस्ताव किया है।	
-		(क) केटेनरी का किसी अन्य रेल हैंड या सीएचपीटी	यह सीएचपीटी परिसर में पड़ोसी टर्मिनल से (जिसको कोई.ऐल हैड नहीं
	ļ.	परिसर के मीतर किसी अन्य टर्मिनल तक परिवहिन	.है) अथवा अन्य टर्मिनलों इत्यादि से सीआईटीपीएल तक रेल प्रचालनों के
			लिये केंटेनेरी की इलाइल समेटने के लिये आवश्यक है।
		(ख) केटेनरी की प्लिंगिंग / अन्प्लिंगिंग	उपयोगकर्ताओं द्वारा अप्रेक्षित अतिरिक्त सेवाएं । संशोधित दरमान में दोहरा अब निकाल दिया गया है ।
		(ग) कट-ऑफ टाइम के बाद कार्गों प्राप्त करना(घ) सीचे लदान	संशोधित दरमान में दाहरा अब ।नकाल ।दया गया है । संशोधित दरमान में अब हटा दिया गया है ।
		(छ) शु-बिन का प्रहस्तन	संशायत दरमान म स्वा हटा दिया गया है।
		(च) कटेनर सफाई प्रभार	
		(छ) कार्गों के साथ / बिना ट्रेलरों को तीलना	यदि सीमा शुन्क अधिकारी इस की मांग करते हैं तो इस की आदश्यकता
		(छ) कामा क साथ । । बना दूलरा का तालमा	पडती है।
	<u> </u>	(ज) कंटेनरों को भरने / खाली करने तथा सील	उप-मदै निकाल वी गई है और मद्द को पिछले दरमान के अनुसार "औन
		काटने / तोड़ने से संबंधित "सीमा शुल्क निरीक्षण	व्हील'' सीमा शुल्क में बहाल कर दिया गया है।
		प्रमार" के अंतर्गत उप-मद	-
		सीआईटीपीएल इस संबंध में निम्नलिखित बातें स्पष्ट	
		करें :-	दोहराव पर खेद है और इसे निकाला जाना है। इसे प्रस्तुत संशोधित
		(i)ऊपर क्रम सं.(क) पर नई प्रशुल्क मद, प्रस्तावित	दरमान में ठीक किया गया है।
		दरमान के खंड 4.3.4 पर नई प्रशुल्क मद का	
		दोहराव लगती है।	
	<u> </u>	(॥)सीआईटीपीएल लागत विवरणियाँ की सहायता से	
		नई प्रस्तादित प्रशुल्क मदौं का औचित्य बताएं और	* *** ***
		वर्ष 2012 से 2014 तक प्रत्येक वर्ष के लिये प्रत्येक	
		प्रस्तावित प्रशुल्क मद के अंतर्गत अर्जित होने के	
		लिये प्रस्तावित अतिरिक्त आय, इनकी गणनाओं के	
		साथ पेश करें।	
		(พ) "विविध प्रभार" के अन्तर्गत वर्तमान धाराओं के	हम इस आब्बारवेशन से सहमत है और परिभाषाएं, दस्सावेजों का जारी
		प्रस्तावित संशोधन के अलावा, सीआईटीपीएल ने	l
			1

	की आवश्यकता स्पष्ट करें। प्रस्तावित यूनिट दर को	
	लागत के साथ ऑविंत्य बताए । प्रस्तावित प्रशुल्क	
	मद से अर्जित होने वाली प्रस्तावित अतिरिक्त आय	
*	की मात्रा सुनिहिचत करे और 2012 से 2014 तक के	
	प्रत्येक वर्ष के लिये गणना के साथ प्रस्तुत करें।	•
(xii)	ताजे पानी की आपूर्ति के लिये प्रभारों के विषय में	प्रस्तावित वृद्धि 15% ही है और गलती / त्रुटि को दरमान की संशोधित
Ì	सीआईटीपीएल ने विदेशी पोतों के लिये वर्तमान दर	प्रस्तुति में सुधार लिया गया है।
·	अम.डा.7.47 प्रिले 1000 लिटर पर 20% की वृद्धि	
	और तटीय पोतौं के लिये रू .313.74 प्रति 1000	
	लिटर की लागू दत्र पर 35% की वृद्धि प्रस्तावित की	
Į	है । सीआईटीपीएल द्वारा सामान्यतः प्रस्तावित 15%	
	की वृद्धि से अधिक की प्रस्तावित वृद्धि का लागत	
1	विवरण के साथ औचित्य बताया जाए । इस मद से	
	उत्पन्न होने वाली प्रस्तावित अतिरिक्त आय की मात्रा	
	सुनिश्चित की जाये तथा 2012 से 2014 तक के वर्षों	
	में से प्रत्येक के लिये गणना के साथ पेश की जाए।	. `
(xill)	सीआईटीपीएल ने एक नया प्रशुक्क खड-॥ (अन्य	दरमान की संशोधित प्रस्तुति मैं से प्रवेश पत्र का खंड निकाल दिया गया
	सेवाएं) प्रस्तावित किया है जिसमें "प्रवेश-पत्र" ,	है। फोटो ग्राफी को फिल्मों की शूटिंग से प्रभार वसूलने के लिये शामिल
	"फोटोग्राफी" , और ^५ 'वैब-एक्सेस्/अन्य" के लिये	किया गया है। ऐसी दर्रों से अनुमानित आय बहुत ही नगण्य है।
	प्रभार समावेश है। प्रस्तावित दरों में से प्रत्येक की	
	आवश्यकता का लागत विवरणों के साथ औचित्य	
	बताया जाए । इसके साथे ही इस मद से उत्पन्न होने	
	वाली प्रस्तावित अतिरिक्त आय का, वर्ष 2012 से	
1	2014 तक के प्रत्येक वर्ष का ब्योरा प्रस्तुत करें।	

- 5 2 प्रश्नों का उत्तर देते समय सीआईटीपीएल ने अपने प्रस्ताव में भी फेरबदल किया । सीआईटीपीएल द्वारा अपने संशाधित प्रस्ताव में प्रस्तुत मुख्य बातें / अतिरिक्तं प्रस्तुतिया सक्षेप में नीचे दी गई हैं -
 - (i) वर्ष 2009 और 2010 (वास्तविक) के वास्तविकों, अक्तूबर 2011 तक के वास्तविकों के साथ वर्ष 2011 के अनुमानों और वर्ष 2012 से 2014 तक के प्रक्षेपणों के साथ प्रदत्त फार्मेंट में सशोधित लागत विवरणियां तैयार की गई हैं। सशोधित लागत विवरणियां के आधार पर, वर्ष 2012 से 2014 तक के प्रचालन (पत्तन को देय राजस्व भाग को हिसाब में लिये बिना), नीचे दिये सक्षिप्त विवरण के अनुसार घाटे में जाएगे .-

म्यौरा	2009 ₹	2010ए	2011\$	2012पी	2013पी	2014पी
कटेनर यातायाती	20,100	304,752	450,000	585,000	789,750	1,066,163
आय	451	7,751	13,843	15,375	20,763	27,170
प्रचालन व्यय	497	2,873	4,036	7,125	8,752	10.564
मूल्यहास	713	2,922	2,920	5,350	5,306	5,301
उपरिव्यय	225	1,257	919	1,525	1,644	1,769
नियोजित पूर्णी	58469	56081	53713	72613	70607	65441
आरओसीई (2)18%	2,589	8,973	8,594	12,833	12,468	11,615
अधिशेष / घाटा	-3572	-8274	-262 6	-10441	-6318	-938
आय के % कि रूप में अधिशेष	-7.92	-1 07	-0 19	-0 68	-03	-0 03
/घाटा						
	ए-वास्तः	- -	ई-अनुमान	प	-प्रो जेक्शन	 -

- (ii) वर्तमान प्रशुक्क के आधार पर सीआईटीपीएल को दिसबर 2011 तक रू.144.73 करोड़ का घाटा हुआ है। अगले 3 वर्षों में इसे रू. 176.97 करोड़ का घाटा होगा। रू.176.97 करोड़ की कमी को पूरा करने के लिये प्रशुक्क में रू..725.01 प्रति टीईबू अर्थात वर्तमान लागत के लगभग 25% की वृद्धि करनी पड़ेगी किन्तु सीआईटीपीएल ने प्रशुक्क में आधांतर मात्र 15% की वृद्धि के लिये अनुरोध किया है। सीआईटीपीएल ने प्रशुक्क में कम मात्रा में वृद्धि यह सुनिश्चित करने के लिये मांगी है कि पड़ोसी टॉर्मनलों से स्पर्धा को देखते हुए दरें अनावश्यक रूप से अधिक / ऊची न हो जाएं।
- (iii) सीआईटीपीएल का 4 नई क्वे क्रेने और 8 आरटीजी खरीदने का प्रस्ताव है। उपकरण मई 2012 तक चालू हो जाने की संमावना है। आसपडोस में आने वाले और इस समय पडोस में मौजूद टर्मिनलों में निम्नलिखित उपकरण या तो हैं या उन्हें प्राप्त करने की योजना है:-

क्रम सं.	टर्मिनल्स	वर्ष केने	आरटीजी
1.	चेन्नई कंटेनर टर्मिनल लिमि.	8	24
2.	एल एंड टी कट्टूपल्ली (जनवरी 2012 तक पहला चरण)	6	18
3.	कृष्णापत्तनम् (दिसंबर 2011 तक पहला चरण)	6	18
4.	इन्नोर (प्रारंभ)	10	, 33

- (iv) उपरोक्त की तुलना में, 3 क्वे क्रेनों और 10 आरटीजी के साथ वर्तमान समझ में सीआईटीपीएल स्पर्धा में आने के लिये बहुत ही पिछड़ी हुई स्थिति में है। सीआईटीपीएल को एक अलग लाम प्राप्त है कि उसके मास 852 मीटर लबा को है जिसमें एक समय में 3 पोत सुरक्षित तीर पर समा सकते हैं किन्तु उन पोतों से कंटेनरों को दक्षतापूर्वक उत्तरवाने / लादने के लिये इसके पास आवश्यक क्रेने नहीं हैं। यदि तीन पोत पहुंचते हैं तो 700 कटेनरों वाले एक पोत को खाली करने में, यदि तीनों क्रेनों को ही काम करने दिया जाए, 35 घटे लगेंगे। किन्तु सामन्यत जब किसी टर्मिनल में केवल तीन ही क्वे क्रेने होती हैं तो सामान्यत एक से अधिक पोत दस्तक नहीं देता है और बर्थ में किया गया मूल्यवान निवेश अप्रयुक्त ही रह जाता है। इसलिये स्पर्धा की वर्तमान स्थित में पोतों को पत्तन की ओर आकर्षित करने के लिये प्रस्तावित अतिरिक्त उपकरण खरीदना जरु री है।
- (v) क्रेन निष्पादनता के वर्तमान और विचाराधीन प्रशुक्क चक्र के लिये प्रस्तावित बैंचमार्क 20 मूख (हलचल) प्रति घटा के सीजीआर पर समी 7 क्रेने प्रचालित कर देने के बाद बर्ध की क्षमता 11.4 लाख टीईयू प्रतिवर्ष होगी। टर्मिनल ने 2014 में 10.6 लाख टीईयू के कटेनर यातायात प्रोजैक्ट किया है। क्रेने 2014 में पूरी तरह उपयोग में लाई जाएंगी और आरम में कटेनरों को जल्दी-जल्दी उतारने के लिये इस्तेमाल की जाएंगी। टर्मिनल पर त्वरित टर्निओवर (टर्निअराउड) टर्मिनल के व्यावसायिक विकास की रणनीति होगी सीआईटीपीएल ने आगे बताया है कि उसी फ्तन पर अन्य टर्मिनल सीसीटीपीएल ने वर्ष 2010 में 8 क्वे क्रेने और 24 आरटीजी लगाकर 1140638 टीईयू की मात्रा प्रहस्तित की है।
- (vi) सीआईटीपीएल ने संशोधित लागत विवरणियों में बॉक्स अनुपात 0.99 से 1.33 परिवर्तित किया है । इसने पहले प्रस्तावित प्रति घटा 25 मूळ्ड (हलचल) को बदलकर संशोधित प्रस्ताव में 20 हलचल प्रतिघंटा प्रस्तावित किया है । इस प्रकार, टर्मिनल की वार्षिक क्षमता 1062369 टीईयू से प्रशोधित कर 1141778 टीईयू की गई है ।
- (vii) सीआईटीपीएल ने वर्ष 2011 के लिये पहले प्रस्तावित अनुमानित यातायात 450000 टीईयू को अक्तूबर 2011 तक प्रहस्तित वास्तविक यातायात के आधार पर सन्नोधित प्रस्ताव में बदलकर 470000 टीईयू कर दिया है। इसने वर्ष 2012 से 2014 तक के लिये प्रोजैक्टेड यातायात वहीं रखा है जो इसके द्वारा 14 अक्तूबर 2011 के मूल प्रस्ताव में अनुमानित किया गया था।
- (VIII) सीआईटीपीएल ने 5 दिसबर 2011 के अपने सशोधित प्रस्ताव में वर्ष 2012 से 2014 तक के लिये अनुमानित प्रचालन आय, प्रचालन व्यय, मूल्यहास, उपरिव्यय और नियोजित पूजी संशोधित कर दिये हैं। इसके अलावा सीआईटीपीएल ने दिनाक 14 दिसबर 2011 के अपने पत्र के अतर्गत इसके द्वारा प्रस्तुत सशोधित लागत विवरणियों में अनुमानित प्रचालन लागत और अनुमानित नियोजित पूजी मी सशोधित कर दिये है।
- (ix) दरमान के लागू किये जाने को शासित करने वाली संशर्तताओं में प्रस्तावित कुछ संशोधन वापिस लिये गए हैं।

5 3 प्रशुल्क के वर्तमान स्तर पर वर्ष 2012, 2013 और 2014 के लिये वित्तीय / लागत स्थिति, जैसी सीआईटीपीएल द्वारा संशोधित समेकित आयं और लागत विवरणों में प्रतिबिम्बत की गई है, नीचे तालिका बद्ध हैं •

(रू लाखों में)

क्र.सं.	विवरण	अनुमान				
	~ 3	2012	2013	2014		
1.	यातायात (टीईयू मैं)	585000	789750	1066163		
2.	प्रचालन आय	15376	20763	27170		
3.	प्रधालन व्यय	7322	- 8835	10567		
4.	, मूल्यहास	5350	5306	5301		
5. ,	उपरिव्यय	1528	1644	1769		
6.	आरओसीई	11618	11297	10471		
7.	शुद्धं अधिशेष / (घाटा) प्रतिलाम् के बाद	(10441)	6318)	(938)		
6.	शुद्धं अधिशेष / (घाटा) प्रचालत, आय की प्रतिशर्तता के रूप में	(-) 68%	(-)30%	(-)3%		
9,	तीन वर्षों के लिये औसत		-28%			

6. दिनांक 21 नवंबर 2011 के हमारे पत्र द्वारा सीएचपीटी से कुछ मुद्दों पर सूचना / स्पष्टीक्रण प्रस्तृत करने का अमुरोध किया गया था । सीएचपीटी ने दिनांक 5 दिसंबर 2011 के अपने पत्र के द्वारा उत्तर दिया था । मागी गई सूचना और सीएचपीटी का उत्तर एक-दूसरे के सामने नीचे प्रस्तुत हैं -

京. 甘.	सूचना / स्पब्टीकरण-प्राविकरण द्वारा ं मांगा गया		_		सीएचपी	टी का उत्त	₹		
(1)	कैलेंडर ख़र्ष 2010 में सीआईटीपीएल का वास्तविक यातायात और केटेनर मिक्स पैटर्न के साथ जनवरी 2011 से	प्रस्तुत विव	रण नीचे वि	रया गया है	' :		प्रस्तुत किय	है। सीए	चपीटी द्वा
	अक्रतूबर 2011-तक सीआईटीपीएल का	्रवय 2010 र समित	क दारान प्र शियान	हास्तत <u>वा</u> स्	त्विक यात				
1		מור	। शयान तदा		आयाम	निर्वात	यत्रान्स्य	स्थता	कुल योग
	वास्तविक यातायात .	[]	् तद। स् मा	लदा	ন্তালী	ভালী		तरण	
		जन '10	5799	हुआ	707	2000	`\	 _	
		फर '10	6344	4256	707	2525	809	192	15278
	,	मीच'10	3819	4333	617	2495	273	82	16124
ı		^{가입 10}		5917	561	3212	729	92	19330
ŀ		जा 10 मा 10	11845	7561	763	4801	497	134	25901
ĺ			11100	7370	8;8	6138	`249	8	25751
		जून(10 🗝			1 988	5509	783	138	20021
	· · · · · ·	जुड़ा। '10	12679	6350	763	5906	1285	2	26925
- 1	the state of the s	अगे 10	14425	, 7t3Q	_ 1 06	₿0 ₽2	873	4	30,220
	•	फ़िते 10	12711	7594	. 068	5269	398	23_	27062
		अ्त्रतू, '10'	14366	7796		6098	398	. 22	29330
ļ		नवं. 10	15967	8494	702	_4279_	374_	42	29850
- }	ļ	दिस"10"	19703	~ 11547	1,090	3965	443	14	35252
ļ		कुल -	145290	85431	9825	56359	7109	730	304752
		गर्व 2011 में भूकि	जनवरी से आ़्यात	अक्ट्राबूर 2 नियात	011 तक प्र	इस्तित वार नियात	तिविक याता प्रीतान्तरण	यात स्थली	कुल योग
	,		लदा हुआ	तदा हुआ	खाली	याती		तरण	
İ	'	, जेन, गृंगि	1879211	14610	730	§ 526	1043	14	41780
	•	कर पी	14365	12698	1118	5716	500	84	34679

	THE UAZ	CETTE OF INDIA, EXTRAORDINARY [FART III—380. 4								
==		मार्च 1 16254 12583 1449 5419 358 10 36073								
ļ		\$79.11 15528 10743 728 5518 822 138 33471								
ŀ	11	माई'11 17281 11541 1141 6845 562 30 37400								
- 1		जून'11 19508 15162 1074 6249 429 0 42417								
- [11	जुला.'11 21797 14318 1277 7323 258 100 45060								
l	l l	अग.'11 20243 16154 1071 5621 32 30 43131								
1	l l	चित्तं.'11 18980 18511 1161 4407 26 16 43101								
ľ	·[]	अक्तु _र '11 21044 16895 1088 - 3755 2 6 42792								
		ক্রব 183775 143399 10896 57376 4029 430 399904								
(ii)		संशोधित अनुवान 2011-12 में प्रोजेक्टेंड केटेनर यातायात 408623 टीईयू है और बजट								
		अनुमान 2012-13 में 429054 टीईव् है।								
l	सीआईटीपीएल टर्मिनल का वर्ष 2011									
]	से 2014 तक के लिये यातायम्ब									
	पूर्वानुमान.									
(組)	4 आरएमक्यूसी और 8 आएटीजी जोड़े	उपलब्ध उपकरण-3 आरएमक्यूसी'और 10आरटीजी के साथ मेसर्स सीआईटीपीएल ने								
	जाने के प्रस्ताव के साध,	निम्नलिखित यातायात माल बुलाई का प्रहस्तन किया है।								
	सीआईटीपीएल द्वारा प्रस्तुत को क्षमता	सितंबर 2009 से दिसंबर 2009 - 20100 टीईवू								
	गणना पर सीएचपीटी की टिप्पणी	जनवरी 2010 से दिसंबर 2010 तक - 304752 टीईयू								
,	क्षमता गणना में सीआईटीपीएल द्वारा	जनवरी 2011 से अक्तूबर 2011 तक अ 399904 टीईवू								
	विचार किये गए 0.99 के बॉक्स अनुपात	29.11.2011 को हुई संयुक्त सुनवाई में, में सीआईटीपीएल ने 4 आरएमक्यूसी और 8								
पर पत्तन की टिप्पणी। आरटीजी के जोड़े जाने के साथ अगले तीन वर्षों के लिये निम्नलि										
		प्रोजेक्ट की है :-								
		2012 - 585000 टीईब्								
		2013 - 789750टीईयू								
		2014 - 10 88 163टीईब्								
		जहा तक 0.99 के बॉक्स अनुपात का संबंध है, सीएचपीटी को कोई विशेष बात नहीं कहनी								
		है क्योंकि में, सीआईटीपीएल, टर्मिनल प्रचालक ने अपने व्यावहारिक अनुमद के आधार पर								
	· *	बॉक्स अनुपात प्रोजैक्ट किया है।								
(iv)	लाइ.एग्री. के अनुसार सीएचपाँटी को									
(14)	78000 व.मी. का क्षेत्र रिक्क्षेम करना था	करेगा कि वह रिक्लेम्ड क्षेत्र, वाणिष्यिक प्रचालन की तिस्त्रि से पहले साँप दे । यदि								
	और इसे सीआईटीपीएल को सौंपना	लाइसँस प्रदाता, रलाइसँस प्रदान करने की तिथि से 30 दिन की अवधि के मीतर रिक्लेम्ड								
		क्षेत्र सुपुर्द नहीं कर पाता है तो यह अपनी लागत और प्रश्नांष्ट पर उतने ही क्षेत्रफल का								
	था । सीआईटीपीएल में प्रशुक्क के	वैकल्पिक भूखंड रिक्लेम्ड क्षेत्र के रूप में लाइसँस प्रदान करने की तिथि से 30 दिन की								
	पिछले संग्रीबन के समय सीएवपीटी	अविधि के शीतर, लाइसँस वाले परिसर के यथासंभवः नजदीक उपलब्ध करवाएगा ।								
	द्वारा बताया गया था कि रिक्लेम्ड क्षेत्र									
	<u> </u>									
	अप्रैल 2010 में सीआईटीपीएल को									
	्रतीपा जाएगा । सीएवपीटी रिक्लेम्ड क्षेत्र	लाइसँस प्रदाता की चूक नहीं मानी जाएगी।								
1	्रतापा जाएगा। सीएचपीटी रिक्लेम्ड क्षेत्र सीआईटीपीएल को साँपने की	लाइसँस प्रदाता की चूक नहीं मानी जाएगी। लगमग 78000 व.मी. की भूमि / भूखंड रिक्लेम करने वंज काम आंशिक रू प से पूरा हो								
 	्रतीपा जाएगा । सीएवपीटी रिक्लेम्ड क्षेत्र	लाइसँस प्रदाता की चूक नहीं मानी जाएगी। लगमग 78000 व.मी. की भूमि / भूखड रिक्लेम करने वंज काम आंशिक रू प से पूरा हो गया है। शेष रिक्लेमेशन कार्य फरवरी 2012 के अंत तक डा.आंबेडकर डॉक बेसिन के								
 	्रतापा जाएगा। सीएचपीटी रिक्लेम्ड क्षेत्र सीआईटीपीएल को साँपने की	लाइसँस प्रदाता की चूक नहीं मानी जाएगी। लगमग 78000 व.मी. की मूमि / भूखंड रिक्लेम करने वंग काम आंशिक रूप से पूरा हो गया है। शेष रिक्लेमेशन कार्य फरवरी 2012 के अंत तक डा.आंबेडकर डॉक बेसिन के हाल ही में सौंपे गए निकर्षण कार्य से प्राप्त रेत का उपयोग करते हुए पूरा करने का								
	्रतीपा जाएगा । सीएवपीटी रिक्लेम्ड क्षेत्र सीआईटीपीएल को सॉपने की वास्तविक तिथि सूचित करे ।	लाइसँस प्रदाता की चूक नहीं मानी जाएगी। लगभग 78000 व.मी. की भूमि। भूखंड रिक्लेम करने का काम आंशिक रूप से पूरा हो गया है। शेष रिक्लेमेशन कार्य फरवरी 2012 के अंत तक डा.आंबेडकर डॉक बेसिन के हाल ही में सौंपे गए निकर्षण कार्य से प्राप्त रेत का उपयोग करते हुए पूरा करने का प्रस्ताव है।								
(v)	्रतापा जाएगा। सीएवपीटी रिक्लेम्ड क्षेत्र सीआईटीपीएल को सॉपने की वास्तविक तिथि सूचित करे। सीएचपीटी इस बात की पुष्टि करे कि	लाइसँस प्रदाता की चूक नहीं मानी जाएगी। लगमग 78000 व.मी. की भूमि। भूखड रिक्लेम करने वंज काम आंशिक रूप से पूरा हो गया है। शेष रिक्लेमेशन कार्य फरवरी 2012 के अंत तक डा.आंबेडकर डॉक बेसिन के हाल ही में सौंपे गए निकर्षण कार्य से प्राप्त स्त का उपयोग करते हुए पूरा करने का प्रस्ताव है। सीआईटीपीएल द्वारा सीएचपीटी को देव पट्टेदारी कि रायों का वर्ष 2011 से 2014 तक के								
(v)	र्तीपा जाएगा। सीएचपीटी रिक्लेम्ड क्षेत्र सीआईटीपीएल को सौंपने की वास्तविक तिथि सूचित करे। सीएचपीटी इस बात की पुष्टि करे कि सीआईटीपीएल द्वारा, वर्ष 2011 से	लाइसँस प्रदाता की चूक नहीं मानी जाएगी। लगमग 78000 व.मी. की भूमि। भूखंड रिक्लेम करने का काम आंशिक रूप से पूरा हो गया है। शेष रिक्लेमेशन कार्य फरवरी 2012 के अंत तक डा.आंबेडकर डॉक बेसिन के हाल ही में सौंपे गए निकर्षण कार्य से प्राप्त रेत का उपयोग करते हुए पूरा करने का प्रस्ताव है। सीआईटीपीएल द्वारा सीएचपीटी को देव पट्टेदारी कि रायों का वर्ष 2011 से 2014 तक के लिये किया गया अनुमान निम्नानुसार है -								
(v)	्रतापा जाएगा। सीएवपीटी रिक्लेम्ड क्षेत्र सीआईटीपीएल को सॉपने की वास्तविक तिथि सूचित करे। सीएचपीटी इस बात की पुष्टि करे कि	लाइसँस प्रदाता की चूक नहीं मानी जाएगी। लगभग 78000 व.मी. की भूमि। भूखंड रिक्लेम करने का काम आंशिक रूप से पूरा हो गया है। शेष रिक्लेमेशन कार्य फरवरी 2012 के अंत तक डा.आंबेडकर डॉक बेसिन के हाल ही में सौंपे गए निकर्षण कार्य से प्राप्त रेत का उपयोग करते हुए पूरा करने क प्रस्ताव है। सीआईटीपीएल द्वारा सीएचपीटी को देव पट्टेदारी कि रायों का वर्ष 2011 से 2014 तक के लिये किया गया अनुमान निम्नानुसार है -								
(v)	र्तापा जाएगा। सीएवपीटी रिक्लेम्ड क्षेत्र सीआईटीपीएल को सॉपने की वास्तविक तिथि सूचित करे। सीएचपीटी इस बात की पुष्टि करे कि सीआईटीपीएल द्वारा, वर्ष 2011 से 2014 तक के लिये, किये गए पट्टेदारी	लाइसँस प्रदाता की चूक नहीं मानी जाएगी। लगमग 78000 व.मी. की भूमि। भूखंड रिक्लेम करने का काम आंशिक रूप से पूरा हो गया है। शेष रिक्लेमेशन कार्य फरवरी 2012 के अंत तक डा.आंबेडकर डॉक बेसिन के हाल ही में सौंपे गए निकर्षण कार्य से प्राप्त रेत का उपयोग करते हुए पूरा करने का प्रस्ताव है। सीआईटीपीएल द्वारा सीएचपीटी को चैंय पट्टेदारी कि रायों का वर्ष 2011 से 2014 तक के लिये किया गया अनुमान निम्नानुसार है:- 2011 - रू 887 लाख								
(v)	रतापा जाएगा। सीएवपीटी रिक्लेम्ड क्षेत्र सीआईटीपीएल को साँपने की वास्तविक तिथ्यि सूचित करे। सीएवपीटी इस बात की पुष्टि करें कि सीआईटीपीएल द्वारा, वर्ष 2011 से 2014 तक के लिये, किये गए पट्टेदारी किराये के अनुमान लाइसैस एग्रीमैंट के	लाइसँस प्रदाता की चूक नहीं मानी जाएगी। लगमग 78000 व.मी. की भूमि / भूखंड रिक्लेम करने वंत्र काम आंश्विक रू प से पूरा हो गया है। शेष रिक्लेमेश्वन कार्य फरवरी 2012 के अंत तक डा.आंबेडकर डॉक बेसिन के हाल ही में साँपे गए निकर्षण कार्य से प्राप्त रेत का उपयोग करते हुए पूरा करने का प्रस्ताव है। सीआईटीपीएल द्वारा सीएचपीटी की देंय पट्टेदारी कि रायों का वर्ष 2011 से 2014 तक के लिये किया गया अनुमान निम्नानुसार है :- 2011 - रू 887 लाख								
(v)	र्तापा जाएगा। सीएवपीटी रिक्लेम्ड क्षेत्र सीआईटीपीएल को सॉपने की वास्तविक तिथि सूचित करे। सीएचपीटी इस बात की पुष्टि करे कि सीआईटीपीएल द्वारा, वर्ष 2011 से 2014 तक के लिये, किये गए पट्टेदारी	लाइसेंस प्रदाता की चूक नहीं मानी जाएगी। लगमग 78000 व.मी. की मूमि / भूखड रिक्लेम करने वंग काम आंशिक रू प से पूरा हो गया है। शेष रिक्लेमेसन कार्य फरवरी 2012 के अंत तक डा.आंबेडकर डॉक बेसिन के हाल ही में सौंपे गए निकर्षण कार्य से प्राप्त रेत का उपयोग करते हुए पूरा करने का प्रस्ताव है। सीआईटीपीएल द्वारा सीएचपीटी को देय पट्टेदारी कि रायों का वर्ष 2011 से 2014 तक के लिये किया गया अनुमान निम्नानुसार है - 2011 - रू 887 लाख 2012 - रू 1095 लाख								
(v)	रतापा जाएगा। सीएवपीटी रिक्लेम्ड क्षेत्र सीआईटीपीएल को साँपने की वास्तविक तिथ्यि सूचित करे। सीएवपीटी इस बात की पुष्टि करें कि सीआईटीपीएल द्वारा, वर्ष 2011 से 2014 तक के लिये, किये गए पट्टेदारी किराये के अनुमान लाइसैस एग्रीमैंट के	लाइसँस प्रदाता की चूक नहीं मानी जाएगी। लगमग 78000 व.मी. की भूमि / भूखंड रिक्लेम करने वंत्र काम आंशिक रूप से पूरा हो गया है। शेष रिक्लेमेश्नन कार्य फरवरी 2012 के अंत तक डा.आंबेडकर डॉक बेसिन के हाल ही में सौंप गए निकर्षण कार्य से प्राप्त रेत का उपयोग करते हुए पूरा करने का प्रस्ताव है। सीआईटीपीएल द्वारा सीएचपीटी को देंय पट्टेदारी कि रायों का वर्ष 2011 से 2014 तक के लिये किया गया अनुमान निम्नानुसार है :- 2011 - रू 887 लाख 2012 - रू 1095 लाख								

	\$ 25 ° 26 ° 4	विकास मान्या मान्या स्थान स्था
(VI)	सीएचपीटी परिसंपत्तियों के सकल खंड में, वर्ष 2012 में अतिरिक्त कंटेनए प्रहस्तन उपकरण की खरीद की मद में रू.247.68 करोड़ और वर्ष 2013 में कंटेनर यार्ड के विकास की मद में रू 30 करोड़ की वृद्धियों पर विशिष्ट टिप्प्रियों प्रस्तुत करें। वर्ष 2010 के क्ला	निम्नानुसार है 2011 - रू
(4")		ALL TO AL
	अपिकेट प्रीमियमं स्त. 10करोड में वृद्धि की मैंदें में रू. 6168966/ की राशि दंशांता है। सीएचपीटी इस बात की पुष्टि करे कि क्या यह राशि सीएचपीटी द्वारा प्राप्त किये गए अतिरिक्त अपक्रंट प्रीमियम को दर्शाती है। यदि ऐसा है तो उसका ब्यारा प्रस्तुत किया जाए।	मेंसेसे सीआईटीपीएल ने रू .10.00 करोड़ के आरंभिक अपक्रेट प्रीमियम का 17.11.2008 को ही मुगतान किया है और फार्म से अपक्रेट प्रीमियम की मद में कोई देयता / भुगतान लिया नहीं गया है।

- 7 1 इस प्रकरण में संयुक्त सुनवाई 29 नवंबर 2011 को चेन्नई में आयोजित की गई थी । सीआईटीपीएल ने अपने प्रस्ताव की प्रस्तुति दी । संयुक्त सुनवाई में सीआईटीपीएल, सीएचपीटी और उपयोगकर्ताओं ने अपने अपने पक्ष मी रखे ।
- 7.2 संयुक्त सुनवाई में सीआईटीपीएल को सलाह दी गई थी कि वह प्रस्तावित पूजी अमिवृदिष्ठ के बाद अनुमानित यातायात और टर्मिनल की निर्घारित क्षमता के बीच अंतर कम करने की समावना तलाश करें। सीआईटीपीएल को यह भी सलाह दी गई थी कि वह उत्पादकता के आश्वस्त स्तर के साथ निष्पादनता आधारित प्रशुक्क सरचना लागू करने की संमावना भी तलाश करें और इस सबध में एक विस्तृत नोट मेजे। सयुक्त सुनवाई में लिये गए निर्णय और उन पर सीआईटीपीएल के उत्तर जो अतिरिक्त सूचना / स्पष्टीकरण मागने हेतु हमारे प्रश्नों के उत्तर से चुने गए हैं, सक्षेप में नीचे दिए गए हैं

क्र.सं.	संयुक्त सुनवाई में लिया गया निर्णव	सीआईटीपीएल का उत्तर
(1)	सीआईटीपीएल प्रस्तीवित पूजी बढ़ाने के बाद टॉमैनल के अनुमानित यातायात और उसकी निर्धारित क्षमता के बीच अंतर पाटने की संभावना तलाश करें।	सभी 7 क्रेने प्रचालित कर देने के बाद, 20 मूब्ज प्रति घंटा के सीजीआर पर बर्थ की क्षमता 11 4 लाख टीईयू वार्षिक हो जाएगी। यह सीजीआर क्रेन निष्पादनता का बैंचमार्क आज भी है और विचाराधीन प्रशल्क चक्र के लिये भी प्रस्तावित है। ट्राउनिस ने 2014
(ii)	सीआईटीपीएल, उत्पादकता के एक आश्वस्त स्तर के साथ निष्पादनतास आधारित प्रशुल्क सरचना लागू करने की समावना तलाश करे और इस सबध में एक विस्तृत नोट भेजें।	सीआईटीपीएल ने कोई उत्तर नहीं मेजा है।

^{8.} सीआईटीपीएल द्वारा उसके दिनांक 14 अक्तूबर 2011 के मूल प्रस्ताव में प्रस्तुत प्रशुक्क के वर्तमान स्तर, दिनाक 5 दिसंबर 2011 के संशोधित प्रस्तावित स्तर और दिनांक 14 दिसंबर 2011 के पत्र द्वारा संशोधित लागत विवरणी में अनुमानित यातायात तथा वित्तीय / लागत स्थिति की तुलनात्मक स्थिति नीचे सारणीबद्ध है :-

(क्र .ला**खों में)**

再.	विवरण	হিনাঞ্চ 14	Iddia to madeixmen at Su			दिनांक ६ दिसंबर 2011 का संनोधित प्रस्ताव			दिनांक 14 दिसंबर 2011 की संसोधित लागत विवरणी		
력.	<u> </u>	2042	प्रस्ताव 2013	2014	2012	2013	2014	2012	2013	2014	
		2012		1066163	585000-	789750	1066163	′5850B0 ·	789750	1068163	
1	गातायात (टीईब्.में)	585000	789750				27170	15375	20763	27170	
2	प्रवालन आय	17723	23940	323,19	15375	20763				10731	
	प्रचालन लागत	6859	8309	9913	7322	6835	10587	T322	8879		
3		5494	5449	5445	5350	5308	5301,	5350	5306	5301	
4	मूल्यहास			1635	1525	1644	1789	1525	1644	1769	
5.	उपरिव्यय	1405	1517				65441	71782	69779	64623	
6.	नियोजित पूजी	80340	78167	T2964	726131	70607			11165	10340	
7.	आरओसीई -	12854-	12510	11658	11618	11297	<u>" 10471</u>	11485	11100	1000	
8.	शृद्ध अधिशेष / (पाटा)						1			. (074)	
0.	3,	(8889)	(3845)	3888	~~~(10440) ~	~(6319)_	(938)	(10309)	(6230)	(971)	
	प्रतिलाम के बाद	(0000)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	\	- '	_ 1	, 77		-	<u> </u>	
	(2-3-4-5-7)			 							
9.	शुद्ध अधि त्रीष /(घाटा)		1			(-)30%	(-)3%	(-)67%	(-)30%	(-)4%	
l	प्रवालन आय की % के	(+)5 0%	(-)16%	11%	(-)68%	(-)30%	(-/-/-	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	1	1	
	रूपमे		<u> </u>	<u> </u>	<u></u>		<u> </u>	 	<u> </u>	<u> </u>	
10	प्रशुत्क चक्र के लिये संकल		-				 -	1	(17509)		
'	शुद्घ घाटा	ļ	(9066)			(17697)			(113091		
11.		1			!	07 064		<u> </u>	-27 65%		
1	धाटे की औसत %	1	12%			27.95%			-27 00 74		

- 9. इस प्रकरण में परामर्श से संबंधित कार्यवाही इस प्राधिकरण के कार्यालय में रिकार्ड पर उपलब्ध है। प्राप्त टिप्पणियों और सम्बद्ध पक्षों द्वारा दिए गए तर्कों का साराश सम्बद्ध पक्षों को अलग से भेजा जाएगा । ये ब्यौरे हमारे वैबसाइट http://lanflauthonly.gov.sn पर भी उपलब्ध है।
- 10. 'इस प्रकरण की कार्रवाई के दौरान एकत्रित सूचना की समग्रता के सदर्भ से निम्नलिखित स्थिति उमरती है :-
 - (i) सीआईटीपीएल का वर्तमान दरमान, 31 दिसबर 2011 की वैद्यता के साथ नवबर 2010 में अनुमोदित किया गया था। इस विश्लेषण में, सीआईटीपीएल द्वारा दिनाक 14 दिसबर 2011 के इसके पत्र के अंतर्गत प्रस्तुत संशोदित लागत विवरणियों के साथ दिनांक 5 दिसबर 2011 के सीआईटीपीएल के संशोदित प्रस्ताव और इस प्रकरण पर कार्रवाई के दौरान प्रस्तुत अतिरिक्त सूचना। स्पष्टीकरणों पर विचार किया गया है।
 - (ii) वर्तमान प्रशुल्क वर्ष 2010 और 2011 के लिये अनुमानित वित्तीय। लागत स्थित पर विश्वास करते हुए नवबर 2010 में निर्धारित की गई थी। सयोगवश, वित्तीष्ठ रिपोर्टिंग के लिये सीआईडीपीएल कैलेंडर वर्ष का अनुसरण करता है और इसने प्रशुल्क सशोधन प्रक्रिया के लिये भी वही आधार अपनाया है। मार्च 2005 के प्रशुल्क मार्गदर्शियों की धारा 2.13 इस प्राधिकरण को, प्रवत्त प्रशुल्क वैद्यता अविध के अत में, प्रचलित प्रशुल्क निर्धारित करने के समय निर्मर किये गए प्रोजैक्शनों के सदर्भ से, महापत्तनों और निजी की, उसी समय, वास्तविक भौतिक और वित्तीय निष्पादनता की समीक्षा करने का आदेश देता है। अतएव, निम्नलिखित आगामी अनुच्छेदों में वर्ष 2010 और 2011 के लिये टर्मिनल की वास्तविक मौतिक एवं वित्तीय निष्पादनता का विश्लेषण किया गया है।
 - (iii) लागत विवरणी में ऑडिटेड लेखा के अनुसार स्थिति के साथ प्रस्तुत वित्तीय / लागत स्थिति से मिलान करने वाली, वर्ष 2010 के लिये सीआईटीपीएल द्वारा प्रस्तुत विवरणी में किमया हैं। इसलिये, ऑडिटेड स्थिति को प्रतिबिध्वित करने के लिये लागत विवरणी में परिवर्तन किये गए हैं। लागत विवरणियों में किये गए परिवर्तनों पर अनुवर्ती अनुच्छेदों में चर्चा की गई है।

नहां तक वर्ष 2011 का सबध है. सीआईटीपीएल ने जनवरी 2011 से अक्तूबर 2011 तक अविध की वास्तविक वित्तीय स्थिति प्रस्तुत की है जो चार्टर्ड एकान्टैट द्वारा विधिवत प्रमाणित है। सीआईटीपीएल ने लागत स्थिति में जनवरी 2011 से अक्तूबर 2011 तक की सगत अविध की वित्तीय / लागत स्थिति प्रस्तुत की है। लागत विवरणी में प्रस्तुत स्थिति, प्रमाणित वित्तीय स्थिति से मेल नहीं खाती। हालांकि, लागत विवरणी में प्रस्तुत स्थिति के बारे में दावा है कि उसका प्रमाणित लेखा से मिलान कर लिया गया है, इस विषय में सीआईटीपीएल द्वारा मेल मिलान विवरणी (रिकॉन्सीलियेशन स्टेट्मैट) प्रस्तुत नहीं की गई है। इसलिये, सगत अविध की प्रमाणित वित्तीय स्थिति प्रतिबिम्बित करने के लिये अक्तूबर 2011 तक की अविध की लागत विवरणी में आवश्यक परिवर्तन किये गए है। अक्तूबर 2011 तक की अविध की लागत विवरणी में आवश्यक परिवर्तन किये गए है। अक्तूबर 2011 तक की अविध की लागत विवरणी में विचार-विमर्श किया गया है।

पूरे वर्ष 2011 के लिये लागत विवरणी में सीआईटीपीएल द्वारा प्रस्तुत वित्तीय / लागत स्थिति, निम्नलिखित कारणों से अक्तूबर 2011 तक के पहले दस माह के वास्तविकों के अनुरेख (सर्वांगसम) नहीं पायी गई है -

- (i) सीआईटीपीएल ने वर्ष 2011 के पहले 10 महिनों के लिये वास्तविक यातायात 399906 टीईयू बताया है जो औसतन प्रतिमाह 39990 टीईयू परिगणित होता है जबकि सीआईटीपीएल ने शेष दो महिनों के लिये अनुमानित यातायात 35000 टीईयू प्रतिमाह पर अनुमानित किया है। तदनुसार, पूरे वर्ष 2011 के लिये प्रचालन आय (सामान्य से / उपरोक्त से) कम अनुमानित की गई है।
- (ii) पहले 10 महिनों के लिये प्रति टीईयू वास्तविक ईंधन लागत रू 113 50 आती है। किन्तु सीआईटीपीएल ने पूरे वर्ष 2011 के लिये प्रति टीईयू ईंधन लागत रू 163 40 पर विचार की है। ईंधन लागत के अनुमानन में कुछ त्रुटि दिखाई देती है।
- (III) सीआईटीपीएल ने पहले 10 माह के वास्तविक मरम्मत और अनुरक्षण खर्ची रू 211 लाख के मुकाबले पूरे 2011 वर्ष के लिये (इस मद में) रू 328 लाख का अनुमान लगाया है। इसने वर्ष के शेष बचे दो महिनों के लिये व्यय की इस मद में 55% वृद्घि लगायी है। इतनी अधिक वृद्घि का कारण अमीतक बताया नहीं गया है।
- (IV) सीआईटीपीएल ने पहले 10 महिनों के वास्तविक व्यय रू 596 लाख के मुकाबले. पूरे वर्ष 2011 के लिये उपकरण किराया प्रभार के रूप में रू 834 लाख अनुमानित किया है। इसने शेष दो महिनों के लिये व्यय की इस मद में 40% की वृद्धि पर विचार किया है। पूरे वर्ष के अनुमान में 40% वृद्धि, फोर्कलिफ्ट, ट्रॉली, एयर कम्प्रैशर, औजार और यूएचएफ के लिये किराये पर विचार करने के कारण दिखाई पड़ती है जो पहले 10 महिनों के लिये व्यय किये गए वास्तविक उपकरण किराया प्रभारों का हिस्सा महीं है। सीआईटीपीएल ने वर्ष 2011 के अतिम दो महिनों में अतिरिक्त उपकरण किराये पर लेने का दस्तावेजी साक्ष्य प्रस्तुत नहीं किया है।
- (v) अन्य प्रत्यक्ष खर्चों में रस्सी बाधना / खोलना, पाली कर्मचारियों को परिवहन सुविधा उपलब्ध करवाना और रीफर की सफाई / प्रबोधन प्रमार शामिल है । सीआईटीपीएल ने पहले 10माह के लिये रू 250 लाख के वास्तविकों की तुलना में 2011 के सपूर्ण वर्ष के लिये अन्य प्रत्यक्ष खर्चों के रूप में रू 351 लाख का अनुमान लगाया है जो दो माह की अवधि के लिये 40% की वृद्धि दर्शाता है। ऐसी वृद्धि का कारण स्पष्ट नहीं है।
- (vi) सीआईटीपीएल ने पहले 10 माह के लिये रू 328 लाख के वास्तविक की तुलना में 2011 के सपूर्ण वर्ष के लिये रू .555 लाख के सामान्य उपरिव्यय का अनुमान लगाया है जो दो महिनों के लिये 69% की वृद्घि दर्शाता है। सीआईटीपीएल शंष दो माह की अविध के लिये सामान्य उपरिव्यय में 69% की वृद्घि का औवित्य नहीं बता पाया है।

सक्षेप में सीआईटीपीएल ने वर्ष 2011 के पहले 10 माह के वास्तविकों के आधार पर 2011 के संपूर्ण वर्ष के लिये अपने अनुमानों को अपडेट नहीं किया है, जबकि दिनाक 21 नवबर 2011 के हमारे पत्र द्वारा तोआइटीपीएल को इस आशय की सलाह दो गई थी इसलिये, पहले दस माह के वास्तविकों के आधार पर वर्ष 2011 की लागत विवरणी को समानुपातिक आधार पर संशोधित किया जाता है। इस प्रकार संशोधित लागत विवरणी को समानुपातिक आधार पर संशोधित किया जाता है। इस प्रकार संशोधित लागत विवरणी पर नवबर 2010 में पिछले प्रशुक्क निर्धारण के दौरान भरोसा किये गए अनुमानों के साथ तुलना के लिये विचार किया गया है। वर्ष 2010 और 2011 के लिये सीआईटीपीएल की मौतिक और वित्तीय निष्पादनता पर निम्नलिखित अनुच्छेदों (पैराग्रापस) में विचार विमर्श किया गया है।

- (iv) (क) सीआईटीपीएल द्वारा वर्ष 2010 और 2011 के लिए अनुमानित यातायात क्रमश: 337500 टीईयू और 450000 टीईयू की तुलना में, सीआईटीपीएल द्वारा वर्ष 2010 में वास्तव में प्रहस्तित यातायात 304752 टीईयू और वर्ष 2011 में वास्तव में / अनुमानित रू प से प्रहस्तित यातायात 479887 टीईयू देखा गया है। भौतिक निषादनता में मिन्नता (-)0.36% पायी गई है।
 - (ख) सीआईटीपीएल द्वारा वर्ष 2010 और 2011 के लियें विचार की गई प्रचालन आय में क्रमश रू 268,00 लाख और रू 947 24 लाख मूल्य की प्रचालक द्वारा अनुमत छूट और कटौतिया मी शामिल हैं। वर्ष 2011 की प्रचालन आय के सबध में देखा गया है कि सीआईटीपीएल ने, प्रमाणित लेखां की तुलना में लागत विवरणी में रू 18.49 लाख आय अधिक बतायी है। इसलिये, रू.18 49 लाख की राशि वर्ष 2011 की आय से बाहर रखी गई है। वर्ष 2010 और 2011 के लिये कुल प्रचालन आय में, अनुमानों की तुलना में मिन्नता (-) 10.22% परिगणित होती है।
 - (ग) वर्ष 2010 और 2011 के लिए वास्तविक प्रचालन खर्चों की तुलना में अनुमानों से भिन्नता लगमग (-)
 21 85% परिमणित होती है। सयोगवश सीआईटीपीएल ने वर्ष 2010 और 2011 के दौरान इसके द्वारा
 सीएचपीटी को मुगतान किया गया राजस्व भाग लागत विवरणी में से बाहर निकाला गया है जो पिछले
 प्रशुक्क आदेश के अनुरू प है।
 - (घ) सीआईटीपीएल ने ऑडिटेड लेखा की तुलना में वर्ष 2010 की लागत विवरणी में रू 56लाख का मूल्यहास अधिक वर्णन किया है जिसे बाहर रखा गया है। सीआईटीपीएल ने लागत विवरणी में वर्ष 2011 के लिये मूल्यहास रू .2920 26 लाख दर्शाया है। एक प्रश्न के बावजूद इसने मूल्यहास की परिगणना का विवरण प्रस्तुत नहीं किया है। वर्ष 2011 के लिये मूल्यहास की गणना सीआईटीपीएल द्वारा विमिन्न परिसपित्यों के लिये वर्ष 2010 के ऑडिटेड वार्षिक लेखा में दी गई मूल्यहासस दरों को लागू करके और वर्ष 2011 के लिये (अक्तूबर 2011 तक) प्रमाणित लेखा में वर्णित सकल खड़ में अमिवृद्धियों पर विचार करके की गई है। वर्ष 2011 के लिये मूल्यहास रू 2865.53 लाख होता है। वर्ष 2010 और 2011 के लिये मूल्यहास में सकल मिन्नता अर्थात अनुमान की तुलना में वास्तविक से मिन्नता (-)14 32% परिगणित होती है।
 - (ङ) वर्ष 2010 के लिये, अन्य बातों के साथ सीआईटीपीएल द्वारा विचार किये गए सामान्य उपरिव्यय में रू 335,24 लाख के विधिक एव व्यावसायिक प्रमार तथा रू .284 92 लाख के बैंक-प्रमार भी शामिल हैं।

रू 284,92 लाख के बैंक प्रमारों में रू 205 52 लाख ऋण उठाने के लिये दलाली, प्रोसेसिंग फी और डॉक्यूमैंटेशन चार्जेज शामिल हैं। चूकि सरकारी नीति मार्गदर्शियों के अनुसार इस प्राधिकरण द्वारा अंगीकृत "नियोजित पूजी पर प्रतिलाम" नजरिए में वित्त की व्यवस्था करने से सबधित खर्चे, लागत में स्वीकार्य मद नहीं हैं। उपरोक्त खर्चों की रू 205 52 लाख की राशि सीआईटीपीएल द्वारा विचार किये गए सामान्य उपरिव्यय में से बाहर निकाली जाती है।

सयोगवश, सीआईटीपीएल ने वर्ष 2010 के लिये उपरिव्यय रू 46 68 लाख कम बताए और वर्ष 2011 के लिये रू.1.17लाख उपरिव्यय अधिक वर्णन किया जो तुटि जान पडती है। तुटि को ठीक किया गया है। वर्ष 2010 के लिये वास्तविक सामान्य उपरिव्यय, उपरोक्त समायोजन के अधीन, रू.,786.16 लाख परिगणित हाता है। वर्ष 2011 के लिये वास्तविक / अनुमानित सामान्य उपरिव्यय रू 392 20 लाख है जो

वर्ष 2010 के लिये वास्तविकों की तुलना में कुछ कम है। इसका मुख्य कारण है कि प्रचालक ने वर्ष 2010 मे विधिक एव व्यावसायिक प्रमारों की मद में भरपूर सांश खर्च की है।

(च) नवबर 2010 के पिछले प्रशुक्क आदेश में कि .10कूरोड की अप्रफ्रट की और रू 6.17 करोड का पटटेदारी प्रीमियम को 30 वर्ष की भ्रोजैक्ट अवधि में किस्तों में बाट दिया गया है जो रू 53.90 लाख प्रतिवर्ष परिकलित होता है। सीआईटीपीएल ने अप्रफ्रट की लीजहोल्ड-ग्रीमियम को किस्तों में बाटे जाने की मद में, वर्ष 2010 और 2011 के लिये क्रमश रू 55.62 लाख रू .57.00 लाख पर विचार किया है।

वर्ष 2010 के लिये वार्षिक लेखा से यह देखा गया है कि वार्षिक किश्तों की राशि में वृद्धि सीआईटीपीएल हारा विचार की गई रू. 10 करोड़ की अपफ्रट की में रू 61.69 लाख की वृद्धि के कारण हुई है। जब इस मुगतान की प्रकृति स्पष्ट करने के लिये कहा गया तो सीआईटीपीएल ने उत्तर नहीं दिया। सीएचपीटी ने बताया है कि उसे सीआईटीपीएल से अपफ्रट शुल्क की मद में कोई आतिरक्त मुगतान प्राप्त नहीं हुआ है। वर्ष 2011 के लिये अक्तूबर 2011 तक की अविधि के प्रमाणित लेखा दर्शाने हैं कि वृद्धि की उपरोक्त मद, "अपफ्रट शुल्क" से "पट्टेदारी सुधार" को स्थलान्तरित कर दी गई है। उपरोक्त मद स्थलातिरित करने के अलावा, इसने वर्ष 2011 में पट्टेदारी सुधार में रू .35.71 लाख की अनिवृद्धि पर विचार किया है, जो इस मद की कुल राशि रू .97.40 लाख बनाती है जैसांकि अक्तूबर 2011 तक की सीआईटीपीएल की वित्तीय स्थिति से देखी जा सकती है। वर्ष 2010 के ऑडिटेंड लेखा और वर्ष 2011 के लिये (अक्तूबर 2011 तक) प्रमाणित वित्तीय स्थिति पर मरोसा करते हुए वर्ष 2010 और 2011 के लिये क्रमश रू 61.69 लाख और 35.70 लाख के अतिरिक्त पूजी व्यय पर विचार किया गया है और शेष लाइसँस अविध में किश्त बना के बाट दिया है। तदनुसार, वार्षिक किश्त राशि वर्ष 2010 और 2011 के लिये क्रमश रू 55 61 लाख और रू 57.58 लाख परिकलित होती है।

वर्ष 2010 और 2011 के लिये अनुमानों की तुलना में संगत वर्षों के वास्तविक उपरिव्यय में मिन्नता 12 73% दिखाई देती है।

(छ) दूट-फूट / कतरनों की बिक्री से वसूल की गई और सीआईटीपीएल द्वारा लागत विवरणी में विचार न की गई रू 5.03 लाख की वास्तविक विविध आय पर वित्तीय एव विविध आय के अंतर्गत विचार किया गया है।

अक्तूबर 2011 तक की अवधि के लिये प्रमाणित वित्तीय स्थिति विनिमय उतार चुढाव लाम तथा अन्य आय की मद में रू 7 98 लाख की वसूली दिखाती है। मीआईटीपीएल ने इस आय को लागत विवरणी में स्थान नहीं दिया है। चूकि इस आय को बाहर रखने का कारण बताया नहीं जा रहा है, उस पर वर्ष 2011 के लिये "वित्त एव वित्तीय आय" के अतर्गत विचार किया गया है।

(ज) वर्ष 2010 और 2011 की लागत विवरणी में सीआईटीपीएल द्वारा वर्णित अचल परिसपितयों अत शुद्ध खड़ सबिवत । प्रासगिक वर्षों के ऑडिटेड । प्रमाणित लेखा में वर्णित आकड़ों से मेल नहीं खाते । हमारे अनुरोध पर सीआईटीपीएल ने एक विवरणी प्रस्तुत की है जिसमें वर्ष 2010 के लिये लागत विवरणी में विचार किये गए सकल खड़ और शुद्ध खंड के आकड़ों से ऑडिटेड वार्षिक लेखा में वर्णित सकल खड़ और शुद्ध खड़ आकड़ों का मिलान किया जाएगा । मेल मिलाप विवरणी से यह देखा गया है कि सीआईटीपीएल ने ईपीसीजी योजना के अन्तर्गत बचायी गई ड्यूटी राशि के लिये बैक गारटी की मद में वर्ष 2010 के लिये परिसपितयों के अथ और इति सकल खड़ के सार्थ-सार्थ अथ इति शुद्ध खड़ में रू 20.76 करोड़ की राशि शामिल की है । ऑडिटेड लेखा में वर्णित स्थिति से ऊपर अचल परिसपितयों के सकल । शुद्ध खड़ में रू 28.76 करोड़ को शामिल किया जाना अनुत्तरित ही रहा है । वर्ष 2010 के ऑडिटेड लेखा के अनुसार शुद्ध खड़ पर नियोजित पूजी के परिकलन के प्रयोजन से विचार किया गया है।

सयोगवश, सीआईटीपीएल ने वर्ष 2011 में कि 347 43 लाख तक की सीमा में सकल खड़ में वृद्धिया प्रस्तावित है जा। जैसाकि प्रमाणित लेखा से देखा जा सकता है, अक्तूबर 2011 तक अमल में नहीं आ सकीं। ताई जा सकीं थी। व्योश नीचे सारणी बद्ध है :

鄅.	विवरण	रू तास में	सीजाईटीपीएल द्वारा प्रदर्शित स्थिति
स. 1	सीआईटीपीएल प्रवेश द्वारा के निकेट ककरीट की सडक बनाना	- 	सीआईटीपीएल द्वारा प्रस्तुत कार्य आदेशानुसार काम 6 जनवरी 2012 से पहले पूरा होने की समावना है।
2.	अतिरिक्त रीकर संख्या र् क्रिक्ट	126 00	सीआइटीपीएल द्वारा प्राप्त निविदाओं का-मूल्यांकन हो रहा है। काम अप्रैल 2012 तक पूरा हो जाने की उम्मीद है।
3.	अनिशिक्त उपकरणाँ के लिये नहीं कार्यशाला का निर्माण.	125 00	विक्रेताओं से निविदाएं आमत्रित की गई हैं। अनुमानत काम अगस्त 2012 तक पूरा हो जाएगा।
4	सूचना प्रौद्योगिकी (नया ईआरपी समाबान)	50 00	काम दिसंबर 2012 तक पूरा होने की उम्मीद
<u> </u>	कुल मीग	347.43	

चूकि उपरोक्त कार्यों में से कोई भी वर्ष 2011 के शेष दो महिनों में पूरा होने की उम्मीद नहीं है, दन मदों पर वर्ष 2011 में विचार नहीं किया गया है और इन पर अनुवर्ती वर्षों में विचार किये जाने पर इस विश्लेषण के उत्तराई (बाद वाले भाग) में विचार विमर्श किया गया है।

- (ব্ল) मार्च 2006 के प्रशुक्क मार्गदर्शियों की घारा 2.9.9, कार्यकारी-पूजी की स्वीकार्यता के लिये मानदङ प्रदान करती है। विचार की गई कार्यकारी पूंजी का विवरण निम्नानुसार है --
 - (i) मानवडों के अनुसार, दो माह की सपदा आय और भारतीय रेल द्वारा देव दो माह के टर्मिनल प्रमार अनुभेय विविधं ऋणियों के लिये सीमा है। इस प्राधिकरण ने 36 सितबर 2008 को एक आदेश पारित किया है जो अन्य बातों के साथ लाइसैंस एग्रीमैंट की सविदागत बाध्यताओं से उभरने वाली कुंछ विशेष मदों पर विविध ऋणियों के भाग के रूप में बाह्य प्रवाह (खर्च) की इजाज़त देता है।

मारतीय रेल को देय टॉर्मनल प्रभार सपदा आय सीआईटीपीएल जैसे निजी टॉर्मनल प्रचालकों के मामले में प्रासिगक नहीं है। सीआईटीपीएल ने कट्रेनरों के तथा भूमि पट्टेदारी प्रभारों के लिये सीमाशुल्क अभिरक्षक़ होते हुए बैंक गारटी पर विविध कर्जदारों के अंतर्गत विचार किया है। कट्रेनरों के लिये सीमाशुल्क अभिरक्षक होते हुए बैंक गारटी का तत्व मार्च 2005 के प्रशुल्क मार्गदर्शियों में प्रदक्त नहीं है जहा तक भूमि पट्टेदारी प्रभार का सबध है। लाइ.एग्री. के प्रावधानों के अनुसार, सीआईटीपीएल द्वारा सीएचपीटी को एक वर्ष का पटटेदारी किराया अग्रिम रूप से देव है। इस स्थित पर विचार करते हुए, प्रासिगक वर्षों के लिये सीआईटीपीएल द्वारा वास्तव में भुगतान किये गए वार्षिक प्ट्टेदारी किराये पर आधारित छ माह के पट्टेदारी किराये पर वर्ष 2010 और 2011 के लिये-"विविध कर्जदारी" के तहत विचार किया गया है। मावी वर्ष 2012 से 2014 के लिये सीआईटीपीएल द्वारा अनुमानित विविध कर्जदारों को मिन्न वर्षों के लिये विचार किये गए अनुमानित वार्षिक मूम् पटटेदारी किरायों पर आधारित, छ माह के वार्षिक मूमि पटटेदारी प्रभारों पर स्थारा ग्रग है।

(II) प्रशुक्क-मार्गदर्शियों में प्रदत्त पूजीगत अतिरिक्त पुर्जों की इन्वेंटरी पर सीमा एक वर्ष की औसत खपत है और इन्वेंटरी की दूसरी मदौं पर यह सीमा ईंघन छोड़ कर भड़ारण की 6 माह की औसत खपत है; जैसाकि मार्च 2005 के मार्गदर्शियों में अनुबंधित है।

सीआईटीपीएल: वे वृषं-2010 के लिये पूजीगत अतिरिक्त पुजों की मद में किसी राशि पर विचार नहीं किया गया है। इसने वर्ष 2011 के लिये रू 110 00 लाख की राशि पर विचार किया है। वर्ष 2011 के प्रमाणित लेखें। वृद्धं-2011 में पूजीगत अतिरिक्त पुजों की खपत प्रतिबिम्बत नहीं करते। ऐसी स्थित में अतिरिक्त पुजों के मूल्य पर विचार नहीं किया गया है।

सीआईटीपीएल द्वारा वर्ष 2010 के लिय-विद्यार की गई इन्वेंटरी का मूल्य मानदड़ों के अनुसार देखा गया है और इसलिये उस पर-विचार कियोग्गया है। जहा तक वर्ष 2011 से 2014 तक का सबंध है, सीआईटीपीएल ने मुरम्मत एवं अनुरक्षण व्यय के 25% पर-पूरे वर्ष इन्वेंट्री की खपत के मूल्य के रूप में विचार किया ग्रेंग है। इन्वेंटरी की यपत पर सीआईटीपीएल द्वारा इन्वेंटरी के मूल्य के रूप में विचार किया ग्रेंग है। इन्वेंटरी की गर्णना में सीआईटीपीएल द्वारा अपनाया गये नजरिये पर इस विश्लेषण में विद्यार किया ग्रेंग है। किन्तु सीओइटीपीएल द्वारा अपनाया गये नजरिये पर इस विश्लेषण में विद्यार किया ग्रेंग है। किन्तु सीओइटीपीएल द्वारा वर्ष 2011 के लिये विचार की गई वास्तविकें अनुमानित मूल्य, वर्ष 2011 के लिये विचार की गई वास्तविकें अनुमानित मूल्य, वर्ष 2011 के लिये अनुरक्षण व्ययों के आधार पर सुधारे गए है।

- (III) प्रशुक्क मार्गदर्शियौ-में प्रदत्त नकद जमा पर सीमा एक माह के नकद खर्चे है। वर्ष, 2010 और 2011 के लिये सीआईटीपीएल द्वारा विचार किया गया वास्तविक । अनुमानित नकद जमाधन, विचार किये गए एक माह के सुधारे गए प्रचालन खर्चों तथा उपरिव्यय के आँधार पर सुधारे गए हैं। इनमें मूल्यहास शामिल नहीं है।
- (iv) वर्ष 2010 के ऑडिटेड वार्षिक लेखा, में रू 2903लाख़ तक वर्तमान देनदारिया बतायी गई हैं। किन्तु, सीआईटीपीएल ने कार्यकारी पूजी के परिक्रलन में रू 138लाखें की चालू देनदारियों का उल्लंख किया है। इस संबंध में एक प्रश्न के उत्तर-में सीआईटीपीएल ने स्पष्ट किया है कि रू-2765 लाख की राशि पूजीगत उपकरणों के आपूर्तिकर्ताओं के प्रति देनदारी से सबधित हैं और इसलिये उसे कार्यकारी पूजी के परिक्रलन के प्रयोजन से बाहर रखा गया है। प्रगतिशील पूजीगत निर्माण कार्यों को नियोजित पूजी के में मुन्यता प्राप्त नहीं है और इसीलिये पूजीगत उपकरणों के आपूर्तिकर्ताओं को देय मुगतानों को कार्यकारी पूजी के परिकलन के प्रयोजन से चालू देनदारियों का भाग नहीं साना गया है।

जहां तक वर्ष 2011 का सबध है, सीआईटीपीएल ने,खरीदे गए सामान और सेवाओं की 15 दिन की उधारी पर चालू देनदारियों का मूल्य परिगणित किया है। इसने, इस आधार पर, प्रचालन प्रत्यक्ष श्रम, अनुरक्षण श्रम, उपकरण किया पर प्रियों के बारे में वास्तविक । अनुमानित 'खर्चों पर प्रियों के निर्म हैं क्यों कि सामोन्य तौर पर ये खर्चे उस महिने के अतिम दिन मुगतान कर दिये जाते हैं जिस माह ये देय होते हैं। चूकि खर्चों की उपराक्त मदों पर चालू परिसप्तियों के अनुमानि किया जाता है, उन्हें चालू (वर्तमान) देनदारियों के अनुमानि के प्रयोजन से उन्हें बाहर रखना उचित नहीं है। ऐसी स्थित में उपरोक्त खर्चों पर, चालू देनदारियों की गणमा के लिये सीआईटीपीएल द्वारा अपनाए गए नजरिये का अनुपालन करते हुए 15 दिन की उधारी पर विचार किया जाता है। वर्ष 2011 के लिये सीआईटीपीएल द्वारा अनुमानित चालू देनदारियों को, कथित वर्ष के लिये विचारीत सुधारे गए प्रचालन खर्चों को जुमानित चालू देनदारियों को, कथित वर्ष के लिये विचारीत सुधारे गए प्रचालन खर्चों को हिस्सव में लेते हुए प्रिवृतिन किया जाता है।

परिष्कृत चालू परिसपतियों और चालू देनदारियों पर विचार करते हुए वर्ष 2010 और 2011 के लिये कार्यकारी पूजी क्रमश रू 654 60 लाख और रू 701,98 लाख परिकृतित होती है।

- अपफ़ट फी और लीजहोल्ड (पटटेदारी) प्रीमियम का अनुअमोर्टाइज्ड माग, नियोजित पूजी का भाग बनते हैं जिस पर प्रतिलाम अनुमत किया जाती है। उपरोक्त पूर्णि रिवर्तनी के अधिन, वर्ष 2010 और 2011 के लिये नियोजित पूजी, संमान : थाँ के लिये अनुमानित नियोजित पूजी क्रमशाल 52416 50 लाख के तिल्ये अनुमानित नियोजित पूजी के बाद अपरें के 49927 82 लाख प्रिरंगणित होती है। वास्तिक और अनुमानित नियाजित पूजी के बीच अन्तर (-)0 06% देखा गया है।
- ट) वर्ष 2010 और 2011 के लिये टर्मिनल की वार्षिक क्षेमता 597870 ट्रीईयू वार्षिक मानते हुए, जैसी कि नवबर 2010 के पशुल्क आंदरों में मानी गई थी और सेंबंधित वर्षों में प्रहों म्नर्त वी म्त वेक पानायात पेर विचार करते हुए इन कथित वर्षों के लिय वास्तविक समंता उपयोग किमरा 51% और 80% परिगणित होता है। चूकि सीआईडीपीएल द्वारो सुविधाओं में किया गया निवेश लाइसास एग्रीमेट के अनुसार है, मार्गदर्शियों के

अनुसार और जैसाकि नवबर 2010 के पिछले प्रशुल्क आदेश में दर्ज है प्रचालक पूरे आरआसीई का पात्र हैं। तद्नुसार, कथित दोनों वर्षों के लिये नियोजित पूजी पर प्रतिलाम, विमिन्न वर्षों के लिये लागू 16% की अधिकतम दर पर अनुमत की जाती है।

- (ठ) उपरोक्त समायोजनों के अधीन, वर्ष 2010 और 2011 के लिये प्रतिलाम के बाद, वित्तीय / लागत स्थिति घाटे की स्थिति दर्शाती है। वर्ष 2010 और 2011 के लिये अनुमेय प्रतिलाम के बाद शुद्घ घाटा क्रमश रू.7493 68 लाख और रू.1153.28 लाख है और जो कुल मिलाकर रू.8646 96 लाख होता है।
- (ड) पिछले विश्लेषण के परिणाम स्वरू प अनुमानों की तुलना में सीआईटीपीएल की वास्तविक निष्पादनता में प्रमुख परिमापकों के विषय में अंतर / मिन्नता नीचे सारणी में दिया गया है -

/ 1173	-	*
⊹लाख	(1)	4)

यौरा	2010 और 2011 का जोड़					
	अनुमान	वास्त विक	अन्तर			
यातायात (टीइयू में)	787500	784639	(-)0.38%			
प्रचालन आय	24,163 50	21 695 06	(-)10.22%			
प्रचालन व्यय (मूल्यहास और उपरिव्यय समेत)	16,463.62	13,926.81	(-)15.41%			
नियोजित पूजी (औसत)	51,368.62	51,335 25	(-)0.06%			
नियोजित पूजी पर प्रतिलाम की दर	7 49%	7 58%	(+)1,12%			

पिछले अधिशेष के समायोजन के लिये (+)अथवा (-)20% की निष्पादनता मिन्नता / अंतर प्रदान करते हुए समय, मार्च 2005 के प्रशुल्क मार्गदर्शियों की धारा 2.13 मौतिक एवं वित्तीय निष्पादनता की समीक्षा का अनुबंध करती है। इस मामले में, भौतिक निष्पादनता के साथ-साथ प्रचालन आय, प्रचालन खर्चे, नियोजित पूजी, नियोजित पूजी पर प्रतिलाम की दर, जैसी वित्तीय परिमापकों के प्रमुख परिमाण्क, इन दोनों में मिन्नता 20% से कम पायी गई है। इसलिये, मावी प्रशुल्क में पिछले घाटे के समायोजन का प्रश्न तो उठता ही नहीं।

चूकि वर्ष 2011 के लिये घाटे की स्थिति आशिक रूप से अनुमानों पर आघारित है, वर्ष 2011 के लिये वास्तिविक स्थिति अगली प्रशुल्क सशोधन प्रक्रिया के समय समीक्षा पर निर्मर होगी। यदि मिन्नता वर्ष 2011 के अनुमान और वास्तिविक स्थिति के बीच पायी जाती है, तो ऊपर विचार की गई वर्ष 2010 और 2011 की शुद्घ घाटा स्थिति की समीक्षा की जाएगी और उसके साथ 2005 के प्रशुल्क मार्गदर्शियों की घारा 2 13 के अनुसार व्यवहार कियों जाएगी।

(พ) 2005 के प्रशुक्क मार्गदर्शियों की धारा 3.1 8 के अनुसार, सामान्य प्रशुक्क वैधता चक्र तीन वर्ष की अवधि के लिये हैं और इसलिये सीआईटीपीएल के संबंध में विश्लेषण 2012 से 2014 तक की तीन वर्ष के लिये किया गया है।

सीआईटीपीएल द्वारा प्रहस्तित वास्तविक / अनुमानित यातायात वर्ष 2011 में 479,887 टीईयू है । वर्ष 2012 में 4 आरएमक्यूसी और 8 आरटीजी की प्रस्तावित अमिवृद्धि के साथ सीआईटीपीएल द्वारा वर्ष 2012 से 2014 तक अनुमानित यातायात क्रमशः 585000 टीईयू, 789750 टीईयू और 1066,163 टीईयू हैं । अलग-अलग पिछले वर्ष के अनुमानित यातायात पर वर्ष 2012 में लगभग 22% और वर्ष 2013 तथा 2014 में से प्रत्येक में 35% वार्षिक वृद्धि प्रोजैक्टेड है । सीआईटीपीएल ने बताया है कि प्रोजैक्टेड यातयात वृद्धि, परामर्शदाताओं, फीडर एरिया में आर्थिक गतिविधियों और आसपडोस में आ रहे टीमेंनलों की सहायता से किये गए यातायात अध्ययन पर आधारित है।

वर्ष 2012 से 2014 तक के प्रत्येक वर्ष के लिये अनुमानित यातायात लाइसँसं एग्रीमैंट में प्रदत्त न्यूनतम गारटीड माल दुलाई (एमजीटी) 500,000 टीइंयू वार्षिक से अधिक है। इसके अलावा, सीआईटीपीएल द्वारा वर्ष 2012 के लिये अनुमानित यातायात सीएचपीटी द्वारा सीआईटीपीएल्डके बारे में इसके बजट अनुमान 2012-13 में कथित रूप से विचार किये गए प्रोजैक्टेड यातायात 429054 टीईयू से अधिक है। सीएचपीटी और उपयोगकर्ताओं ने सीआईटीपीएल

सीआईटीपीएल ने विदेशी कटेनरों के लिये 94 09% का, तटीय कटेनरों के लिये 3 78%, पोतान्तरण कटेनरों के लिये 1.77% और अन्य के लिये 0.36% का मिश्र कटेनर अनुपात अपनाया है जिसमें वर्ष 2012 से 2014 के अनुमानित यातायात में खतरनाक और अतिविशाल कटेनर भी शामिल है। यह कथित रू प से वर्ष 2011 में (अक्तूबर 2011 तक) प्रहस्तित कटेनरों की विभन्न किस्मों के वास्तविक मिश्रित अनुपात पर आधारित है किन्तु सीआईटीपीएल द्वारा जनवरी 2011 से अक्तूबर 2011 तक प्रहस्तित वास्तविक यातायात में वास्तविक कटेनर मिश्रित अनुपात जैसा सीआईटीपीएल ने प्रस्तुत किया है, विदेशी कटेनरों के लिये 95.11% तटीय कटेनरों के लिये 3 24%, पोतान्तरण कटेनरों के लिये 138%, और अन्य प्रकार के कटेनर के लिये 0.28% देखा गया है जो दर्शाता है कि सीआईटीपीएल ने स्थिति को अद्यतन नहीं किया है। हमलिये 2012 से 2014 तक के अनुमानित यातायात में कटेनरों के विमिन्न प्रकार के अनुपात को, अक्तूबर 2011 तक की अवधि के लिये प्राप्त वास्तविक कटेनर मिश्र अनुपात के आधार पर अद्यतन किया गया है।

यद्यपि अनुमानित यातायात एमजीटी स्तरों के लंगभग बहुत पास है, कटेनर प्रहस्तन उपकरण की प्रस्तावित वृद्धि की नजर से वर्ष 2012 और 2013 के दौरान पर्याप्त क्षमता उपलब्ध है। इसलिये, यदि यातायात के गलत अनुमानन के कारण सीआईटीपीएल को अनावश्यक लाम पहुचता पाया जाता है तो इस प्रकार अर्जित अतिरिक्त अधिशेष को अगले प्रशुल्क हाक में, मार्च 2005 के प्रशुल्क मार्गदिशियों के अनुसार समायोजित किया जाएगा।

- (vii) (क) लागत विवरणी में वर्ष 2012 से 2014 के लिये सीआईटीपीएल द्वारा अनुमानित् प्रचालन आय क्रमश रू 15375 लाख रू 20763 लाख और रू 27170 लाख है। वर्ष 2012 से 2014 के लिये अनुमानित मात्रा हेतु सीआईटीपीएल द्वारा अनुमानित प्रचालन आय वर्ष 2011 में प्रहस्तित वास्तविक यातायात की वास्तविक प्रचालन आय के साथ सपूर्ण रूप से समान नहीं पायी गई है। जबिक वर्ष 2011 के लिये प्रति टीईयू औसत बास्तविक वसूली लगभग रू 2908/- परिगणित होता है। वर्ष 2012 से 2014 के लिये सीआईटीपीएल द्वारा विचार की गई औसत प्रति टीईयू वसूली, वर्ष 2012 और 2013 के लिये लगभग रू 2628/- है और वर्ष 2014 के लिये रू 2548/- है। इस-स्थिति पर विचार करते हुए कि 2011 का वास्तविक कटेनर मिश्र अनुपात सीआईटीपीएल द्वारा वर्ष 2012 से 2014 के लिये अपनाया गया है, वर्ष 2012 से 2014 के लिये सीआईटीपीएल द्वारा अनुमानित प्रचालन आय कम बतायी गई दिखायी पड़ती है।
 - (ख) वर्ष 2012 से 2014 के लिये अनुमानित यातायात के लिये प्रशुल्के के वर्तमान स्तर पर आय के अनुमानन के लिये सीआईटीपीएल द्वारा प्रस्तुत गणनाए द्रशृती हैं कि इसने क्ट्रेनरों की प्रत्येक श्रेणी के अतर्गत विदेशी तटीय पोतान्तरण और गरे हुए, खाली, रींफर कटेनर जैसी कटेनरों की प्रत्येक श्रेणी के लिये समेकित यूनिट दरों पर विचार किया है। अनुमोदित दरमान में प्रदत्त मदवार दरों के रूप में जब समेकित दरों का ब्यौरा प्रस्तुत करने की माग की गई तो सीआईटीपीएल ने कटेनरों की एक ही किस्म, यथा, सामान्य विदेशी 20' गरे हुए कटेनर का ही ब्यौरा दिया है। उसने कटेनरों की अन्य किस्मों का ऐसा विवरण प्रस्तुत नहीं यिका है। इसलिये-और यह सोचते हुएकि वर्ष 2012 से 2014 के लिये सीआईटीपीएल द्वारा अनुमानित प्रचालन आय कम वर्णित की गई दिखाई देती है, कटेनरों की प्रत्येक प्रकार के लिये समेकित यूनिट दरें, अनुमोदित दरमान में प्रदत्त मदवार दरों पर विचार करके प्ररिक्तित की गई है। वर्ष 2012 से 2014 के लिये सीआईटीपीएल द्वारा प्रस्तुत अनुमानित कटेनर प्रहस्तन आय को परिगणित समेकित यूनिट दरों और सबधित वर्षों के लिये अनुमानित यातायात को हिसाब में लेकर (पर विचार करके) सशोधित किया गया है।
 - (ग) सीआईटीपीएल द्वारा विचार की गई अन्य प्रचालन आय में भडारण प्रमार, रीफर प्रमार, रेल टर्मिनल प्रहस्तन प्रमार और हैचकवर प्रहस्तन प्रमार शामिल हैं। सीआईटीपीएल ते यह सोचते / मानते हुंए कि समस्त अनुमानित यातायात प्रदत्त नि शुल्क अविध के बाद औसतन एक दिन ठहरेगा, 2012 से 2014 के वर्षों के लिये भडारण आय का अनुमान लगाया हैं। सीआईटीपीएल द्वारा अपनाया गया नजरिया कथित रूप से, इसके द्वारा वर्ष 2010 में वसूल की गई वास्तविक मडारण आय पर आधारित है। भडारण आय के अनुमानन में सीआईटीपीएल द्वारा अपनाए गए नजरिये पर इस विश्लेषण में विचार किया गया है।

रीफर प्रमारों के अनुमानन में सीआइटीपीएल ने वर्ष 2012 से 2014 के लिये अनुमानित रीफर मात्रा पर विचार किया है जो व्यवस्थित पाया गया है। किन्तु, सीआईटीपीएल द्वारा वर्ष 2012 से 2014 के लिये अनुमानित रीफर प्रभारों को, सशोधित कटेनर मिश्र अनुपात को हिसाब में लेते हुए (पर विचार करते हुए) अद्यतन किया गया है।

सीआईटीपीएल ने रेल टॉर्मनल सेवाओं से आय के अनुमानन के लिये. कियत रूप से अपने टॉर्मनल पर पिछले अनुमव के आचार पर, कुल अनुमानित यातायात के 5% पर रेल टॉर्मनल प्रहस्तन के लिये विचार किया है। सीआईटीपीएल द्वारा अपनाए गए नखिरए पर इस विश्लेषण में विश्वास किया गया है। इसने रेल टॉर्मनल आय के अनुमानन में रू. 1400/- प्रति टीईयू की यूनिट दर पर विचार किया है। जब इस प्रशुल्क मद के लिये अनुमोदित दरमान में प्रांवचान प्रदान करने की माग की गई तो सीआईटीपीएल ने यह बताया कि रेल टॉर्मनल प्रचालनों के लिये इसके द्वारा वर्तमान में वसूल किये जा रहे प्रमार रू. 1673.10 प्रति टीईयू (अर्थात कटेनर यार्ड पर लिफ्ट ऑन / लिफ्ट ऑफ प्रचालनों के लिये रू. 707.85 और, रेल यार्ड से टॉर्मनल अथवा व्युक्तम में परिवहन के लिये रू. 985.25) हैं। तदनुसार, 2012 से 2014 के वर्षों की अनुमानित रेल प्रहस्तन आय को प्रचलित दरमान में प्रदत्त दरों पर विचार करते हुए और सीआईटीपीएल द्वारा प्रस्तुत (दरों के) अनुसार संशोधित किया गया है।

सीआईटीपीएल ने हैचकवर प्रचालन के लिये विदेशी पोतों के लिये अम.डालर 56.3125 प्रति हैचकवर और और तटीय पोतों के लिये रू. 1622/- प्रति हैचकवर की यूनिट दर पर विचार किया है। सीआईटीपीएल के वर्तमान अनुमोदित दरमान में क्ये पर उत्तरते समय हैच कवर प्रहस्तन के एक प्रचालन (खोलना, बद करना दोनों) के लिये प्रदत्त दर विदेशी पोतों के लिये अम.डालर 45.05 और तटीय पोतों के लिये रू. 1135.26 है। सीआईटीपीएल द्वारा आय के अनुमानन में ऊची दर पर विचार क्यों किया गया इसका कोई उत्तर नहीं मिला है। हालांकि इस बारे सीआईटीपीएल से एक प्रश्न भी पूछा गया है इसलिये, सीआईटीपीएल द्वारा वर्ष 2012 से 2014 के लिये अनुमानित हैच कवर प्रहस्तन आय को दरमान में प्रदत्त दरें लागू करते हुए सशोधित किया है।

- (घ) सीआईटीपीएल ने डालर में लिखी प्रशुक्त मदौ से अनुमानित आय क परिकलन में कटेनर प्रहस्तन आय के सबध में रू.47.80 प्रति अम.डालर की विनिमय दर और मंडारण प्रमार, रीफर प्रमार आदि जैसी अन्य प्रचालन आय के बारे में रू. 48.00 प्रति अम.डालर की विनिमय दर अपनायी है। सामान्यतः भावी अविधि के लिये, डालर में अकित प्रशुक्त मदौ से आय निवंदित करने के लिये, सदर्मित मामले को अंतिम रूप देते समय प्रचलित डालर विनिमय दर ही अपनायी जाती है। तथापि, अमरीकी डालर के मुकाबले रूप ये की गिरती / कमजोर होती वर्तमान स्थिति के चलते, अगले तीन वर्ष के आय अनुमानन क लिये प्रचलित विनिमय दर को अपनाया / पर विचार करना उपयुक्त नहीं होगा, क्योंकि सुनिश्चित तौर पर यह नहीं कहा जा सकता कि अगले तीन वर्ष भी यही स्थिति बरकरार / जारी रहेगी। पिछला वर्ष रू.46.33 प्रति अमरीकी डालर की विनिमय दर दर्शाता है, जिस पर इस विश्लेषण में वर्ष 2012 से 2014 तक की, डालर में लिखी प्रशुक्त मदौ से आय निवंदित करने के लिये इस्तेमाल किया गया है।
- (ङ) उपरोक्त परिवर्तनो के अधीन, वर्ष 2012 से 2014 तक के लिये सीआईटीपीएल द्वारा प्रस्तुत अनुमानित प्रचालन आय, क्रमशः रू 15375-लाख, रू .20763लाख और रू .27170 लाख की तुलना में, सशोबित अनुमानित प्रचालन आय क्रमेशः रू .16797 86 लाख, रू .22677.11 लाख और रू .30614.11 लाख परिकलित होती है।
- (VIII) 2005 के प्रशुक्तं मार्गदर्शियों की धारा 2.5.1 अपेक्षा करती है कि महापत्तन न्यासों / टर्मिनल प्रचालकों के व्यय-प्रोजैक्शन, भारत सरकार द्वारा घोषित समस्त वस्तुओं के लिये थोक मूल्य सूचकाक (डब्ल्यूपीआई) की वर्तमान हलचल सदर्भ से मूल्यों में उतार चढ़ाव के लिये समायोजित वातायात के अनुरू प होने चाहिये। तद्नुसार, इस प्राधिकरण ने वर्ष 2011-12 के दौरान निर्णित किये जाने वाले प्रशुक्क मामलों में व्यय प्रोजैक्शनों के लिए 6% के वृद्धि अवयव / घटक को अपनाने का निर्णय किया है, जैसा कि पत्र स. टीएएमपी/27/2005-विविध दिनाक 11 जुलाई 2011 द्वारा समी महापत्तन न्यासों और सीआईटीपीएल समेत निजी टर्मिनल प्रचालकों को सुचित / सचारित किया गया था ।
- (x) (क) वर्ष 2011 के लिए प्रचालन एवं प्रत्यक्ष श्रम श्रेणी के अतर्गत 86 की वास्तविक संख्या के मुकाबले सीआईटीपीएल ने वर्ष 2012 से 2014 के लिए इस श्रेणी में कर्मचारियों की संख्या क्रमश: 166, 245 और 267 अनुमानित की है । 2012 से 2014 के दौरान सीआईटीपीएल द्वारा अनुरक्षण कर्मचारियों की

आवश्यकता क्रमश: 33, 34 और 34 अनुमानित की गई है जबिक वर्ष 2011 में इन कमचारियों की वर्तमान संख्या 28 बताई गई है । सीआईटीपीएल ने औचित्य बताया है कि श्रम बल में वृद्धि वर्ष 2012 में चार नई आरएमक्यूसी और आठ आरसीटजीसी प्रचालित करने को ध्यान में रख कर अनुमानित की गई है । सीआईटीपीएल ने यह भी बताया है कि उसने विगत में आवश्यकता से कम मानव बल काम पर लगाया था क्योंकि उस समय टर्मनिल को घाटा हो रहा था । प्रचालन और प्रत्यक्ष श्रम तथा अनुरक्षण श्रम बल में सीआईटीपीएल द्वारा अनुमानित वृद्धि पर इस विश्लेषण में मरोसा किया गया है । सीआईटीपीएल द्वारा वर्ष 2012 से 2014 के दौरान काम पर लगाये गये प्रचालन तथा प्रत्यक्ष श्रमकों और अनुरक्षण श्रमकों की वास्तविक संख्या यदि अनुमानों से कम पाई गई तो वास्तविकों पर परिणामजनित प्रभाव की अगली प्रशुल्क समीक्षा में मात्रा सुनिश्चित की जाएगी और उसे भावी प्रशुल्क में समायोजित किया जाएगा ।

- (ख) सीआईटीपीएल द्वारा वर्ष 2011 के लिए बतायी गई वास्तविक औसत लागत प्रति प्रचालन एवं प्रत्यक्ष श्रीमक क्रमश: रू. 2.87 लाख प्रति वर्ष और प्रति अनुरक्षण श्रीमक के लिए रू. 2.54 लाख प्रति वर्ष बताई गई है। सीआईटीपीएल ने वर्ष 2012 के लिए औसत वार्षिक लागत प्रति प्रचालन एव प्रत्यक्ष श्रीमक तथा, प्रति अनुरक्षण श्रीमक क्रमश: रू. 2.73 लाख और रू. 2.16 लाख अपनायी है जो वर्ष 2011 की वास्तविक लागत से कम लगती है। सीआईटीपीएल ने बताया है कि औसत कर्मचारी लागत में कमी, कम वेतन पर अधिक संख्या में प्रवेश स्तर के अनुरक्षण कर्मचारियों की आवश्यकता के कारण है। इस संबंध में सीआईटीपीएल द्वारा वर्णित स्थिति पर इस विश्लेषण में विचार किया जाता है। अगले दो वर्षों 2013 और 2014 के लिए प्रचालन एवं प्रत्यक्ष श्रीमक तथा अनुरक्षण श्रीमक की लागत को पिछले वर्षों की अलग-अलग लागत अनुमानों से 6% वार्षिक की दर से बढ़ाया गया है जो व्यवस्थित पाया गया है। इसलिए, सीआईटीपीएल द्वारा वर्ष 2012 से 2014 के लिए अनुमानित प्रचालन एवं प्रत्यक्ष श्रीमक लागत तथा अनुरक्षण श्रीमक लागत को बिना परिवर्तन अपनाया जाता है।
- (x) अनुमानित उपकरण प्रचालन लागत में विद्युत लागत, ईंघन लागत तथा मरम्मत और अनुरक्षण खर्चे शामिल होते हैं जिन पर निम्नलिखित पैराग्राफों में अनुक्रम से विचार विमर्श किया गया है:-
 - (क) सीआईटीपीएल ने वर्ष 2011 में 10.99 यूनिट्स प्रति टीईयू की वास्तिक विद्युत खपत बतायी है और वर्ष 2012 से 2014 के लिए मी वही यूनिट विद्युत खपत पर विचार किया है । इस संबंध में सीआईटीपीएल द्वारा प्रस्तुत गणनाएँ दर्शाती हैं कि सीआईटीपीएल ने माल ढुलाई की प्रति यूनिट विद्युत खपत निर्धारित करने के लिए वर्ष 2011 के दौरान संपूर्ण विद्युत खपत पर विचार किया है । इसने वास्तिवक विद्युत खपत को परिवर्तनीय और स्थिर अवयवों में अलग-अलग नहीं किया है । ऐसे विवरणों के अमाव में सीआईटीपीएल द्वारा अनुमानित 10.99 यूनिट प्रति टीईयू की खपत पर इस विश्लेषण में विचार किया जाता है । तथापि सीआईटीपीएल को सलाह दी जाती है कि वह विद्युत खपत को परिवर्तनीय और स्थिर अवयवों में अलग-अलग करे तथा अगली प्रशुक्क समीक्षा में तवनुसार, माल दुलाई के प्रति यूनिट विद्युत खपत का अनुमान लगाए ।

सीआईटीपीएल द्वारा वर्ष 2011 के लिए विद्युत की औसत प्रति यूनिट लागत रू. 8.72 बतायी गई है जिसकी पुष्टि के लिए मई 2011 माह के बिजली बिल की प्रति भी संलग्न की है । सीआईटीपीएल ने वर्ष 2012 से 2014 के लिए यूनिट विद्युत लागत को, चक्रवृद्धिय आघार पर 6% की वार्षिक वृद्धि लगाकर बढ़ा दिया है जो व्यवस्थित पाया गया है । इसलिए, सीआईटीपीएल द्वारा वर्ष 2012 से 2014 तक के लिए अनुमानित विद्युत लागत पर बिना किसी परिवर्तन विचार किया जाता है ।

(ख) सीआईटीपीएल ने वर्ष 2011 के लिए 3.65 लिटर्स प्रति टीईयू की वास्तविक खपत सूचित की है । तथापि, वर्ष 2011 के वौरान (अक्तूबर 2011 तक) व्यय की गई कुल ईंघन लागत रू. 454 लाख और सीआईटीपीएल द्वारा बताई गई प्रति यूनिट लागत रू. 45/- प्रति लिटर के आधार पर, वास्तविक ईंघन खपत, अक्तूबर 2011 तक प्रहस्तित वास्तविक यातायात 399,906 टीईयू के लिए 2.52 लिटर प्रति टीईयू परिगणित होती है । इसके अलावा, सीआईटीपीएल ने यह कहते हुए कि समय गुजरने के साथ ईंघन की खपत बढ़ने की ही उम्मीद है, उसने वर्ष 2012 से 2014 के लिए ईंघन लागत के अनुमानन में 4 लिटर प्रति टीईयू की ईंघन खपत अपनायी है । ईंघन लागतके अनुमानन में भी वर्ष 2012 से 2014 के लिए, वर्ष 2011 के लिए बतायी गई 2.52 लिटर प्रति टीईयू की वास्तविक ईंधन खपत को बरकरार रखा जाता है ।

सीआईटीपीएल द्वारा वर्ष 2012 से 2014 के लिए अपनायी गई ईंघन की यूनिट लागत को वर्ष 2012 से 2014 के लिए चक्रवृद्धि आधार पर 6% वार्षिक वृद्धि अनुमत करते हुए, चेन्नै में डीज़ल के प्रचलित बाजार मूल्य रू. 43.95 प्रति लिटर से अद्यतन किया जाता है ।

- (ग) सीआईटीपीएल ने कथित रूप से, मैकेनिकल / इलैक्ट्रिकल परिसंपत्तियों के सकल खंड के 1.5% वार्षिक पर और सिविल परिसंपत्तियों के सकल खंड के 0.5% वार्षिक पर वर्ष 2012 से 2014 के लिए मरम्मत और अनुरक्षण लागत अनुमानित की है । सीआईटीपीएल द्वारा वर्ष 2012 से 2014 के लिए अनुमानित मरम्मत एवं अनुरक्षण व्यय की सीमा क्रमश: रू. 1686 लाख, रू. 1734 लाख और रू. 1785 लाख तक है । सीआईटीपीएल की परिकल्पनाओं को स्वीकार करते हुए, वर्ष 2012 से 2014 के लिए अनुमानित मरम्मत और अनुरक्षण व्यय लगमग रू. 838 लाख वार्षिक परिगणित होता है, जो स्पष्ट रूप से दर्शाता है कि सीआईटीपीएल द्वारा अनुमानित मरम्मत और अनुरक्षण व्यय दोषपूर्ण/ तुटिपूर्ण है । विमिन्न पिछले वर्षों के वास्तविक/अनुमानित व्ययों पर 6% वार्षिक की वृद्धि लागू करके वर्ष 2012 से 2014 तक के अनुमानित मरम्मत और अनुरक्षण व्यय सुघारे गए हैं । अचल परिसम्पत्तियों में अमिवृद्धियों पर अनुमानित मरम्मत और अनुरक्षण व्यय मैकेनिकल / इलैक्ट्रिकल परिसंपत्तियों की अनुमानित पूंजी लागत के 1% पर अनुमत किया गया है । वर्ष 2012 से 2014 के लिए परिच्छृत मरम्मत और अनुरक्षण खर्च क्रमश: रू. 521.75 लाख, रू. 728.41 लाख और रू. 769.99 लाख परिगणित होते हैं ।
- (xi) सीआईटीपीएल ने अपने प्रशुक्क की समीक्षा के लिए, इसके द्वारा सीएचपीटी को वर्ष 2012 से 2014 के लिए देव अनुमानित राजस्व भाग का दावा नहीं किया है जो लाइसँस एग्रीमेंट के प्रावधानों और मार्च 2005 के प्रशुक्क मार्गदर्शियों के अनुरू प पाई गई है ।
- (xii) वर्ष 2012 से 2014 के लिए सीआईटीपीएल द्वारा विचार किये गए अनुमानित उपकरण किराया प्रमारों में 6 अदद रीच स्टेकर्स, प्राइम मूदर्स (ट्रैक्टर ट्रेलर्स), 3 अदद फोर्क लिफ्टस, कार्यशाला / कारखाना औजार, ईओ ट्रॉली, एयर कम्प्रैशर और यूएचएप के किराया प्रमार शामिल हैं !

लाइसँस एग्रीमेंट में 6 अदद रीच स्टेकर्स की तैनाती के प्रावधान के साथ प्रचालक द्वारा उन्हें किराये पर लेने का विकला है। प्राइम मूदर्स की संख्या जैसािक लाइसैंस एग्रीमैंट में अनुबंदित है, प्रचालनीय आवश्यकताओं के आघार पर प्रचालक द्वारा तय की जानी है। उपकरण की अन्य मदों का जिनके लिए सीआईटीपीएल ने किराय प्रभारों का अनुमान लगाया है, लाइसैंस एग्रीमैंट में विशेष रूप से उल्लेख नहीं किया गया है।

सीआईटीपीएल ने केवल रीच स्टेकर्स और प्राइम मूवर्स किराये पर लेने के बारे में ही दस्तावेजी साह्य प्रस्तुत किया है। एक प्रश्न पूछे जाने के बावजूद इसने उपकरणों की अन्य मदें किरायेपर लेने के बारे में कोई दस्तावेजी साह्य प्रस्तुत नहीं किया है। संयोग से, सीआईटीपीएल द्वारा वर्ष 2010 और 2011 के लिए प्रस्तुत वास्तविक उपकरण किराया का ब्यौरा दिखाता है कि सीआईटीपीएल ने कथित अन्य उपकरण के लिए कोई उपकरण किराया प्रमार खर्च नहीं किया है। इसके अलावा, इस प्राधिकरण द्वारा नवंबर 2010 में पारित पिछले आदेश में इस प्राधिकरण ने, इन उपकरणों के लिए सीआईटीपीएल द्वारा अनुमानित उपकरण किराया प्रमारों पर विचार नहीं किया क्योंकि उसने उन्हें किराये पर लेने के समर्थन में कोई दस्तावेज नहीं दिया था। उपरोक्त को देखते हुए फोर्कलिफ्टस, कार्यशाला औज़ार, इंओ ट्रॉली, एयर कम्प्रैशर और यूएचएफ के बारे में सीआईटीपीएल द्वारा अनुमानित उपकरण किराया प्रमारों पर विचार नहीं किया है।

सीआईटीपीएल ने वर्ष 2012 से 2014 के लिए रीच स्टेकर्स के किराया प्रमार की मद में क्रमश: रू. 315 लाख, रू. 334 लाख और रू. 354 लाख की राश का अनुमान लगाया है । सीआईटीपीएल द्वारा प्रस्तुत गणनाएं दिखाती हैं कि उसने 7 अदद रीच स्टेकर्स के लिए किराया प्रमारों की गणना की है । हालांकि लाइसेंस एग्रीमेंट में 6 अदद रीच स्टेकरों की तैनाती का अनुबंध है, एक अतिरिक्त रीच स्टेकर की तैनाती पर 4 आरएमक्यूसी और 6 आरटीजी की प्रस्तावित तैनाती और यातायात मात्रा में वृद्धि के प्रकाश में विचार किया गया है । इसलिए सीआईटीपीएल द्वारा अनुमानित किये गए 7 अदद रीच स्टेकरों के उपकरण किराया प्रमारों पर इस विश्लेषण में विचार किया गया है ।

इस संबंध में सीआईटीपीएल द्वारा प्रस्तुत दस्तावेजी साक्ष्य रीच स्टेकरों के लिए मासिक किराया प्रमार दर्शाते हैं जो 31 मई 2012 तक वैघ हैं । सीआईटीपीएल द्वारा प्रस्तुत गणनाएँ दिखाती हैं कि उसने पूरे 2012 वर्ष के लिए आधार दरों पर वृद्धि लागू की है । वर्तमान दरों की वैधता मई 2012 तक मान्य करते हुए वर्ष 2012 के लिए जून 2012 से आधार दरों पर 6% वार्षिक की वृद्धि अनुमत की जाती है । इसी कार्यविधि / नजरिये का अनुरक्षण करते हुए, बाद के दो वर्षों 2013 और 2013 के लिए, अलग-अलग पिछले वर्षों के लिए विचार की गई दरों पर जून 2013 और जून 2014 से चक्रवृद्धि आधार पर 6% वार्षिक की दर वृद्धि अनुमत की जाती है ।

प्राइम मूवर्स के बारे में, सीआईटीपीएल द्वारा प्रस्तुत दस्तावेज दिखाते हैं कि भुगतान माल ढुलाई से जुड़ा हुआ है । उन्हीं शतौं पर एक और वर्ष के लिए अनुबंध को आगे बढ़ाने के साथ अनुबंध 1 जून 2010 से 31 मई 2011 तक प्रमावी है । अनुबंध में, डीज़ल की दरों में उतार-चढ़ाव के लिए यूनिट मूल्य में समायोजन का भी प्रावधान है । तद्नुसार, देखा गया है कि सीआईटीपीएल ने 25 जून 2011 से प्रभावी यूनिट दरों को संशोधित कर दिया है । अनुमानित 6% वार्षिक की वृद्धि लगाकर, प्राइम मूवर्स के बारे में वर्ष 2012 से 2014 के लिए सीआईटीपीएल द्वारा अनुमानित किराया प्रभारों पर, उनकी गणना में पायी गई छोटी-मोटी त्रुटियों की परिशुद्धी के अधीन, विचार किया गया है ।

(Xiii) सीआईटीपीएल ने वर्ष 2012 से 2014 के लिए देय पट्टेदारी किराये के अनुमानन के लिए 285,149 वर्ग मीटर के कुल क्षेत्र पर विचार किया है जिसमें 78000 वर्ग मीटर का वह क्षेत्रफल भी शामिल है जो सीआईटीपीएल द्वारा अभी भी सौंपा जाना है । जैसा सीआईटीपीएल द्वारा बताया गया है, 78000 वर्ग मीटर का अतिरिक्त क्षेत्र सीएचपीटी द्वारा सीआईटीपीएल को अगस्त 2012 तक सौंपा जाना है । सीआईटीपीएल ने अतिरिक्त क्षेत्र का पट्टेदारी किराये पर पूरे 2012 वर्ष के लिए विचार किया है । तथापि, सीआईटीपीएल द्वारा प्रस्तुत सूचना पर भरोसा करते हुए, अतिरिक्त क्षेत्र के लिए पट्टेदारी किराये पर अगस्त 2012 से विचार किया गया है ।

सीआईटीपीएल ने 285149 वर्ग मीटर के कुल क्षेत्रफल के लिए वर्ष 2012 से 2014 के लिए क्रमश: रू. 1457 लाख, रू. 1486 लाख और रू. 1516 लाख पट्टेदारी किराया अनुमानित किया है । जब सीआईटीपीएल द्वारा प्रस्तुत पट्टेदारी किराये के के अनुमानों को पुष्टि करने के लिए कहा गया तो सीएचपीटी ने, पहले से आवंटित 207, 149 व.मी. क्षेत्र के लिए 2012 से 2014 वर्ष के लिए देय क्रमश: रू. 901 लाख, रू. 945 लाख और रू. 993 लाख के देय पट्टेदारी किराये का विवरण प्रस्तुत कर दिया । पहले से आवंटित क्षेत्रफल के लिये सीएचपीटी द्वारा सूचित किया गया वार्षिक पट्टेदारी किराये पर विचार किया गया है ।

78000 वर्ग भीटर के अतिरिक्त क्षेत्र के लिए पट्टेदारी किराये के बारे में देखा गया है कि सीआईटीपीएल ने, अपनी गणना में विकसित क्षेत्र के लिए लागू दर पर विचार किया है। लाइ.एग्री. के अनुसार 78000 व.मी. का यह अतिरिक्त क्षेत्र के लिए पट्टेदारी किराया अविकसित क्षेत्र के लिए लागू दर अपनाते हुए सरकार द्वारा जारी भूमि नीति 2010 के अनुसार चक्रवृद्धि आधार पर 2% वार्षिक वृद्धि अनुमत करते हुए परिगणित किया गया है।

जैसा कि नवम्बर 2010 के पिछले प्रशुक्क में दर्ज है. सीआईटीपीएल और सीएचपीटी दोनों कथित रूप से लाइसँस शुक्क पर उनके बीच विवाद को आर्बिट्रेशन की प्रक्रिया को सौंपने की तैयारी में थे । इस संबंध में, दोनों पक्षों ने, वर्तमान प्रशुक्क प्रक्रियाओं के दौरान ताजा स्थिति से हमें परिचय नहीं करवाया है । तथापि, भरपूर सावधानी के एक उपाय के रूप में यह स्पष्ट किया जाता है कि इस कवायद में विचार किये गए संपदा किरायों के अनुमान, उनके बीच निपटाये जाने वाले मुद्दों पर पहले से निर्णय कर लेना नहीं मान लेना चाहिए ।

- (xiv) सीआईटीपीएल ने वर्ष 2012 से 2014 के लिए बीमा लागत का कथित तौर पर मैकेनिकल / इलैक्ट्रिकल परिसंपत्तियों के लिए सकल खंड के 0.5% पर और सिविल परिसपत्तियों के लिए सकल खंड के 0.1% पर बीमा लागत, वर्ष 2012 से 2014 के लिए क्रमश: रू. 200 लाख, रू. 259 लाख और रू. 263 लाख तक आंकी गई है । वर्ष 2012 से 2014 के लिए अनुमानित बीमा लागत की वर्ष 2011 के वास्तविक बीमा लागत को आधार मानते हुए और उस पर चक्रवृद्धि दर पर 6% की वार्षिक वृद्धि लगाकर गणना की गई है । ऐसा करते समय, अचल परिसंपत्तियों में अभिवृद्धियों की अनुमानित पूंजी लागत के 1% पर अनुमत की गई है । संशोधित बीमा लागत वर्ष 2012 के लिए रू. 186.92 लाख और वर्ष 2013 तथा 2014 में से प्रत्येक के लिए रू. 269 52 लाख परिगणित होती है ।
- (xv) सीआईटीपीएल ने वर्ष 2012 से 2014 के लिए अन्य प्रत्यक्ष खर्चों का अनुमानन क्रमश: रू. 713 लाख, रू. 865 लाख और रू. 1095 लाख पर किया है । जब इससे अन्य खर्चों के अंतर्गत मानी गई मदों की लागत ब्योरों के साथ सूची मांगी गई तो सीआईटीपीएल ने बताया कि इस (व्यय) में रस्सी बांधना / खोलना, पाली कर्मचारियों के लिए परिवहन व्यय रीफर सफाई और प्रबोधन प्रभार शामिल हैं और इन खर्चों की वर्ष 2012 से 2014 के लिए कुल राशियाँ क्रमश:

रू . 157 लाख, रू . 195 लाख और रू . 285 लाख बतायी गई है । सीआईटीपीएल द्वारा लागत विवरणियों में विचार किये गए अनुमानों और प्रश्न के उत्तर में दिये गए आंकड़ों के बीच व्यापक अंतर का कारण अनुत्तरित ही रहा है ।

सीआईटीपीएल द्वारा प्रस्तुत ब्यौरे के अनुसार, औसत रस्सी बांघने / खोलने संबंधी खर्चे और कंटेनर निरीक्षण प्रमार रू. 51/- प्रति टीईयू परिगणित होते हैं जिनका दिसम्बर 2010 से संबंधित बीजकों की प्रतियों से समर्थन किया गया है । इसलिए चूंकि वर्ष 2011 के लिए यूनिट पर सीआईटीपीएल द्वारा प्रस्तुत नहीं की गई हैं । वर्ष 2012 से 2014 के लिए रस्सी बांधने / खोलने संबंधी व्यय और कंटेनर निरीक्षण प्रमारों की गणना, रू. 51/- प्रति टीईयू की यूनिट दर लागू करके, विभिन्न वर्षों के लिए अनुमानित यातायात के लिए चक्रवृद्धि आधार पर 6% वार्षिक वृद्धि प्रदान कर की गई हैं ।

जहाँ तक रीफर प्रबोधन व्यय और अन्य सामान्य व्ययों का संबंध है, सीआईटीपीएल द्वारा प्रस्तुत दस्तावेजी समर्थन दर्शाता है कि वे समयाविध से संबंधित हैं । दिसम्बर 2010 के लिए व्यय किए गए वास्तविक खर्चों के आधार पर वार्षिकीकृत व्यय, जैसे सीआईटीपीएल द्वारा प्रस्तुत किये गए हैं, रू. 67 लाख प्रति वर्ष परिगणित किया गया है । इसलिए और, वर्ष 2011 के लिए वास्तविक अन्य खर्चे, सीआईटीपीएल द्वारा प्रस्तुत न किये जाने पर वर्ष 2012 से 2014 के लिए अन्य खर्चे, रू. 67 लाख के वार्षिकीकृत खर्चों को आधार मानते हुए और उन पर चक्रवृद्धि आधार पर 6% वार्षिक की वृद्धि लागू करके परिगणित किए गए हैं ।

वर्ष 2012 से 2014 के लिए विचार किये गए संशोधित अन्य प्रत्यक्ष खर्चे क्रमश: रू . 391.89 लाख, रू . 532.74 लाख और रू . 732. 60 लाख परिगणित होते हैं ।

(xvi) संशोधित प्रशुल्क मार्गदर्शियों की घारा 2.71 अनुबंधित करती है कि निजी टर्मिनलों के मामने में, मूल्यहास को, कंपनी अधिनियम 1956 के अनुसार अपनाए गए जीवन मानदंडों के साथ अध्यवा रियायत करार में प्रदत्त जीवन मानदंडों के आधार पर जो भी अधिक हो सरल रेखा विधि पर अनुमत किया जाना है । एक प्रश्न के बावजूद, सीआईटीपीएल ने पुष्टि नहीं की है कि इसके द्वारा मूल्यहास की गणना प्रशुल्क मार्गदर्शियों के प्रावाधनों के अनुसार की गई है । तथापि इसने कहा है कि उसने कंपनी अधिनियम के अनुसार मूल्यहास की दरों का अनुपालन किया है ।

सीआईटीपीएल ने समग्र परिसंपत्तियों को 3 श्रेणियों में समूहबद्ध किया है और प्रत्येक समूह के लिए एक साझा मूल्यहास दर लागू की है । वर्ष 2010 के लिए सीआईटीपीएल के ऑडिटेड वार्षिक लेखा, इसके द्वारा अपनायी गई मदवार मूल्यहास दर दर्शाते हैं । वर्ष 2012 से 2014 के लिए अनुमानित मूल्यहास वर्ष 2010 के लिए ऑडिटेड वार्षिक लेखा में दर्शायी गयी मदवार मूल्यहास दरों को गणना में लेते हुए परिगणित किया गया है । सीआईटीपीएल द्वारा 2012 से 2014 के वर्षों के दौरान सकल खंड में बढ़ोतिरियों पर परिगणित मूल्यहास भी वही दरें लागू करके और सकल खंड में बढ़ोतिरियों पर विचार किये गए बदलावों के अनुरू प परिवर्तित किया गया है, जैसािक बाद के पैराग्राफों में स्पष्ट किया गया है । कंपनी अधिनियम 1958 के प्रावधानों के अनुसार, परिसंपत्तियों के प्रचालन में आने की संभावित तिथा को जो सीआईटीपीएल द्वारा प्रस्तुत की गई है, गणना में लेते हुए, अमिवृद्धियों पर मूल्यहास को अनुपातिक आधार पर अनुमत किया जाता है । इस प्राधिकरण द्वारा नवम्बर 2010 में पारित पिछले आदेश में अनुसरण की गई पद्धित के अनुरू प प्रोजैक्ट अवधि में मूल्यहास को समविमाजित कर देने को ध्यान में रखते हुए अचल परिसंपत्तियों में शामिल अपफ्रंट शुल्क और पट्टेदारी प्रीमियम पर मूल्यहास की गणना के लिए विचार नहीं किया गया है ।

(xvii) (क) सीआईटीपीएल प्रबंधन एवं प्रशासन उपरिव्यय के अंतर्गत कर्मचारियों के वेतन का लेखा तैयार करता है । सीआईटीपीएल ने वर्ष 2011 में कर्मचारियों की वास्तविक संख्या 14 की तुलना में वर्ष 2012 से 2014 तक प्रत्येक वर्ष के लिए 21 कर्मचारियों का अनुमान लगाया है । इस विश्लेषण में, सीआईटीपीएल द्वारा अनुमानित कर्मचारियों की संख्या पर विश्वास किया गया है । सीआईटीपीएल द्वारा वर्ष 2012 से 2014 के दौरान नियुक्त कर्मचारियों की संख्या यदि अनुमानों से कम पायी गयी तो उसका परिणामजनित प्रमाव की मात्रा अगली प्रशुक्क समीक्षा में दर्शायी जाएगी और उसे अगले प्रशुक्क में पूरी तरह समायोजित किया जायेगा ।

वर्ष 2011 में प्रति कर्मचारी वास्तविक औसत लागत रू. 19.04 लाख वार्षिक परिगणित होती है। वर्ष 2012 से 2014 के लिए खर्चों के अनुमानन के लिये वर्ष 2011 के वास्तविक को आचार मानते हुए चक्रवृद्धि आधार पर 6% की वृद्धि लगाकर कर्मचारी की औसत वार्षिक लागत बढ़ाई गई है।

- (ख) सीआईटीपीएल द्वारा अनुमानित सामान्य उपरिव्यय में, संचार, यात्रा, मुद्रण एव स्टेशनरी, विज्ञापन, बैंक प्रमार जैसे प्रशासनिक खर्चे आते हैं । सीआईटीपीएल ने वर्ष 2011 में रू. 392 लाख के वास्तविक / अनुमानित खर्चों की तुलना में वर्ष 2012 से 2014 के उपरिव्यय के रू प में क्रमशं: रू. 819 लाख, रू. 898 लाख और रू. 983 लाख का अनुमान लगाया है । जब वर्ष 2012 से 2014 के लिए इतने अधिक अनुमानों का औचित्य बताने के लिए कहा गया, सीआईटीपीएल ने बताया है कि यह बढ़ोतरी / वृद्धि उपकरणों में वृद्धि के कारण नियुक्त किये गए अतिरिक्त मानव बल के कारण है । तथापि, सामान्य उपरिव्यय के लिए सीआईटीपीएल द्वारा सूचीबद्ध व्यय की मदों में कोई मानव बल संबंधी व्यय नहीं है । यहाँ यह ध्यान देने योग्य है कि सीआईटीपीएल ने मानव बल व्यय को प्रचालन एवं अनुरक्षण श्रमिक तथा प्रबंधन एवं प्रशासन उपरिव्यय के अंतर्गत पहले ही गिन लिया है । इसीलिए इस संबंध में वर्ष 2012 से 2014 के लिए सीआईटीपीएल के अनुमानों को वर्ष 2011 के लिए वास्तविक / अनुमानित सामान्य उपरिव्यय को आधार मानते हुए और चक्रवृद्धि आधार पर 6% वार्षिक की वृद्धि लगाकर परिवर्तित / सुधार किया गया है ।
- (xviii) जैसांकि पहले ही विचार विमर्श किया गया है, रू .57.58 लाख की वार्षिक समिवमाजन राशि पर वर्ष 2011 के अपफ्रंट शुल्क और पट्टेदारी प्रीमियम के समिवमाजन के लिये विचार किया गया है। इतनी ही राशि पर वर्ष 2012 से 2014 के प्रत्येक वर्ष के लिये विचार किया गया है।
- (xix) सीआईटीपीएल ने वर्ष 2012 से 2014 के लिये न तो किसी वित्त एवं विविध आय का और न ही किसी वित्त एवं विविध आय का अनुमान लगाया है। सीआईटीपीएल द्वारा विचार की गई स्थिति पर इस विश्लेषण में भी भरोसा किया गया है।
- (xx) शुद्ध अचल परिसंपत्तियाँ और कार्यकारी पूंजी से युक्त नियोजित पूंजी का निम्नलिखित अनुच्छेदाँ में विश्लेषण किया गया है:-

(क) अचल परिसंपत्ति

(i) वर्ष 2012:

सीआईटीपीएल ने चार आरएमक्यूसी और आठ आरटीजीसी की लागत मद में रू .23378 लाख के सकल खंड की वृद्धि का प्रस्ताव किया है। ये प्रहस्तन उपकरण टर्मिनल पर प्रचालन के लिये तैनात 3 आरएमक्यूसी और 10 आरटीजीसी के वर्तमान बेड़े में जोड़े / बढ़ाये जाने के लिये प्रस्तावित हैं। संलग्नक 12 पर लाइसेंस एग्रीमेंट 3 आरएमक्यूसी और 10 आरटीजीसी का प्रावधान करता है। यह बढ़ते हुए व्यवसाय और प्रचालनीय मांग को पूरा करने हेतु अतिरिक्त आरएमक्यूसी और आरटीजीसी तैनात करने का प्रावधान भी करता है।

सीआईटीपीएल की स्थित ऐसी है कि 832 मीटर की बर्थ लंबाई एक समय में तीन पोतों को स्थान दे सकती है। चूंकि वर्तमान 3 क्रेने तीनों पोतों को दक्षतापूर्वक सेवा प्रदान करने में पर्याप्त नहीं होंगे, एक समय में एक से अधिक पोत टर्मिनल पर आकर नहीं लगता है। यदि अतिरिक्त क्रेने प्रदान नहीं की जाती हैं तो बर्थ खाली और बेकार रहेगा, और बर्थ में किया गया मूल्यवान निवेश अप्रयुक्त रह जाएगा। सीआईटीपीएल का कहना है कि यदि अधिक क्रेने उपलब्ध करवायी जाती हैं तो पोतों के वापिस लौटने के समय में कमी के साथ-साथ (टर्मिनल) अधिक पोतों को आकर्षित कर सकता है। सीआईटीपीएल क्रेनों की संख्या में वृद्धि करके, आने वाले वर्षों में चरणबद्ध रूप से मात्रा (वाल्यूम) बढ़ाने पर भी विचार किया है। लाइसेंस प्रदाता पत्तन, सीएचपीटी ने यह कहते हुए कि सीआईटीपीएल को यार्ड क्षमता की पूरी शक्ति (क्षमता) प्राप्त करने हेते क्वे-साइड क्षमता को विकसित करने की आवश्यकता है, इसने सीआईटीपीएल द्वारा अतिरिक्त कंटेनर प्रहस्तन उपकरणों की प्रस्तावित

तैनाती का समर्थन किया है। इससे कुल मिलाकर पत्तन का दक्षता परिमाप भी तो बढ़ेगा।

8 आरटीजीसी जोड़ने पर टर्मिनल में कुल 18 आरटीजीसी हो जाएंगे । 2008 के अपफ्रंट प्रशुक्त मार्गदर्शी, हालांकि इस मामले में लागू नहीं है । प्रत्येक आरएमक्यूसी के लिए 3 आरटीजीसी के मानदंड प्रदान करते हैं । ऐसी स्थिति में, और 7 अदद आरएमक्यूसी की कुल उपलब्धता को देखते हुए, सीआईटीपीएल में उपलब्ध आरटीजीसी की कुल संख्या 18 हो जाएंगी जो मानदंडों के अनुसार आरटीजीसी की कुल संख्या से कम ही है ।

उपरोक्त स्थिति को देखते हुए तथा सीआईटीपीएल द्वारा प्रदत्त औचित्य के साथ-साथ सीआईटीपीएल द्वारा वर्णित स्थिति को घ्यान में रखते हुए 4 आरएमक्यूसी तथा 8 आरटीजीसी को प्रस्तावित बढ़ोत्तरी पर इस विश्लेषण में विचार किया गया है !

सीआईटीपीएल ने मई 2011 में इसके द्वारा जारी किये गए कार्य आदेश की प्रतियों की सहायता से चार आरएमक्यूसी और 8 आरटीजीसी की खरीद की पुष्टि की है । यह ध्यान देने योग्य है कि इसने आपूर्तिकत्ताओं को इसके द्वारा किये गए रू. 2183 लाख के अग्रिम भुगतान के बारे में दस्तावेजी सबूत भी प्रस्तुत कर दिये हैं । कार्य आदेश के अनुसार सभी अतिरिक्त उपकरण मई 2012 में प्रचालित कर दिये जाएंगे ।

रू. 23378 लाख की अनुमानित पूंजी लागत के लिए सीआईटीपीएल द्वारा प्रस्तुत गणना दर्शाती है कि इसमें ईपीसीजी योजना के अंतर्गत ड्यूटी बचाई गई राशि के लिए बैंक गारंटी की मद में रू. 3699 लाख की राशि और उपकरण / मास्ट (मस्तूल) में कार्यशाला एवं आनुषंगिक पूंजीगत व्यय प्रत्येक की मद में रू. 450 लाख शामिल हैं।

सीआईटीपीएल द्वारा सीमा शुल्क को, ड्यूटी बचायी गई राशि के लिये प्रस्तुत की जाने वाली बँक गारंटी ईपीसीजी योजना के अंतर्गत प्राप्त की जाने वाली रियायती सीमा शुल्क ड्यूटी के मुकाबले निर्यात अनिवार्यता पूरी करने हेतु जमानत । सुरक्षा राशि है और यह खरीद की वास्तविक लागत का हिस्सा नहीं है। बँक गारंटी के मूल्य पर बँक को देय कमीशन इस संबंध में संबंधित लागत है जो सामान्य उपरिव्यय के अंतर्गत पहले ही समाहित कर ली गई है। उपरोक्त स्थिति को देखते हुए ईपीसीजी योजना के अंतर्गत ड्यूटी बचाई गई राशि के लिये बँक गारंटी के मूल्य पर आरएमक्यूसी और आरटीजीसी के संबंध में पूंजी लागत अनुमान में विचार नहीं किया गया है।

कार्यशाला तथा ध्वजदंड / मस्तूल जैसे आनुषिगक उपकरण के लिये रू .900/-लाख के कुल अनुमान के संबंध में सीआईटीपीएल ने अपने अनुमानों के समर्थन में न तो दस्तावेजी साक्ष्य प्रस्तुत किये हैं और उससे इस संबंध में पूछे गए एक प्रश्न के बावजूद न ही उसने इसके प्रचालन के लिये कोई सुनिश्चित समय-सीमा / अनुसूची ही दी है । इसलिये, कार्यशाला और आनुषिगक उपकरण की मद में रू .900/-लाख के अनुमान पर विचार नहीं किया गया है।

उपरोक्त समायोजनों के फलस्वरू प, अतिरिक्त कंटेनर प्रहस्तन उपकरणों की परिष्कृत पूंजी लागत चार आरएमक्यूसी के लिये रू .13294 लाख और आठ आरटीजीसी के लिये रू .5485 लाख परिगणित होती है, दोनों मिलाकर रू .18779 लाख होती हैं। अतिरिक्त कंटेनर प्रहस्तन उपकरण के लिये प्रचालन के प्रत्याशित महिने से मरम्मत एवं अनुरक्षण, बीमा और मूल्यहास जैसे प्रचालन व्यय अनुमत किये गए हैं क्योंकि सीआईटीपीएल के कथनानुसार उपकरणों को उनके प्रचालन में लाने

की तिथि से उपयोग में लाने का प्रस्ताव है। प्रस्तावित अभिवृद्धियों की पूंजी लागत पर प्रतिलाम की स्वीकार्यता पर इस आदेश के अगले भाग में चर्चा की गई है।

उपरोक्त के अलावा और जैसा पहले बताया गया है, सीआईटीपीएल द्वारा वर्ष 2011 में प्रस्तावित और 2012 में विचार की गई सकल खंड में निम्नलिखित अमिवृदिधयां पर नीवे चर्चा की गई है:-

(i) कंकरीट की सड़क बनाना

सीआईटीपीएल ने इस संबंध में रू.47.43 लाख के प्रस्तावित निवेश की इसके द्वारा जारी किये गए कार्य-आदेश की प्रति और इसके द्वारा ठेकेदार को किये गए अग्रिम मुगतान के दस्तावेजी सबूत से पुष्टि की है। कार्य-आदेश के अनुसार काम के जनवरी 2012 में पूरा हो जाने की संमावना है। सीआईटीपीएल ने लागत विवरणी (फार्म4ए) में इस मद को शामिल नहीं किया है जिसे एक चूक / त्रुटि के रूप में देखा गया है, तथापि, सीआईटीपीएल द्वारा प्रस्तुत दस्तावेजी समर्थन पर विचार करते हुए कंकरीट की सड़क बिछाने की मद में रू.47.43 लाख के अनुमान पर वर्ष 2012 में विचार किया गया है।

(ii) <u>अतिरिक्त रीफर सं</u>रचना

यद्यपि सीआईटीपीएल ने, रू.125.00 लाख की अनुमानित लागत के उपरोक्त कार्य के लिये कोई दस्तावेजी साक्ष्य प्रस्तुत नहीं किया है, निकट मविष्य में निर्मित यातायात मात्रा पर विचार करते हुए और सीआईटीपीएल द्वारा बतायी गई स्थिति पर विश्वास करते हुए कि विक्रेताओं (वेकदारों आदि) से प्राप्त निविदाओं की जांच पड़ताल हो रही है और काम अप्रैल 2012 से आरंभ हो जाने की संमावना है, अतिरिक्त रीफर संरचना के निर्माण की मद में सीआईटीपीएल के अनुमान पर वर्ष 2012 में विचार किया गया है। यह इसके प्रशुक्त की अगली समीक्षा में वास्तविकों के साथ सत्यापन के अधीन है।

(iii) कार्यशाला (कारखाने) का निर्माण

जैसा सीआईटीपीएल द्वारा बताया गया, रू. 125.00 लाख का अनुमान, वर्ष 2012 में प्रचालित किये जाने के लिये प्रस्तावित अतिरिक्त उपकरणों के लिये नई कार्यशाला के निर्माण से संबंधित है। यद्यपि सीआईटीपीएल ने उपरोक्त कार्य के लिये कोई दस्तावेजी सबूत प्रस्तुत नहीं कया है, सीआईटीपीएल द्वारा बतायी गई स्थिति पर भरोसा करते हुए कि विक्रेताओं (ठेकेवारों आदि) से निविदाएं आमंत्रित की गई हैं और कार्य अगस्त 2012 तक प्रचलन में आ जाने की समावना है, सीआईटीपीएल द्वारा कार्यशाला के निर्माण की मद में प्रस्तावित रू. 125.00लाख के अनुमान पर वर्ष 2012 में विचार किया जाता है। यह इसके प्रशुक्क की अगली समीक्षा के वौरान वास्तविकों से सत्यापन के अधीन है।

(ii) <u>वर्ष 2013</u>

अगस्त 2012 में सीएचपीटी द्वारा सौंपे जाने की संगावना वाले 78000 वर्गमीटर क्षेत्र में अतिरिक्त यार्ड के विकास के लिये सिविल वर्क्स की मद में सकल खंड में रू 3000 लाख तक अभिवृद्धियां प्रस्तावित हैं।

कंटेनर यार्ड के विकास के लिये उपरोक्त अतिरिक्त क्षेत्र का आबंटन लाइसँस एग्रीमैंट के प्रावधानों के अंतर्गत अनुच्छेद 6 पर तथा लाइसँस एग्रीमैंट के संलग्नक 4 के अंतर्गत है।

यद्यपि सीआईटीपीएल ने, लागत विवरणी में इस संबंध में अतिरिक्त निवेश को रू. 3000 लाख पर स्थिर रखा है, इसके द्वारा प्रस्तुत दस्तावेजी सबूत काम की अनुमानित पूंजी लागत रू. 3700 लाख दिखाती है। सीआईटीपीएल ने यह भी पुष्टि की है कि काम वर्ष 2013 में पूरा किया जाएगा। सीआईटीपीएल द्वारा प्रस्तुत दस्तावेजों पर भरोसा करते हुए अतिरिक्त यार्ड के विकास की मद में रू. 3700 लाख के अनुमान पर वर्ष 2013 में विचार किया गया है।

उपरोक्त के अलावा और जैसा ऊपर बताया गया है, सू.प्रौ.इन्फ्रास्ट्रक्वर में वर्ष 2011 में सीआईटीपीएल द्वारा सकल खंड में प्रस्तावित अमिवृद्धियों पर भी वर्ष 2013 में विचार किया गया है, जैसा नीचे विचार विमर्श किया गया है:-

जैसा सीआईटीपीएल द्वारा बताया गया है, रू. 50.00 लाख की राशि की अनुमान नए ईआरपी सोल्यूशन्स के क्रियान्वयन से संबंधित हैं। यद्यपि सीआईटीपीएल ने उपरोक्त कार्य के लिए कोई दस्तावेजी साक्ष्य प्रस्तुत नहीं किया है, इसने बताया है कि प्रणाली दिसंबर 2012 तक प्रचालित करने की आशा है। सीआईटीपीएल द्वारा बतायी गई स्थित पर भरोसा करते हुए और यह मानते हुए कि सुविधा का प्रत्याशित कमीशन किया जाना 2012 के अंतिम दिनों में सुनिश्चित किया गया है, इसके प्रशुक्क की अगली समीक्षा के समय वास्तविकों के साथ सत्यापन के अधीन, इस संबंध में रू. 50.00 लाख के प्रस्तावित निवेश पर वर्ष 2013 में विचार किया गया है।

(iii) <u>वर्ष 2014</u> सीआईटीपीएल ने वर्ष 2014 में कोई अमिवृद्धि प्रस्तावित नहीं की है।

(ख) <u>कार्यकारी पूंजी</u>

- (i) जैसाकि पिछले पैराग्राफों में बताया गया है, सीआईटीपीएल द्वारा वर्ष 2012 से 2014 के लिये अनुमानित विविच कर्जदारों का मूल्य छःमाह के वार्षिक मूमि पट्टेदारी प्रमार परिष्कृत किये गए हैं।
- (ii) इन्वेंटरी के संबंध में, सीआईटीपीएल ने वर्ष 2012 से 2014 के लिये पूंजीगत अतिरिक्त पूर्जों क्रमशः रू.137लाख, रू.193लाख पर अनुमानित किये हैं। चूंकि सीआईटीपीएल वर्ष 2012 में अतिरिक्त कंटेनर प्रहस्तन उपकरण कमीशन करने की प्रक्रिया में है, पूंजीगत अतिरिक्त पुजों जैसा सीआईटीपीएल द्वारा अनुमानित किये गए हैं, भरोसा किया गया है, पर और इसके प्रशुक्क की अगली समीक्षा के दौरान वास्तविक से सत्यापन के अधीन विचार किया गया है।

जैसा पहले बताया गया है, अनुमानित मरम्मत एवं अनुरक्षण खर्चों के अनुमानित अनुपात के रूप में अन्य इन्वेंटरी के अनुमानन के लिये सीआईटीपीएल द्वारा अपनाए गए नजरिये पर इस विश्लेषण में विचार किया गया है। तथापि, वर्ष 2012 से 2014 के

लिये सीआईटीपीएल के अनुमानों को, अनुरूप /सगत वर्षों के लिय मरम्मत और अनुरक्षण व्यय के परिष्कृत अनुमानों को लेखा में लेते हुए परिष्कृत किया गया है।

- (III) उपरिव्यय सहित परिष्कृत प्रचालन व्यय पर मानदडों के अनुसार नकद जमा शेष / रोकड अनुमत किया जाता है।
- (IV) वर्ष 2011' के लिये अपेनाएँ गए नजरिये का अनुसरण करते हुए वर्ष 2012 से 2014 के लिये सिआईटीपीएल द्वारा अनुमानित वर्तमान देनदारिया, सगत वर्षों के लिये प्रचालन व्यय के परिष्कृत अनुमानों पर विचार करते हुए संशोधित की गई है। परिष्कृत चालू परिसपित्तयों और संशोधित चालू देनदारियों पर विचार करते हुए वर्ष 2012 से 2014 के लिये कार्यकारी पूंजी क्रमश क 1028 90 लाख, क ,1302.04 लाख और क ,1420.65 लाख परिगणित होती हैं।
- (ग) अपफ्रट शुल्क और पट्टेदारी प्रीमियम का असमिवमाजित भाग नियोजित पूजी का भाग है जिस पर प्रतिलाम अनुमत किया गया है। उपरोक्त परिवर्तनों के अधीन, वर्ष 2012 से 2014 के लिये नियोजित पूजी क्रमश रू 65097 91 लाख, रू 64128.38 लाख और रू 59315 80 लाख परिगणित होती है जिस पर इस विश्लेषण में विचार किया गया है।
- (xxi) टर्मिनल में तैनात 3 को क्रेनों की वर्तमान संख्या के साथ 70% उपयोगिता स्तर पेर टर्मिनल की को क्षमता 597870 टीईयू प्रति वर्ष परिगणित होती है जिस पर अनुमेय प्रतिलाम अनुमत करने के लिये नवबर 2010 के पिछले प्रशुक्क आदेश में विचार किया गया था।

20 हल्चल (मूठ्ज) प्रति घटा प्रति क्वेक्रेन के उत्पादकता मानदं और 133 के बॉक्स अनुपात पर विचार करते हुए 4 क्वे क्रेनों की प्रस्तावित अमिवृद्धि के साथ सीआईटीपीएल ने टर्मिनल की क्वे क्षमता 7 क्रेनों के लिये 11,41,778 टीईयू वार्षिक बतायी है। तथापि नवबर 2010 में अपनायी गई कार्यविधि का अनुपालन करते हुए 7 क्वे क्रेनों के साथ टर्मिनल की क्वे क्षमता 13,95,030 टीईयू वार्षिक परिगणित होती है।

286 टीईयू प्रति हैक्टेयर के ग्राउड स्लॉट, 2.5 की औसत स्टेक ऊचाई और 3 दिन के ओसत उहरने के समय (उँगलटाइम) के साथ सीआईटीपीएल ने 207149 वर्गमीटर के आबटित क्षेत्र की यार्ड क्षमता, 70% उपयोगिता पर 970327 टीईयू वार्षिक बताई है। सीएचपीटी द्वारा आबटित किये जाने वाले 78000 वर्गमीटर के अतिरिक्त क्षेत्रफल में यार्ड के प्रस्तावित विकास के साथ, यार्ड क्षमता 1335694 टीईयू वार्षिक अनुमानित की गई है। किन्तु, इस प्राधिकरण द्वारा अन्य मामलों में यार्ड क्षमता के निर्धारण में विचार की गई 3 की स्टेक ऊचाई और ग्राउंड स्लाट के लिये 360 टीईयू प्रति हैक्टेयर के सुधरे हुए मानदड के साथ, वर्तमान आबटित क्षेत्र 207149 वर्गमीटर के लिये यार्ड क्षमता 1465312 टीईयू पिरगणित होती है और सीएचपीटी द्वारा अगस्त 2012 में सौंपे जाने वाले 78000 वर्गमीटर को शामिल करते हुए 19.81,108 टीईयू वार्षिक परिगणित होती है। 7 क्वे क्रेनों के साथ 13.95,030 टीईयू वार्षिक की क्वे क्षमता वर्ष 2013 और 2014 के लिये उचित है। वर्ष 2012 के लिये, यह सोचते हुए कि 4 अतिरिक्त क्रेनें-वर्ष के केवल उत्तरार्ध में ही उपलब्ध हो सकेंगी, टर्मिनल की क्षमता अनुपातिक आधार पर परिगणित की गई है, जो 996450 टीईयू परिगणित होती है।

उपरोक्त क्षमता और अनुमानित यातायात के आधार पर, वर्ष 2012 से 2014 के लिये समूची क्षमता उपयोगिता क्रमश 58 71%, 56 61% और 76.43% पर परिगणित होती है।

जैसािक मार्च 2005 के प्रशुक्क मार्गदर्शियों की घारा 2.9.11 में अनुबंधित है, निजी टर्मिनल प्रचालकों के मामले में, यदि किया गया निवेश लाइ.एग्री. के अधीन अनिवार्यता के अनुसार है तो उस पर आरओसीई के लिये विचार किया जाएगा, फिर चांहे पूर्ण क्षमुता उपयोगिता हासिल न की गई हो।

वर्तमान मामले में, लाइ एग्री. 3 आरएमक्यूसी और 10आरटीजीसी तैनात करने की व्यवस्था करता है, जैसािक पहले कहा गया है। लाइ एग्री. कारोबार में बढ़ोत्तरी और प्रचालनीय माग के आघार पर अतिरिक्त आरएमक्यूसी और आरटीजीसी तैनात करने की भी व्यवस्था करता है। चूिक अतिरिक्त उपकरणों का शामिल किया जाना कारोबार में वृद्धि से जुड़ा है जैसे, यातायात, सीआईटीपीएल द्वारा वर्ष 2012 से 2014 के लिये अनुमानित यातायात के मुकाबले वर्तमान प्रशुल्क चक्र में अभिकृत्यित अतिरिक्त चार आरएमक्यूसी

और 8आरटीजीसी की तैनाती पर, प्रांतेलाम अनुमत करने के प्रयोजन से आगामी पैराग्राफों में प्रत्येक वर्ष के अतर्गत चर्चा की गई है।

वर्ष 2012

वर्ष 2012 के लिये अनुमानित यातायात 585000 टीईयू है 70% उपयोगिता पर वर्तमान 3 को क्रेनों के साध्य क्षमता 597870 टीईयू परिगणित होती हैं जो वर्ष 2012 के 585000 टीईयू के अनुमानित यातायात के प्रहस्तन के लिये पर्याप्त है। इसलिये, अतिरिंक्त 4 आरएमक्यूसी और 8 आरटीजीसी के हासित मूल्य पर, वर्ष 2012 के लिये प्रतिलाम अनुमत करने के प्रयोजन से विचार नहीं किया गया है। वर्ष 2011-12 के दौरान निर्णित किये जाने वाले प्रशुक्त मामलों के लिये प्रतिलाम अनुमत करने हेतु इस प्राविकरण द्वारा अपनाया गया 16% का अधिकतम प्रतिलाम वर्ष 2012 के लिये स्वीकार्य नियोजित पूजी पर अनुमत किया जाता है।

वर्ष 2013

वर्ष 2013 के लिये अनुमानित यातायात 789750 टीईयू है। चूिक 70% उपयोगिता के साध्य वर्तमान 3 क्वे क्रेनों के साध्य परिगणित क्षमता 597870 टीईयू अनुमानित यातायात के प्रहस्तन के लिये पर्याप्त नहीं है, 191880 टीईयू के बचे हुए यातायात के प्रहस्तन हेतु अतिरिक्त प्रहस्तन उपकरण अपेखित / आवश्यक हैं। 70% उपयोगिता पर 797160 टीईयू के अतिरिक्त प्रहस्तन उपकरणों की कुल क्षमता और बचे हुए यातायात 191880 टीईयू को ध्यान में लेते हुए अतिरिक्त उपकरणों की क्षमता उपयोगिता 24% परिगणित होती है। चूिक इन अतिरिक्त क्रेनों की क्षमता उपयोगिता 60% से कम है, इन अतिरिक्त क्रेनों के हासित मूल्य पर, प्रशुक्त मार्गदर्शियों की धारा 2.9.10 के प्रावधानों के अनुसार प्रतिलाम समानुपातिक आधार पर अनुमत किया जाता है। तद्नुसार, वर्ष 2013 के लिये अतिरिक्त कटेनर प्रहस्तन उपकरणों के हासित मूल्य पर 3 85% प्रतिलाम और बची हुई नियोजित पूंजी पर 16% का अधिकतम प्रतिलाम अनुमत किया गया है।

<u>वर्ष 2014</u>

वर्ष 2014 के लिये अनुमानित यातायात 10,66,163 टीईयू है। वर्तमान 3 को क्रेनों के साथ क्षमता प्रोजैक्टेड यातायात के प्रहस्तन हेतु पर्याप्त नहीं है। 70% उपयोगिता पर अतिरिक्त उपकरणों की कुल क्षमता 797160 टीईयू और बचे हुए यातायात 468293 टीईयू पर विचार करते हुए अतिरिक्त कटेनर प्रहस्तन उपकरणों की क्षमता उपयोगिता 59% परिगणित होती है। प्रशुक्क मार्गदर्शियों की धारा 2.9.10 के अनुसार 60% और अधिक के क्षमता उपयोगिता के लिये अधिकतम अनुसेय प्रतिलाम अनुमत किया जाएगा। जब क्षमता उपयोगिता 50% से 60% के बीच में देखी जाए तो क्षमता की सामान्य से कम उपयोगिता के लिये जिम्मेदार अवयवों का विश्लेषण करने के बाद अलग-अलग मामलों के आधार पर अनुमत किये जाने वाले अधिकतम अनुसेय प्रतिलाम में अनुपातिक आधार पर कमी करने का अलग निर्णय लिया जाएगा। चूकि अतिरिक्त कटेनर प्रहस्तन उपकरण की क्षमता उपयोगिता 60% अनुबिधत स्तर के आसपास है और सपूर्ण उपयोगिता स्तर 76% है। यह प्राधिकरण वर्ष 2014 के लिये मी इन अतिरिक्त क्रेनों के हासित मूल्य पर पूरा प्रतिलाम अनुमत करने हेतु प्रवृत्त है।

(xxii) उपरोक्त वर्चाओं के अधीन, वर्ष 2012 से 2014 के लिये सीआईटीपीएल द्वारा दाखिल की गई लागत विवरणी संशोधित की गई है। संशोधित लागत विवरणी सलग्नक-। पर सलग्न है। वर्तमान प्रशुल्क स्तर पर लागत विवरणी में उद्घाटित परिणाम सक्षेप में नीचे दिये हैं -

(रू लाखों में)

ब्यौरा	2012	2013	2014	कुल योग
प्रचालन आय	16797 86	22677 11	30614.11	70089.08
शुद्घ अधिशेष (प्रतिलाभ के बाद)	(-)657.38	1977 40	7254.67	8574 71
शुद्ध अधिशेष प्रचालन आये के % के रूप में	(-)3 91%	8.72%	23.70%	12 23%

- ्राप्राा। जैसाकि उपराक्त तालिका से देखा जा सकता है कि यदि वर्तमान प्रशुक्त को 2014 तक चलते रहने दिया जाता है तो प्रशुक्त चक्र के दौरान रू 8574.71 लाख का अनुमानित अतिरिक्त अधिशेष जमा हो जाएगा। चूकि वर्तमान प्रशुक्त पर किसी प्रकार की कोई वृद्धि प्रदान करने का कोई औवित्य नहीं है, वर्तमान प्रशुक्त पर 15% की वृद्धि मागने वाला सीआईटीपीएल का प्रस्ताव अस्वीकार किया जाता है। जैसािक अनुमानित लाग्त रिधति की मांग है, वर्तमान प्रशुक्त में आद्यांत (एव आमूल) 12.23% की कटौती / कमी की जाती है।
- (XXIV) सीआईटीपीएल ने दरों की लागू करने को अधिशासित करने वाली कुछ नई परिमावाए शामिल करने के साथ-साथ कुछ वर्तमान परिमावाओं शर्तों और नोट्स में पूरिवर्तन का प्रस्ताव किया है। यहां याद दिलाया जाता है कि जब सीआईटीपीएल ने अपनी सुविधाएं प्रचालित की थीं तो इसने पड़ोसी कटेनर टॉर्सनल (सीसीटीपीएल) के प्रशुल्क के अनुप्रयोग को अधिशासित करने वाली सशर्तताओं समेत प्रशुल्क सरचना अगीकार की थी। सीआईटीपीएले की वर्तमान प्रशुल्क सरचना और सशर्तताओं में प्रस्तावित परिवर्तन, सीसीटीपीएल में प्राप्त स्थित से दूर जाते हुए पाए गए हैं। तथापि, सीआईटीपीएल द्वारा-प्रस्तावित परिवर्तनों की जांच-पड़ताल के लिये प्रधालक से अनुरोध किया गया था कि वह अपने पत्येक प्रस्तावित परिवर्तन के साथ उसके कारण मी दे। किन्तु उसने अनेक प्रस्तावित परिवर्तनों के साथ बिन्दुवार कारण प्रस्तुत नहीं किये हैं। इसलिए, केवल वही मदा पर जहा प्रस्तुत परिवर्तनों को औदित्य युक्त / न्याय सगत पाया गया है, इस विश्लेषण में विचार गया गया है।
- (xxv) सीआईटीपीएल ने "बॉडेड ट्रकिंग" के परिमान शामिल करने का प्रस्ताव क्रिया है। याद दिलाया जाता है कि इस प्राधिकरण ने आदेश स टीएएमपी / 45 /2007-सीसीटीएल दिनाक 19 जून 2008 के माध्यम से कहा था कि बॉन्डेड ट्रकिंग सेवा इस प्राधिकरण के नियामक कार्यक्षत्र के अन्तर्गत नहीं आती है। ऐसी स्थिति में, दरमान में "बॉन्डेड ट्रकिंग" के लिये एक परिमाना प्रदान करने का प्रश्न ही नहीं उठता।
- (xxxi) 'अतिविशाल कटेनर' (ओवर डाइमॅशनल कटेनर) की वर्तमान परिमाम में क्षतिग्रस्त कटेनर आते हैं । सीआईटीपीएल ने इस आधार पर 'अतिविशाल कटेनर' की परिमाम से 'कार्नर कास्टिंग,स्मस्यों वाले कटेनर' शब्द निकालने का प्रस्ताव किया है क्योंकि क्षतिग्रस्त कटेनरों में ऐसे कटेनर आ जाते हैं जिनमें कॉर्नर कास्टिंग समस्या होती हैं । सीआईटीपीएल के स्पष्टीकरण के आधार पर 'अतिविशाल कटेनर' की वर्तमान परिमाम में प्रस्तावित संशोधन अनुमोदित किया जाता है।
- (xxvII) किसी पोत की स्थिति के बारे में निर्णय करने वाली शतों को अधिशासित करने वाला प्रस्तावित नोट. अन्य महापत्तनों और निजी टर्मिनलों के दरमान में प्रदत्त सामान्य प्रावधान के अनुरू प ही है। इसलिये, इस सबख में प्रस्तावित नोट अनुमोदित किया जाता है।
- (xxviii) प्रशुस्क मार्गदर्शियों की घारा 2.18.2 के अनुरू प उपयोगकर्ताओं द्वारा विलम्बित भुगतान / सीआईटीपीएल द्वारा विलम्बित घनवापसी के लिये दण्ड-ब्याज से सबघित प्रस्तावित नोट को, भारतीय स्टेट बैक के प्रचलित उच्चतम ऋणदान दर (प्राइम लैंडिंग रेट) 14.75%+ अधिक् 2% को प्रतिबिम्बित करने के लिये संशोधित किया गया है।
- (XXX) यदि कोई उपयोगकर्ता पोत में सभी कटेनरों पर रस्सी बाधने सबधी प्रचालन के लिये रस्सी बाधने / खोलने वाले श्रीमक दल की, सीआईटीपीएल की पूर्व अनुमति से व्यवस्थां करता है तो प्रहस्तन प्रमारों में रू. 33/- प्रति कटेनर की छूट प्रदान करने वाले वर्तमान प्रावधान को निकालने के प्रस्ताव के लिये सीआईटीपीएल ने कोई कारण नहीं बताया है। प्रमावित सामान्य कटौती को बहाल रखते हुए / रखने के अधीन वर्तमान शर्त कायम रखी जाती है।
- (xxx) वर्तमान व्यवस्था में, क्वेसाइड से यार्ड और व्युक्तम-में एलसीएल कटेन्सें के लिये प्रदत्त प्रभारों में खाली कटेनर शामिल नहीं हैं। सीआईटीपीएल ने खाली कटेनरों के क्वेसाइड से गार्ड और व्युक्तम में परिवहन के लिये इस प्रशुक्क मद के अधीन प्रमार प्रस्तावित किये हैं। जैसा पहले बताया गग्ना है, सीआईटीपीएल ने दरों के प्रस्तावित लागू किये जाने के लिये लागत् औद्वित्य के साथ कोई कारण नहीं दिया है। इसलिये यह प्राधिकरण खाली कटेनरों के लिये प्रस्तावित दरें अनुमादित करने की स्थिति में नहीं है।

- (xxxx) वर्तमान व्यवस्था के अनुसार आईसीटी कटेनरों के लिये पहले 10 दिन नि शुल्क आवास । ठहराव समय है। सीआईटीपीएल ने अगले स्लैब में समय अविध को समायोजित करते हुए, वर्तमान आवास समय 10 दिन को बढ़ाकर 15 दिन करने की योजना बनायी है। प्रस्तावित सुधार की मद में वित्तीय प्रमाव के अमाव में वर्तमान नि शुल्क दिन ही जारी रहेंगे।
- (xxxii) वर्तमान दरमान कटेनरों के टर्मिनल से रेल यार्ड और व्युक्तम में परिवहन के लिये अतिरिक्त हलचल के लिये प्रमार प्रदान करता है। प्रस्तावित व्यवस्था में सीआईटीपीएल ने इस सेवा को कंटेनर यार्ड में लिफ्ट ऑन / लिफ्ट ऑफ हलचल के साथ जोड़ दिया है और (इसके लिए) एक व्यापक प्रशुल्क की योजना की है। इस प्रक्रिया में, अतिरिक्त हलचल के लिए वर्तमान दर, सीआईटीपीएल द्वारा प्रस्तावित सामान्य वृद्धि से अधिक बढायी गई है। प्रस्तावित प्रभार का प्रदान की जाने वाली सेवाओं की लागत-ब्यौरों औचित्व नहीं बताया गया है। इसलिए, नई प्रस्तावित प्रशुल्क मद अनुमोदित नहीं है। कटेनरों की टर्मिनल से रेल यार्ड और व्युक्तम में अतिरिक्त हलचल के लिए वर्तमान प्रशुल्क व्यवस्था प्रदत्त दर में समायोजन के अधीन, प्रमावी सामान्य कटीती के साथ, जारी रहेगी।
 - (xxxii) सीआईटीपीएल ने प्रस्तावित दरमान में विमिन्न नई प्रशुक्त मदे शामिल करने का प्रस्ताव किया है । एक प्रश्न के बावजूद, सीआईटीपीएल ने इसके द्वारा प्रस्तावित किसी मी नई प्रशुक्त मद के लिए कोई लागत ब्योरे और दरों के आधार प्रस्तुत नहीं किए गए हैं । इसने उस अतिरिक्त राजस्व (के बारे में विवरण) प्रस्तुत नहीं किया है जो प्रशुक्क चक्र के दौरान नई प्रशुक्क मदों से अर्जित हो सकता है । इसलिए, यह प्राधिकरण, उपर प्रस्तावित नई प्रशुक्क मदें अनुमोदित करने की स्थित में नहीं है ।
 - पोत पर कचरे की निकासी के लिए प्रमारों की लेवी का यूनिट वर्तमान व्यवस्था में, 1/2 घन मीटर थेला है । सीआईटीपीएल ने इस यूनिट को "प्रति ट्रक मार" के लेवी यूनिट में बदलने का प्रस्ताव किया है और प्रमारों को वर्तमान रू. 257 40 प्रति 1/2 घन मीटर थेले से रू. 5500.00 प्रति ट्रक दौरा इस आधार पर बढ़ाने का प्रस्ताव किया है कि कचरे को मौतिक रूप से मापना कठिन होता है और जब भी कचरा हटाना पड़ता है तो पूरे ट्रक की व्यवस्था करने की आवश्यकता होती है । यह ध्यान देने योग्य है कि पड़ोसी कटेनर टर्मिनल (सीसीटीपीएल) ने जहाँ लेवी का यूनिट 1/2 घन मीटर प्रदान किया गया है, इस सबघ में कोई कठिनाईं नहीं बतायी है । इसके अलावा, सीआईटीपीएल ने, लेवी के यूनिट में परिवर्तन की वजह से पड़ने वाले प्रभाव के साथ प्रस्तावित दरों का औचित्व बताते हुए गणनाएँ प्रस्तुत नहीं की गई हैं । यह सेवा प्रदान करने की लागत, टर्मिनल की समग्र लागत स्थित में समाहित है । इसलिए, यदि प्रस्तावित परिवर्तन अनुमोदित नहीं किया जाता है तो सीआईटीपीएल किसी नुक्सान / घाटे की स्थिति में नहीं चला जाएगा । इस सबघ में, लेवी का वर्तमान यूनिट जारी रहेगा ।
- 11 1 परिणामस्वरू प, और ऊपर बताए गए कारणों से और समग्र विचार विमर्श के आधार पर यह प्राधिकरण सीआईटीपीएल के सशोधित दरमान को अनुमादित करता है जो सलग्नक ॥ पर सलग्न है ।
- 11 2 चूिक वर्तमान दरमान की वैधता 31 दिसम्बर 2011 को पहले ही समाप्त हो चुका है. सीआईटीपीएल को सशोधित दरमान और सशर्तताए भारत का राजपत्र में इस आदेश की अधिसूचना की तिथि से 15 दिन बीतने के बाद क्रियान्वित होंगे और 31 दिसम्बर 2014 तक प्रमावी रहेंगे । प्रदत्त अनुमोदन उसके बाद स्वत. निरस्त हो जाएगा, जब तक कि इस प्राधिकरण द्वारा विशेष रूप से विस्तारित न किया जाये ।
- 11 3 सीआईटीपीएल के वर्तमान दरमान की वैद्यता 31 दिसम्बर 2011से आगे संशोधित दरमान के क्रियान्वयन की प्रमावी तिथि तक विस्तारित की गई मानी जाती है ।
- 11.4 इस प्राधिकरण ने वर्ष 2012 से 2014 के लिए अनुमानों पर भरोसा किया है । कथित वर्षों में वास्तविक निष्पादन ने अंतर के कारण उत्पन्न अतिरिक्त अधिशेष, यदि कोई होगा तो वह, अगली समीक्षा में, 2005 के प्रशुल्क मार्गदर्शियों की धारा 2.13 के प्रावधानों से अधिशासित होगा ।
- 11.5 सीआईटीपीएल का प्रशुक्क प्रचालक द्वारा प्रस्तुत सूचना और की गई अवधारणाओं के आधार पर निर्धारित की गई है, जैसा कि विश्लेषण में बताया गया है । यदि यह प्राधिकरण प्रदत्त प्रशुक्क वैधता, अविध के दौरान कमी यह पाता है कि वास्तविक स्थिति भरपूर मात्रा में पक्की तौर पर विचार किये गए अनुमानों से मिन्न है अधवा इसमें स्वीकृत अवधारणाओं से मटकाव है तो यह प्राधिकरण सीआईटीपीएल से अपेक्षा करेगा कि वह इसके प्रशुक्क की समीक्षा अनुसूची से पहले करने के लिए और सशोधित प्रशुक्क में ऐसे अन्तर के कारण जमा हुए। एकत्रित लाम को सशोधित प्रशुक्क मार्गदर्शियों के अनुसार समायोजित करने हेतु प्रस्ताव दाखिल करें।

इस सबध में, सीआईटीपीएल से अपन्न हैं कि वह विमिन्न लेखा वर्षों की समाप्ति क बाद 60 दिनों के भीतर इस प्राधिकरण को अपने वार्षिक लेखा और निष्पादनता रिपोर्ट प्रस्तुत करें । यदि सीआईटीपीएल अनुबिद्धत समयाविध के भीतर ऐसी सूचना प्रदान करें में असमर्थ रहता है तो सीएचपीटी सीआईटीपीएल के विरुद्ध समुचित कार्रवाई आरम्भ कर दे । ऐसे में, यह प्राधिकरण सीआईटीपीएल के प्रशुल्क की समीक्षा के लिए अपनी तरफ से कार्रवाई कर सकता है । इसके अलावा, सामान्य प्रशुल्क वैधता अविध के अत में अगली सामान्य समीक्षा के समय मिन्नेता / अन्तर का विश्लेषण भी किया जा सकता है और अगले चक्र के लिए निर्धारित किये जाने वाले प्रशुल्क में, मार्च 2005 के प्रशुल्क मार्गदर्शियों के अनुरू प्र अतिरिक्त अधिशेष का समायाजन किया जा सकता है ।

रानी जाधव, अध्यक्षा [स विज्ञापन [][/4/|43/]]/असा]

न्तां हरण्येतपास दक्षितस्य स्टाइटर सिर्वेश्टर राजस्य का सामान्य सरावाय

्यंत्राची का संघाना सर्वाधन									
		•	•	मनेकित बाग एवं नागत है	व्य क्ता			(मयबे मास्त्री वै)	
# C	efit	क्रम्य	14	मीजाईटीपीक्षम के हारा प्रमुख आपूर्णमें			रीएएमणी के हारा अपूर्णकेका अपूजान		
		2010	1011	3013	3613	2014	1012	~ 1013	2014
-	वीताच्या (टोर्न् वे)	_ 364793	47 NO[]	985000	749754	e 106614.)	585000	r 789750	1066163
			-						
1	कुत एकसम्बद्धाः						-,		
_	क्ष्येत्रस्य व्यक्तान् शक्य (चनकारण प्रथ्यत् सर्वेताः)	7750.44	17944 58 23944 58	5375 12 (9379.12	120763.03	27169 B4	14797.64	22677 11	30614
	<u> </u>								,,,,,
11	इपालन प्राप्ता (मृत्या) सिंधी क्रिकेट)				_				
	()) इच्चान वर्ग इत्यक्ष ब्रोतिक	i 76 Gu	247.20	43130	109.50	eja Pi	431 30	708,49	A
	tile different agents	30 00	6,5 20	71.13	77.65	034	21 13	77 61	У
	g+) उपन्यम् स्ट्रम् च्ये स्ट्रम	879 OC	1357 04	2390 62	4122,90	1274 51	1803 61	\$160 kJ	J39
	(Iv) माम्ब्रीण व्यक्तिक (v)संख्यार / सम्बर्ग विस्ता	000	0,00 0,00	0.00	000	0 UU	, (cq	- 000	
	(श) विद्याने का तथा पर्य उपसम्ब	531 (0	717.30	1 1014.04	1307 84	ricus!	862.5	110=38	144
	(भा) रिज्ञा के अस्ता से चंद्र बिशक	67K at	858 CC	le1A-y2	1446 (6	(313 85	W7.84	livi 41	- 25
_	(711) 44	37 GO	60 Ou	200.30	250.74	רוא	186 92	144-52	
_	(ix) apo opa	346 90	312.04	712,71	445.34	1099.50	Sel ag	132 74	11
	_ ya + II	2949.00	RNA	ונמני	1977 12	10730.87	4765.44	6445 41	794
10		2846 61		5350.01	1301.11	3501 (1	4174 66	4992 12	
111	destrict .	7240 4.1	200773	,,,,,,,	730733		-1/- 64	4937 12	497
ĪΫ	sand the								
	(1) प्रमेण स्थ प्रतास की	294.00	266.51	648 94	AST 00	729 13	423-78	449 31	47
	र) सम्बन्ध रहिन	784.16	192.20	916 43	699 94	987 14	417.57	440 50	46
		35.61	77 34	1 1700	57 OC	37.01	37 SW	57 (B	,
	(६०) प्यां पानी में कारत राज कर्रायत अंक रण अंक्रिय प्राचन)U\$7 T7	714.36	1914.57	140.43	1740,25	696.93	947 29	1000
-	पूरा ∙ 0∨				~ \		*****		
V	प्रकास अस्तिन 7 (क्रम) (1) २ (11) २ (111) - (117)	MIN	6827 19	117724	#343-	9368.50	6960.79	, 10349.49	1674
_								/	
A1	निर्माण एवं विभिन्न श्रृत्य (एक्यप्याव्यक्तं) ())व्यक्रमेंस कांत्रं के अनुसार टॉन्सल की प्राप्त पूर्वण की मिरंपण	0.00	7 96 6 00	0 Q01	0.00	, "A) W(0.00	
	(institution of a factor on the man feet of the contract	***	• •		٠,٦	"1	ا"ا	,,,,,	
	(ti) ≠4 '>	5.0)	7 94	0.00	0 0 0	ર હ	νωα	, 0 on	
				+ .		,			
VII	विक्तीन वर्ग विविधा काम (विकास)	٥٥٥	o an	0.00	٥٥٠	· " d	700	000	
VIII	एक्स्प्रकार्थ करून स्टूब्स्पर्थ (VI) (VIII)) σ	1 9s	4100	oua		900	9 00	
					,	···			
ΟX	वाधियोग के सकते जाना कृत कर (V) + (V(II))	946.09	4,034.(1	1 1773	(S)L)	9,369.50	6,960 79	10,346,69	16,76
X	विनवीका पृथ्वे	52,7e£.50	49 937 63	71,711 44	~ ~ 779 24	6.20	65097 YL	· 64129 Vo	1(1)
	नार्वक क्या मूच्या निका पा ध्वीनात्म जनका जाउन्हेंचे और पने रविष । मूच्या अविवेक्त निका पर आजो पी है	E +30 71	7 लॉ 45	11,443.01	11 164 70	10.330 74	7 618 13	1377.2N	, 41
V III		4.4	BUTN		_ 6/%	53%			
XII	सम्बद्ध अन्तर्भन के तिन् समीता क्रमकार्मि	31% 8,439 77	7,598.45	72% 11,485.97	- m/h 11,144.70	3374 7U	7018.15	6,377,29	9 49
		40711	, p	1,,-2.5	13,1047	- (0,207.10		٠٠٠٠	
χIV		(7,493 64)	(1 193,20)	(19,397.44)	(4.19.36)	(97) 12	(657.36)	1 977 40	1 15
XVIII	निका प्रतिक्षेत् / (च्छाः) % प्रचलन बाम के लये वे (XVIIJO)	46.664	6.27%	47,04%	30 01%	3 27%	391%	H 72%	23 70%
. A.A.	बांका निका ब्रांकिन स्कूछ) % प्रकार बान के को ही								
۸.	Learn som aminotán () is semicard a equi	3.91	674		27.46%		-	12 33%	

Acquais for 10 months (upto Oct 11) and Entitiates for remaining 2 months (Nov 11 & Dec 11)

अनुबंध - ॥

चेन्नई इंटरनेशनल टर्मिनल्स प्राइवेट लिमिटेड दरमान (अंतरिम)

प्रावकथम

इस दरमान में चेन्नई इटरनेशनल टर्मिनल्स प्राइवेट लिमिटेड में प्रदान की गई सेवाओं और सुविधाओं के लिए चेन्नई इटरनेशनल टर्मिनल्स लिमिटेड को देय प्रमार निर्धारित किए गए हैं।

परिभाषाएं

इस दरों के मान में जब तक सदर्म के अनुसार अन्यथा अपेक्षित नहीं हो, निम्नलिखित परिमाधाएं लाग होंगी

- (i). 'मान्यताप्राप्त ग्राहक कार्यक्रम' का अर्थ उस क्रायंक्रम से है जो सीमाशुल्क विमाग द्वारा लागू किया गया है, जिसके तहत उनके द्वारा 'मान्यताप्राप्त ग्राहक' के रूप में पजीकृत आयातकों की एक अलग श्रेणी बनाई जाएगी। जिसे सुनिश्चित सुविधाए उपलब्ध कराई जाएगी। आरएनएस द्वारा यादृष्टिक आधार पर चयनित पारेषणों के अल्प प्रतिशत अथवा जिन मामलों में विशिष्ट आसूचना उपलब्ध हो अथवा जहा पर अनुपालनहीनता के देखे गए विशिष्ट पैटर्न का समाधान किया जाना हो। को छोडकर मान्यताप्राप्त ग्राहकों को स्व-निर्धारण के आधार पर अर्थात स्वाभाविक तौर पर उनकी घोषणा के आधार पर माल की जाच किए बिना निकासी प्रदान की जाएगी। इसके अलावा, देश में सभी पत्तनों पर, जहा ईडीआई और आरएमएस प्रचालनरत हैं, पजीकृत मान्यताप्राप्त ग्राहकों को यह लाभ उपलब्ध होगा। अपेक्षा की जाती है कि इस उपाय से कार्गों के उहरने के समय और ऐसे आयातकों के लेनदेन की लागत में कमी आएगी। सीमाशुल्क के आयुक्तों के लिए भी यह आवश्यक होगा कि वे अभिरक्षकों के साथ इन ग्राहकों के लिए अलग भड़ारण स्थान, प्रहस्तन सुविधा और शीध निकासी सुविधाए सुनिश्चित करने हेतु काम करें। इसके अलावा, आईएमजी ने विनिर्दिष्ट मान्यताप्राप्त आयातकों को कार्गों की तत्काल सुपूर्दगी हेतु पत्तन परिसर में स्पष्टतया निर्धारित अलग क्षेत्र स्थापित करके त्वरित सुपूर्दगी ग्रणाली की सिफारिश की है। इस कार्यक्रम की विस्तृत व्याख्या सीमाशुल्क के दिनांक 24 नवस्वर 2005 के परिपन्न सं 42/2005-सीमाशुल्क में दी गई है।
- (॥) 'सीआईटीपीएल' का अर्थ मारत में निगमित कपनी, चेन्नई इटरनेशनल टर्मिनल्स प्राड्वेट लिमिटेड, उसके उत्तराधिकारी और समनुदेशिती हैं।
- (iii) 'तटीय पोत' का अर्थ किसी ऐसे पोत से हैं, जो भारत में किसी फ्तन अथवा स्थान से भारत में स्थित किसी अन्य पत्तन अथवा स्थान के बीच व्यापार में संलग्न है और जिसके पास सक्षम प्राधिकारी द्वारा जारी वैघ तटीय लाइसेंस है।
- (iv) 'कंटेनर' का अर्थ मानक आईएसओ कटेनर है जो कार्गों के परिवहन के लिए और कार्गों का चट्टा लगाने के लिए उपयुक्त है और वह एक इकाई के रूप में प्रहस्तन किए जाने और कटेनर स्प्रेंडर युक्त क्रेन द्वारा उठाए जाने योग्य होना चाहिए।
- (v) 'एफसीएल' का अर्थ पूर्ण कटेनर मार वाला कटनर होगा।
- (vi) 'विदेशगामी पोत' अर्थ का अभिप्राय होगा तटीय पोत से भिन्न कोई अन्य पोत ।
- (vii) 'धूम्रीकरण सुविधा' का अर्थ ऐसे कार्गों को प्रदूषणविहीन करना है जिस पर कीड़ों का दुष्प्रभाव हो सकता है और जिसे धूम्रीकरण द्वारा अथवा गैसरहित बनाकर अथवा दोनों के द्वारा प्रदूषण विहीन करने की जरूरत है।
- (viii) 'खतरनाक कटेनर' से अभिप्राय ऐसे कटेनर से हैं, जिसमें आईएमओं के अधीन खतरनाक सामान के रूप में वर्गीकृत वस्तुए
- (ix) 'आईसीडी' का अर्थ अतर्देशीय कटेनर डिपो है।
- (x) 'एलसीएल' का **अर्थ पूर्ण क**टेनर मार से कम मार वाला कटेनर (एक से अधिक आयातकों /निर्यातकों के कार्गा मरे हुए कटेनर) है।
- (xi) अतिविशाल कटेनर का अर्थ है अतिविशाल कार्गों ले जाने वाला, मानक कटेनर के सामान्य आकार से बड़ा कटेनर जिसके लिए स्लिग्स शैकल्स, लिफ्टिंग बीम इत्यादि जैसे विशेष उपकरणों की आवश्यकता पड़ती है। क्षतिग्रस्त कटेनर और लिफ्टिंग के लिए विशेष उपकरणों की अपेक्षा वाले कटेनरों को भी अतिविशाल कटनरों के रूप में वर्गीकृत किया जाता है।

- (xiii) प्रतिदिन' का अर्थ प्रति कैलेंडर दिन अथवा उसको मॉर्ग है। रि
- (xm) 'पत्तन' का अर्थ चेन्नई पत्तन न्यास है।
- (xiv) 'रीफर' का अर्थ मार्ल की दुलाई के प्रयोजनार्ध कोई ऐसा कटेनर है, जिसे वाछित तापक्रम बनाए रखने के लिए विद्युत आपूर्ति अपेक्षित होती है।
- (xv) 'शट-आउट कटेनर' का अमिप्राय ऐसे कटेनर से हैं, जिसने वीआईएएन द्वारा यथा इगित किसी पोत हेतु निर्यात के लिए टर्मिनल में प्रवेश किया है और किसी कारण से पोत से जुड़ा हुआ नहीं है।
- (xvi) 'टन' का अर्थ 1 000 किलोग्राम का एक मीट्रिक टन अथवा एक घनमीटर है।
- (xvii) 'पोतातरण कटेनर' का अभिप्राय ऐसे कटेनर से हैं जो एक पोत से उतारा गया है, सीआईटीपीएल में रखा गया और अन्य पोत के द्वारा दुलाई किया गया है।
- (xviii) वीआईएएन' का अर्थ पोत पहचान सूचना सख्या है।

2 सामान्य

- (i) पोत की स्थिति जैसी नोवहन महानिर्देशक दवारा जारी इसके प्रमाणन द्वारा पुष्टि की गई है यह प्रासिंगक अवयव है जो निर्णित करता है कि पोत "विदेश गामी" है अथया "तटीय"। यदि किसी विदेशगामी पोत को तटीय यात्रा पर जाने की और कार्गों । क टेनर ले जाने की अनुमित होगी तो वे ऐसी अनुभेय यात्राओं के विषय में रियायतों के लिये भी अर्हक होंगे
 - (क) ै भारतीय ध्वज वाला विदेश गामी पोत जिसके पास सामान्य व्यापार लाइसेंस है सीमाशुल्क परिवर्तनआदेश के आधार पर तटीय यात्रा पोत में परिवर्तित हो सकता है।
 - (ख) विदेशी ध्वज वाला कोई विदेशगामी पोत नौवहन महानिदेशक द्वारा जारी तटीय यात्रा लाइसेंस के आधार पर तटीय यात्रा पोत के रूप में परिवर्तित हो सकता है।
 - (ग) ऐसे परिवर्तनों के मामलें में लदान करने वाले पत्तन द्वारा पोत पर तटीय सामग्रियों का लदान प्रारंभ करने के समय से तटीय दरें वसूल की जाएगी।
 - (ঘ) ऐसे परिवर्तन के मामले में तटीय दरें केवल तबतक प्रमार्थ होंगी। जबतेक पोत तटीय कार्गों का उतराई प्रचालन पूरा करता है। उसके तत्काल बाद उतराई पत्तन द्वारा। विदेशगामी दरें वसूल की जाएगी।
 - (ड) नौवहन महानिदेशक से तटीय लाइसँस प्राप्त समर्पित भारतीय तटीय पोतों के लिए तटीय दरों के हकदार होने के लिए किसी अन्य दस्तावेज की अपेक्षा नहीं होगी।
- (ii) प्रत्येक बिल के कुल योग पर निकाले / परिगृणित गए सभी प्रभारों को अगले उच्चत्र रुपए में पूर्णांकित किया जाएगा।
- (iii) (क) प्रयोक्ता इस दरमान के अधीन किसी भी प्रभार के विलबित भुगतान पर दडात्मक ब्याज अदा करेगा। इसी प्रकार सीआईटीपीएल विलबित धेनवापसी पर दडात्मक ब्याज अदा करेगा।
 - (ख) दडात्मक ब्याज की दर 16 75% वार्षिक होगी। दडात्मक ब्याज दर सीआईटीपीएल और पत्तन प्रयोक्ताओं दोनों पर समान रूप से लागू होगी।
 - (ग) धन वापसियों में विलब सवाए पूरी करने की तारीख स केवल 20 दिनों के बाद अथवा प्रयोक्ताओं द्वारा अपेक्षित सभी दस्तावेजों की प्रस्तुति पर इनमें से जो भी बाद में हो से गिना जाएगा।
 - (घ) प्रयोक्ताओं द्वारा भुगतान में विलब सीआईसीपीटीएल द्वारा बिल देने की तारीख से 10 दिनों के बाद से गिमा जाएगा। तथापि यह प्रावधान उन मामलों में जहां महापत्तन-न्यास अधिनियम में यथानिर्दिष्ट सेवाए प्राप्त करने के पूर्व भुगतान किया जाना है और / अथवा जहा इस दरमान में प्रभारों का अग्रिम भुगतान प्रदत्त है लागू नहीं होगा।

- (iv) खतरनाक कार्गो वाले कटेनर । विशाल कटेनरों के मामले में विभिन्न कटेनर वर्ष पर प्रमार्थ प्रहस्तन प्रमार से 25% प्रीमियम ं प्रभार्य होगा ।
- (v) लबाई में 20 फुट तक अथवा उससे कम के कटेनरों को प्रशुल्क के प्रयोजनार्थ एक टीईयू माना जाता है।
- (vi) अमरीकी डॉलर में अकित कटेनर-सबद्ध प्रभार समतुल्य मारतीय रुपए में सग्रहित किए जाएगे। इस प्रयोजनार्थ, पत्तन की सीमाओं में पोत के प्रवेश की तारीख (आयात कटेनरों के मामले में) और टर्मिनल के परिसर में कंटेनरों के (निर्यात कटेनरों के मामले में) आग्रमन की तारीख को विद्यमान समय-समय पर मारतीय रिजर्व बैंक भारतीय स्टेट बैंक अथवा उसके सहायक बैंक या अन्य किसी सरकारी क्षेत्र के बैंक द्वारा अधिसृचित बीजार क्रय दर का डालरमें अकित प्रमारों का मारतीय रुपए में पुन परिवर्तन करने के लिए प्रयोग किया जाएगा।
- (vii) पत्तन में दीर्घ अवधि तक ठहरने वाले पोतों के मामले में पोतों के आगमन की तिथि से 30 दिन में एक बार विनिमय दर की एक नियमित समीक्षा की जाएगी। ऐसे मामलों में समीक्षा के समय प्रचलित उचित विनिमय दर के सदर्भ से बिलिंग का आधार भावी प्रभाव से बदलेगा।
- (viii) (क) प्रयोक्ता से सीआईटीपीएल पर आरोप्य किसी उचित सीमा के बाद विलंब के लिए प्रभार अदा करना अपेक्षित नहीं होगा।
 - (ख) यदि सीआईटीपीएल की तट आधारित सुविधाओं में खराबी आजाने की करण अथवा उनकी अनुपलब्धता के कारण या किसी अन्य कारण से जिसके लिये सीआईटीपीएल को जिम्मेदार ठहराया जाए पोत बेकार खड़ा रहता है, तो पोत के बेकार रहने की अवधि के दौरान जमा हुए सीएचपीटी को देय वर्ध किराया प्रभार के बराबर छूट अनुमत की जाएगी।
- (ix) इकाई भार के रूप में सीआईपीएल में आने और वहां से जाने वाले एलसीएल कटेनर को प्रमार लगाने के प्रयोजनार्थ एफसीएल माना जाएगा।
- (x) सभी बीजक प्रस्तुति पर यथा देय जारी किए जाते हैं। मुगतान करने में विफलता टर्मिनल प्रहस्तन की सामग्रियों पर पुनर्ग्रहणाधिकार का कारण बन सकती है और उत्तरदायी पार्टी को सभी बकाया प्रभारों का मुगतान करने तक टर्मिनल का और प्रयोग करने से रोका जा सकता है।
- (xi) यदि कोई टर्मिनल प्रयोक्ता सीआईटीपीएल की पूर्वानुमित से पोत में सभी कटेनरों को बाधने के प्रचालनों के लिए बांधने । खोलने वाले गैंग उपलब्ध कराता है, तब खड़ 31 (क), 32 (क), 33 (क) तथा 34 में निर्धारित प्रहस्तन प्रभारों में र 29/-रुपए प्रति कटेनर की छूट दी जाएगी, बशर्ते कि टर्मिनल प्रयोक्ता सुरक्षा विनियमों का पालन करने के लिए सहमत हो।
- (xi) क्वे क्रेनों द्वारा एफसीएल, एलसीएल, एव आईसीडी आयात एव निर्यात कटेनरों के प्रहस्तन के लिये उत्पादकता का बैंच मार्क स्तर 20 हलचल (मूब्ज) प्रति घटा होगा, जैसा खंड 31 (क) 32 (क) और 33 (क) मैं वर्जित है।

कटेनर प्रचालनों के लिए प्रभार

3 1 एफसीएल आयात और निर्यात कंटेनरों के तथा खाली कंटनरों के प्रहस्तन के लिए प्रभार

(क) बांधने / खोलने प्रभार संबंधी सहित क्वे क्रेन द्वारा प्रहस्तनः

विवरण	विदेश-गामी पोत	तटीय पोत
	अमं \$	₹
ति एफसीएल कंटेनर		
लबाई में 20' से अधिक नही	19 77	498 32
लबाई में 20' से अधिक और 40' तक	29,65	747 15
लबाई में 40' से अधिक	39 54	996 42
प्रति खाली कंटेनर		

- लबाई में 20' से अधिक नही	1 9: 77	498 32
- लबाई में 20' से अधिक और 40' तक	29 65	747 15
• लंबाई में 40' से अधिक	39 54	996 42

नोट सेवाओं में क्वे क्रेन द्वारा प्रहस्तन और बाधने। खोलने के कार्य शामिल है।

(ख) क्वे परिसर से कंटेनर यार्ड और विलोमत दुलाई

विवरण	यिदेश-गामी ⁻ धोत	तटीय पोत स
	₹	
प्रति एफसीएल कंदेनर		
- लबाई में 20' से अधिक नही	563 40	338 04
- लबाई में 20' से अधिक और 40' तक	845 08	² 507 05
- लबाई में 40' से अधिक	1126 80	676 08
प्रति खाली कंटेनर		
- ल बाई में 20' से अधिक नहीं	279 02	167 41
- लबाई में 20' से अधिक और 40' तक	418 53	251 12
- लबाई में 40' से अधिक	558 04	334 82

नोट सेवाओं में क्वे परिसर से और परिसर तक दुलाई शामिल है।

(ग) कंटेनर यार्ड में आंतरिक बा्हन पर उठाकर / से उठाकर रखना

विदेश-गामी पोत	तटीय पोत
₹	
311 35	186 91
467 02	290 21
622 68	373 61
	-
154 19	92 51
231 27	138 76
308 37	185 02
	पोत १ 311 35 467 02 622 68 154 19 231 27

नोट सेवाओं में भड़ारण हेतु कटनर यार्ड में लिफ्टस् शामिल है।

(घ) कटेनर यार्ड में प्रहस्तन, ग्रहकों को सौंपने के लिये उठाना / से प्राप्ति के लिए उठाना

विवरण	विदेश-गामी पोत	तटीय पोत
	₹	
प्रति एफसीएल कंटेनर		
लबाई में 20 से अधिक नही	311 35	311 35
- लंबाई में 20' से अधिक और 40' तक	467 02	467 02
- लबाई में 40' स अधिक	622 68	622 68
प्रति खाली कंटेनर		,
. लबाई में 20' सं अधिक नही	154 19	154 19
. लबाई में 20' से अधिक और 40 तक	231 27	231 27

लबाई में 40' से अधिक 308 37 308 37 308 37 नोट सेवाओं में कटेनर यार्ड में ग्राहक के वाहन से कटेनर उतारने | पर कटेनर लादने के लिए लिफ्टस शामिल है।

3 2 एलसीएल आयात और निर्यात कटेनर के प्रहस्तन के लिए प्रभार

(क) बाधने। खोने सहित क्वे क्रेन द्वारा प्रहस्तन के लिए प्रभार

विवरण	विदेश-गामी पोत्त	तटीय पोत
	अम \$	
ाति एतसीएल कंटेनर		
लबाई में 20' से अधिक नहीं	19 77	498 32
लबाई में 20' से अधिक और 40' तक	29 65	747 15.
लगई में 40' से अधिक	39 54	996 42

नोट सेवाओं में क्वे क्रेन द्वारा प्रहस्तन बाधना / खोला शामिल है।

(ख) यदे साइड से कंटेनर यार्ड और विलोमत: परिवहन

विवरण	विदेश-गामी पोत	तटीय पोत
	•	*
र्रति एलसीएल कंटेनर		
लबाई में 20' से अधिक नहीं	\$35.26	321 15
लबाई में 20' से अधिक और 40' तक	802 63	491 70
लंबाई में 40' से अधिक	1070 46	642 28

नोट: सेवाओं में कटनर के क्वे साइड से कटेनर यार्ड और विलोमत परिवहन शामिल है।

(ग) कटेनर यार्ड में प्रहस्तन आंतरिक स्थलातरण वाहन पर / से उठाकर रखना

विवस्ण	विदेश-गामी पोत	तटीय पोत
	•	₹
प्रति एलसीएल कंटेनर		
- लंबाई में 20' से अधिक नहीं	311 35	186 81
लबाई में 20' से अधिक और 40' तक	467 02	280 21
- लबाई में 40' से अधिक	622 68	373 61

नोट सेवाओं में कटेनर यार्ड में भडारण हेतु लिफ्टेस् शामिल है।

(घ) कंटेनर यार्ड में प्रहस्तन, ग्राहकों को सौंपने / से प्राप्त करने के लिये उठाना

विवरण	विदेश-गामी पोत	तटीय पोत	
	₹	₹	
प्रति एफसीएल कटेनर			
लबाई में 20' से अधिक नहीं	311 35	311 35	
लबाई में 20' से अधिक और 40' तक	467 02	467 02	
- लंबाई में 40' से अधिक	622 68	622 68	
प्रति खाली कंटेनर			
- लबाई में 20' से अधिक नहीं	154 19	154 19	
लबाई में 20' से अधिक और 40' तक	231 27	231 27	

33

L लबाई में 40' से अधिक	308 37	308 37
नोट सेवाओं में कट्रेनर यार्ड में कट्रेनर ग्राहक के वाह	न से उतारना या पर लादने के	लिए लिफ्टस शामिल है।

आईसीडी आयात और निर्यात कंटेनर का प्रहुस्तन करने के लिए प्रभार (क) बांधने / खोलने सहित क्षे क्रेन द्वारा प्रहस्तन का प्रभार

विदेश-गामी पोत अम \$	तटीय पोस र
19 77	498 32
29 65	747 15
39 54	996 42
	
19 77	498 32
29 65	747 15
39 54	996 42
	भोत अम \$ 19 77 29 65 39 54 19 77 29 65

नोट सेयाओं में क्वे क्रेन द्वारा प्रहस्तन और बाधना / खोलना शामिल है।

(ख) क्ये साइंड से कंटेनर रेल यार्ड तक और विलोमत[.] ढुलाई

विवरण	विदेश-गामी पोत	तटीय पोत
	₹	<u>,</u>
प्रति भरा हुआ कंटेनर		
- लबाई में 20' से अधिक नहीं	535 26	321 15
- लबाई में 20' से अधिक और 40' तक	802 84	481 70
- लबाई मैं 40' से अधिक	,1070 47	642 28
प्रति रिक्त कटेनर		
- लबाई में 20' से अधिक नही	265 07	159 04
- लबाई में 20' से अधिक और 40' तक	397 58	238 55
लबाई में 40' से अधिक	530 14	318 08

नोट सेवाओं में कप्टेमर रेल यार्ड तक बुलाई पोत और यार्ड पर कर्षण योजना बनाना. आकड़ा प्रहस्तन पोत सीआईटीपीएल और शिपिंग लाईन के बीच प्रसंस्करण और अंतरण शामिल है।

(ग) कंटेनर रेल यार्ड में प्रहस्तन-आतरिक स्थालांतरण वाहनं पर । से जठाकर रखना

वियरण	विदेश-गामी पोत	तटीय पोत
	₹	
प्रति भरा हुआ कंटेनर		
लबाई में 20' से अधिक नहीं	311 35	186 81
लबाई में 20' से अधिक और 40' तक	467 02	280 21
लबाई में 40' से अधिक	622 68	373 61
व्रति रिक्स कटेनर		
लबाई में 20' से अधिक नहीं	154 19	92 51
लंबाई में 20' से अधिक और 40' तक	231 27	138 76
लबाई में 40' से अधिक	308 37	185 02

नोट सेवाओं में भड़ारण हेतु कटेनर रेल यार्ड में लिफ्टस् शामिल है।

(घ) कटेनर रेल यार्ड में प्रहस्तन- रेल क्रे लिए सुपूर्वगी देते समय कंटेनर में उठाना / रखना

विवरण	विदेश-गामी प्रोत्त	तटीय पोत	
ı	₹	₹	
प्रति भरा हुआ कंटेनर			
लबाई में 20' से अधिक नही	311 35	311 35	
- लबाई में 20' से अधिक और 40' तक	467 02	467 02	
. ल बाई में 40' से अधिक	622 68	622 68	
प्रति रिक्त कंटेनुर			
- लबाई में 20' से अधिक नहीं	154 19	154 19	
- ल बाई में 20' औं अधिक और बं b' तक	231 27	231 27	
लबाई में 40' से अधिक	308 37	308 37	

नोट मैवाओं मैं कटेनर रेल यार्ड में उठाना (लिफ्ट), आंकड़ा प्रहस्तन, पोत सीआईटीपीप्रल और शिंपिंग लाइन के बीच प्रसंस्करण और अंतरण शामिल है।

3.4 वर्षे साइड में पोते के स्टीवेडोरिंग श्रमिकों द्वीरा प्रहर्स्तन, बांधने/खोलनें संबंधीं प्रभारों सर्हित पोतान्तरण कंटेनर प्रहस्तन के लिये प्रभार

विवरण	विदेश-गामी पोतः	तटीय पोत्त	
	अम \$	₹	
ाति भरा हुआ कंटेनर			
लबाई में 20' से अधिक नहीं	23 72	597 63	
लबाई में 20' से अधिक और 40' तक	35 58	896 67	
लबाई में 40' से अधिक	47 44	1195 48	
प्रति रिक्त कंटेनर			
- लबाई में 20' से अधिक नहीं	23 72	597 63	
- लंबाई में 20' से अधिक और 40' तक	35 58	896.67	
लंबाई में 40' से अधिक	47 44	1195 48	

नोट्य

- (i) सेवाओं में क्वे क्रेन द्वारा प्रहस्तन (उतराई और लदान) (परिवहन) दुलाई और उठाना पोत और यार्ड में कर्षण की आयोजना आकड़ा प्रहस्तन, पोत सीआईटीपीएल और शिपिंग लाइन के बीच प्रसस्करण और अंतरण शामिल है।
- (ii). सीएफएस आईसीडी को भेजेगए अथवा स्थानीय रूप से सुपुर्दगी लिए गए पोतातरण कटेनर पूर स्थानीयं कटेनर दर प्रभारित होगी।
- (m) खंड 3 9 क अनुसार शटआंकट प्रभार लागू होगा अगर ,
 - (क) पोत का नामाकन परिवर्तित किया जाता है अथवा
 - (ख) पहले वाला पोत बर्ध पर लगने के बाद यदि पोत-नामन बादवाले पोत से पहले वाल पोत में बदला जाता

3.5. योत घाटशुल्क के लिए प्रभार

वियरण	विदेश-गामी पोत	. तटीय पोत	
	अम \$	₹	
प्रति कंटेनर (केवल बॉक्स)			
लबाई में 20' से अधिक नहीं	1 13	28 53	
ल बाई में 20' से अधिक और 40' तक	1 70	42 91	
लबाई में 40' से अधिक	2 26	56 84	

प्रति कंटेनरयुक्त कार्गो]
लंबाई में 20' से अधिक नहीं 🖟	621 28	372 77
लबाई में 20' से अधिक और 40' तक	931 92	559 15
लबाई में 40' से अधिक -	1242 56	745 54

(i) सभी मामलों में कटेनरयुक्त कार्गों के लिए प्रभार रुपये में होगा

- (n) 'विदेश से आगमन' और 'विदेश को प्रस्थान' के मामले में कंटेनरों के लिए प्रभार डॉलर में होगा।
- (m) 'तटीय आगमन' और 'तटीय प्रस्थान' के मामले में कंटेनरों के लिए प्रभार रुपये में होगा।
- (iv) पोतघाट शुल्क आईसीडी, पोतातरण एलसीएल और एफसीएल तथा खाली कटेनरों सहित सभी कटेनरों पर प्रभारित किया जाएगा।

3 θ° एक प्रचालन के लिए जहाज के हैम्र कवर के प्रहस्तन (खोलना और बंद करना दोनों) के लिए प्रभार

विवरण	विदेश-गामी पोत	तटीय पोत	
	अम \$	₹	
क्वे पर जहाज के हैच कवर को उतारे बिना	15 82	398 57	
क्वे पर हैच कपर उतार कर	39 54	996 42	

नोट अगर केवलएक कार्यकेलाय अर्थात या तो खोलना अथवा बंद करना है तो दर का आधा प्रभार्य होगा।

3.7. पोत के भीतर कंटेनरों के अंतरण (रेस्टॉव) के लिए प्रभार

विवरण	विदेश-गामी पोत	तटीय पोत
	अम \$	₹
प्रित कंटेनर, हैच के भीतर (उतारे और पुन [,] पोतलदान किए बिना)		
- लबाई में 20' से अधिक नहीं	9 61	242 19
- लबाई में 20' से अधिक और 40' तक	14 40	362 96
- लंबाई में 40' से अधिक	19 20	483 94
प्रति कटेनर घाट से होकर (घाट पर उतार कर और पुन पोतलदान)		
- लबाई में 20 ¹ से अधिक नहीं	28 24	711 76
- लबाई में 20' से अधिक और 40' तक	42 37	1067 64
- लबाई में 40' से अधिक	56 48	1423 30

नोट रेस्टॉव कटेनर और कटेनरबद्ध कार्गो पर कोई घाटशुल्क नहीं लगाया जाएगा।

38 रीफर सबद्ध और अन्य सामान्य सेवाए

क स	वियरण	विदेश-गामी पोत	तटीय पोत	
		अम \$	₹	
(ক)	भ्रमण-पूर्व निरीक्षण (विद्युत की आपूर्ति सहित)	28 96	. 729 90	
(ख)	किसी पोत पर कर्नक्शन लगामे अथवा कर्नक्शन हटाने की सेवाए	1 93	48 66	
(ग)	कटेनर की सफाई			
	- लबाई में 20' से अधिक नहीं	1 45	36 49	
	- लबाई में 20' से अधिक और 40' तक	2 90	72 99	
	- लंबाई में 40' से अधिक	4 34	109 48	

(ঘ)	प्रति कटेनर प्रति ४ घटे की पाली अथवा उसके भाग के लिए विद्युत की आपूर्ति (कनेक्शन लगाने और कनेक्शन हटाने रीफर यार्ड में तापक्रम की मानीटरिंग समेत)		
	- लबाई में 20' से अधिक नहीं	3 11	78 30
	- लबाई में 20' से अधिक और 40' तक	4 66	117 45
	लवाई में 40' से अधिक	6 21	156 60

नोटसः

(i). उपरोक्त प्रशुल्क में पैरामीटर सेट करने अथवा रीफर के सही कार्य नहीं करने वाले रीफर की मरम्मत और अनुरक्षण शामिल नहीं है। उपरोक्त प्रमार रीफर कटेनरों के रेस्टॉव पर भी लागू है।

(॥) रीफर कटेनर का भ्रमण-पूर्व सर्वेक्षण पोत पर कनेक्शन लगाने अथवा कनेक्शन हटाने की सेवाओं और कटेनरों की सफाई वैकल्पिक सेवाए हैं और इन्हें अनुरोध करने पर ही प्रदान किया जाएगा।

शटआऊट कटेनर / कंटेनरों के पुन.नामांकन के लिए प्रभार

विवरण	विदेश-गामी पोत	तटीय पोत
	अम \$	₹
प्रति कटेनर		
- लंबाई में 20' से अधिक नही	21 46	901 31
लंबाई में 20' से अधिक और 40' तक	32 20	1352 52
- तंबाई में 40' से अधिक	42 93	1802 99

नीदस उपरोक्त प्रभार वहा लागु होंगे जहा-

u). कोई निर्यात केटेनर अथवा पोतातरण कटेनर अथवा पुन निर्यात कटेनर शटआऊट किया जाता है और

ंतत्पश्चात सीआईटीपीएल के बाहर सुपुर्द किया जाता है।

जब एक कप्टेनर एक पोत द्वारा शटआऊट किया जाता है और तत्पश्चात दूसरे पोत द्वारा उसका पोतलदान किया जाता है क्ये क्रेन द्वारा पहस्तन के लिए प्रमार के अतिरिक्त प्रमार वसूल किए जाएगे। इस मामले में खंड 3 10 के अनुसार पहली बार कटेनर प्राप्त होने के समय से कटेनर को नि शुल्क मंडारण अविधे प्रदान की जाएगी। अगर नि शुल्क मंडारण अविधे प्रदान की जाएगी। अगर नि शुल्क मंडारण अविधे पात्र हो जाती है तो भंडारण प्रमार नि शुल्क अविधे की समाप्ति के बाद से उठाए जाने के समय तक परिकलित किया जाएगा।

3:10 कटेनर के भड़ारण के लिए प्रभार

3.10.	कटनर के भंडारण के लिए प्रभार							
		ि	विदेशगामी पोत		तटीय पोत			
		प्रतिदिन अथवा उसके भाग के			प्रांतिदन अथवा उसके मोग के लिए प्रति			
क्र	<u> </u>	लिए प्रति व	हटेनर दर (अम \$ में)		कटेनर दर (₹ में)		
सं	विवरण	20' तक	20' से अधिक और 40' तक	40' से अधिक	20' तक	20' से अधिक और 40' तक	40' से अधिक	
1	आयात - एफसीएल, एलसीएल एव खाली							
	0-3 दिन	नि शुल्फ	नि शुल्क	नि शुल्क	नि शुल्क	नि शुल्क	नि शुल्क	
	4'- 15 दिन	4 83	9 65	14 48	202 75	405.50	608 25	
	्र 16 - 30 दिन ्	9 65	19 31	28 96	405 50	810 99	1216 49	
	30 दिन से आगे	1931	38 62	57 93	810 99	1621 99	2432 98	
2	निर्यात - एफसीएल, एलसीएल एव खाली							
!	0 7 दिन	नि शुल्क	नि शुल्क	नि शुल्क	नि शुल्क	नि शुल्क	नि शुल्क	
-	8 15 दिन	4 83	9 65	14 48	202 75	405 50	608 25 ·	
-	16 - 30 दिन	9 65	19 31	28 96	405 50	810.99	1216 49	

	; 30 दिन से आर्ग	19 31	38 62	57 93	810 99	1001.00	
3	आईसीडी – आयात एव निर्यात – भरे	1331	35 02	57.93	810 99	1621 99	2432 98
J	जाइसाडा – आयात एव नियात – भर				İ		ļ
	हुए एव रिक्त			<u>L</u>		,	
_	पहले 10 दिन	नि शुल्क	नि शुल्क	नि शुल्क	नि शुल्क	नि शुल्क	नि शुल्क
	11 - 30 दिन	4 83	9 65	14 48	202 75	405 50	608 25
	31 - 45 दिन	9 65	1931	28 96	405 50	810 99	1216 49
	45 दिन के आगे	19 31	38 62	57 93	810 99	1621 99	2432 98
4	पोतांतरण – भरे हुए एव रिक्त			 		<u> </u>	1
	पहले 30 दिन	नि शुल्क	नि शुल्क	नि शुल्क	नि शुल्क	नि शुल्क	नि शुल्क
	31 - 45 दिन	4 83	9 65	1,4 48	202 75	405 50	608 25
	46 - 60 दिम	9 65	19 31	28 96	405 50	810 99	1216 49
	60 दिन के बाद	19 31	38 62	57 93	810 99	1621 99	2432 98
5	शटअऊट – भरे हुए एव रिक्त						
	पहले 15 दिन	4 83	9 65	14 48	202 75	405 50	608 25
	16 - 30 दिन	9 65	19 31	28 96	405 50	810 99	1216 49
	30 दिन के बाद	19 31	38 62	57 93	810 99	1621 99	2432 98

नोट्स

- (i) कटेनर के लिए भड़ारण अवधि उतराई के दिन के बाद वाले दिन से लदान / सुपुर्दगी/ कटेनर हटाने के दिन तक मानी जाएगी।
- (ii) नि शुल्क अवधि के परिकलन के प्रयोजनार्थ रविवार सीमाशुल्क अधिसूचित अवकाश दिवस और टर्मिनल के अकार्य दिवसों को छोड़ दिया जाएगा।
- (iii) भड़ारण प्रभार उस अवधि के लिए प्रदभूत नहीं होगा। जिसके दौरान सीआईटीपीएल, प्रयोक्ता द्वारा अनुरोध करने पर कटनरों की सुपुर्दगी $\hat{\mu}$ पोतलदान करने की स्थिति में नहीं है।
- (iv) पोतातरण कटेनर को जिसकी रिथित बार्द में स्थानीय एफसीएल/एलसीएल/आईसीडी/ में परिवर्तित की जाती है रियायती भंडारण प्रभार का लाम नहीं मिलेगा। ऐसे कटेनरों के लिए भंडारण प्रभार सगत आयात कटेनर भंडारण प्रशुल्क के सममूल्य वसूल किया जाएगा।
- (v) खतरनाक कटेनर के लिए भडारण प्रभार संबंधित स्लैब के अधीन 25% अधिक होगा जैसा ऊपर दिया गया है।
- (vi) पवन चक्की के बक्सों सहित अतिविशाल आकार वाले कटेनरों के लिए मंडारण प्रभार राबधित स्लैब के अधीन संबंधित कटेनर द्वारा कब्जा किए गए ग्राउंड स्लॉट्स की वास्तविक संख्या पर आधारित होगा, जैसा ऊपर दिया गया है।
- (vii) ऊपर खड 1(i) में स्पष्ट किए गए के अनुसार यदि मान्यता प्राप्त ग्राहक कार्यक्रम (एसीपी) के अधीन सुपुर्दगी के लिए अभिप्रेत बॉक्स टर्मिनल पर उनके उत्तरने क 3 दिनों के भीतर नहीं हटाए जाते हैं तो इन बॉक्स को नामोदिष्ट एसीपी आयात चट्टा क्षेत्र से सामान्य आयात चट्टा क्षेत्र में अतरित-कर दिया जाएगा जिस मामले में लागू अतिरिक्त उटाने/रखने और/ अथवा अतरण प्रभार प्रभार्य होंगे।
- (viii) आईसीडी कटेनरों के मामले में प्रदत्त नि शुल्क अवधि और मंडारण दरें केवल रल द्वारा आईसीडी से / तक जाने वाल कटेनरों के आवागमन के लिए ही लागू होंगी।
- (ix) बाद में एलसीएल अथवा आईसीडी में परिवर्तित होने वाले सामान्य आयात कटेनरों को स्थानीय एफसीएल कटनरों पर लागू नि शुल्क अवधि का लाम मिलेगा।
- (x) किसी शट-आउट कटेनर की कुल भड़ारण अविध, उसके शट आउट होने वाले दिन के अगले दिन से आरभ हो कर पांत लदान /सुपुर्दगी के दिन तक गिनी जाएगी।
- (XI) परिव्यक्त एफसीएल कटेनरों / शिपर ओन्ड कटेनरों पर लिखित में परित्याग किये जाने की सूचना मिलने तक अथवा कटेनर के उतारे जाने की तिथि से 75 दिन तक , इनमें से जो भी पहले हो जिम्मलिखित शर्तों के अधीन , लगाया जाएगा
 - (क) प्रेषित किसी भी समय परित्याग का पत्र जारी कर सकता है।
 - (ख) यदि प्रेषिति परित्याग का ऐसा पत्र जारी नहीं करना चाहता है तो कटेनर एजेट /एमएल ओ भी निम्नलिखित शर्ता पर परित्याग का पत्रा जारी कर सकता है
 - (i) शिपिंग लाइन कार्गा के साथ कटेनर की अभिरक्षा फिर से ग्रहण करेगी और, या तो उसे वापस लेगी या पत्तन परिसर से हटाएगी।
 - (II) शिपिंग लाइन कटेनर की अभिरक्षा फिर से ग्रहण करने से पहले और कार्गों और कटेनर की पर इकटठा / जमा हुए सभी पत्तन प्रमारों का भुगतान करेगी।
 - (ग) कटेनर एजेन्ट / एमएलओ सभी आयश्यक औपचारिकताएँ पूरी करंगा और परिवहन तथा खाली करने की लागत वहन करंगा । अनुबंधित/ निर्धारित अविध के भीतर ऐसी र्कावाई न कर पाने की स्थिति में कटेनर पर भड़ारण प्रभार उस समय तक

लगते रहेगे जब तक कि शिपिंग लाइन द्वारा कार्गों खाली करने /करवाने के लिये सभी आवश्यक कार्रवाइयाँ नहीं कर ली जाती है।

(घ) जहाँ कटेनर सीमा शुल्क अधिकारियो द्वारा अभियहित/जब्त कर लिया गया हो और उसे 75 दिनो का प्रदत्त समय सीमा के भीतर खाली न किया जा सकता हों, भड़ारण प्रमार उस तिथि से लगने रूक जाएँगे जिस तारीख को सीमा शुल्क विमाग कार्गों की मुक्ति का आदेश जारी कर देगा बशर्ते शिपिग लाइन्स सभी आवश्यक औपचारिकताएँ पूरी करे और परिवहन तथा खाली करने की लागत वहन करें । अन्यथा, अभिग्रहित/जब्त किया गया कटेनर पत्तन परिसर से सीमा शुल्क बॉडेड क्षेत्र तक शिपिंग लाइन्स /प्रेषिति द्वारा हटाया जाना चाहिय और ऐसे मामले मे भड़ारण प्रमार ऐसे हटाए जाने की तिथि से लगने बद हो जाएंगे।

निर्यात कंटेनरों के लिए ग्रांडड स्लॉटस पोत की साप्ताहिक दस्तक के लिये सात दिन के लिये और पोत की पासिक दस्तक के लिये 5

दिन आरक्षित रहेगे।

3.11. विविध प्रभार

3.11.	ावावध प्रभार	प्रति कंटेनर दर (र मैं)				
क्र सं	विवरण	लंबाई में 20' से अधिक नहीं	लबाई में 20' से अधिक तथा 40' तक	लबाई में 40' से अधिक		
(ı)	सील लगाना / हटाना	193 09	193 09	193 09		
(u)	कटेनर यार्ड में उठाना। रखना	621 28	931 92	1242 56		
(m)	टर्मिनल के मीतर अंतरण के लिए प्रभार	847 20	1270 80	1694 40		
(IV)	पीओड़ी परिवर्तन	847 20	1270 80	1694 40		
(v)	अतिरिक्त दुलाई -टर्मिनल से रेल अथवा रेल से टर्मिनल/अतिरिक्त दुलाई /परिवर्तन के लिए प्रभार	847 20	1270 80	1694 40		
(i)	कटेनर की स्थिति की रेल से सड़क में अथवा विलोमत परिवर्तन	847 20	1270 80	1694 40		
VII)	विशेष वीआईएएन के लिए प्रवेशद्वार पर निर्धारित समय के बाद टर्मिनल में आने वाले निर्यात कटेनरों के लिए प्रभार	847 20	1270 80	1694 40		
vIII)	खतरनाक स्टिकर लगाना/हटाना (प्रति कटेनर)	96 55	96 55	96 55		
(ix)	प्रति कटेनर एक द्वार खोलने का प्रभार	579 28	579 28	579 28		
(x).	दस्तावेजों को रद्द करना – प्रति ईआईआर	96 5 5	96 55	96 55		
(xi).	खतरनाक और विशाल क टेनरों की घोषणा नहीं करना । गलत घोषणा करना	2896 41	2896 41	2896 41		
(xii)	ऑन व्हील सीमाशुजल्क निरीक्षण (प्रति कटेनर)	386 19	386 19	386 19		
(xiii)	तम्बाक् के कटेनरों का धूश्रीकरण	1930 94	19 30 94	1930 94		
(xiv)	टर्मिनल के भीतर की आवागमन के लिए फोर्क लिफ्ट प्रमार (प्रति बिन बाधने के लिए)	96 55	96 5 5	96 55		

नोट्स

(i). निरस्तन प्रभार तब लागू होते हैं जब ईआईआर ग्राहकरों के अनुरोध पर निरस्त की जाती है।

(ii) "एक द्वार खोलना" प्रभार उन कटेनरों के प्रहस्तन के लिये लागू होता है जिन्हें केवल एक द्वारा खुला रखने की आवश्यकता है (जैसे प्याज) और जब दरवाजा खोलना और सुरक्षा प्रदान करना टर्मिनल में किया जाता है।

(iii). "सील लगाना" - उचित बॉटल-सील बिना रेलमार्ग। सडकमार्ग।जलमार्ग से टर्मिनल में पहुंचने वाले प्रत्येक कंटेनर पर उसे प्रवेश करने देने से पहले बॉटल-सील लगायी जाएगी। यह शिपिंग लाइन्स की लिखित सहिमत के बिना किया जाएगा। ऐसें कटेनरों की एक सूची जिन पर टर्मिनल द्वारा सील लगायी जाएगी। गई होगी सिपिंग लाइन्स को दी जाएगी।

(iv). "खतरनाक स्टिकर लगाना / हटाना" - खतरनाक कार्गों ले जाने वाले कटेनर पर "केवल एमसीओ वर्ग" दर्शाने वाला खतरनाक स्टिकर ही लगाया जाएगा। इसी प्रकार गैर-खतरनाक कार्गों ले जाने वाले कटेनर से पुराने स्टिकर हटाए जाएंगे। दानों में से प्रत्येक मामाले में ग्राहर को सीआईटीपीएल को लिखित में सूचना देनी होगी कि वह टर्मिनल क भीतर कथित/निवेदित कार्रवाई करे।

(y) औन व्हील कस्टम्स इन्सपैक्शन – किसी कटेनर का ऑन-व्हील इन्सपैक्शन ग्राहर के लिकित अनुरोध पर नामांकित (पूर्व-निर्धारित) बिंदु पर ही अनुमत किया जाएगा। कटेनर के दरवाजे सीमाशुल्क विभाग की देखरेख में ही खोले जा सकते हैं टर्मिनल के परिसर में आशिक ही सही किसी तरह की भरने / खाली करने की कार्रवाई अनुमत नहीं की जाएगी।

(vi). टर्मिनल से रेल साइंडिंग अथवा रेल साइंडिंग से टर्मिनल तक अतिरिक्त आवागमन सीआईटींपीएल द्वारा हलचल किये आईसीडी कटेनरों के लिये ही लागू होगा।

(vii) खतरनाक कटेनर की घोषणा न करना / गलत घोषणा करना - ग्राहक को आईएमसीओ नियमों के अनुसार कांगों के खतरनाक होने की घोषना करनी ही है और सीआईटीपीएल को अनुषिक खतरनाक ब्योरा प्रस्तुत करना है। उपरोक्त प्रभार कंटेनर की खतरनाक प्रकृति के बारे में केवल घोषणा न करने / गलत घोषणा करने के बारे में ही है। ऐसी घोषणा न करने /

गलत घोषणा करने से उत्पन्न परिणामों की जिम्मेदारी और तत्सबधी लागत ग्राहक की ही वहन करनी है।

कंटेनर बर्थ के साथ-साथ लगे जहाज को स्वच्छ जल की आपर्ति के लिए प्रभार 3 12

विवरण	विदेश-गामी	तटीय पोत
TO 1000	अम \$	₹
प्रति 1000 लीटर अथवा उसके माग के लिए	6 56	275 37

3.13. पोत पर क्षा-कर्फट हटाने के लिए प्रभार

प्रति 1/2 धन मीटर बोरी	
SIGN 1/2 41 TICK MIKI	₹ 225 92
	\ ZEU UZ

TARIFF AUTHORITY FOR MAJOR PORTS

NOTIFICATION

Mumbai, the 10th February, 2012

No. TAMP/51/2011-CITPL.—In exercise of the powers conferred under Section 48 of the Major Port Trusts Act, 1963 (38 of 1963), the Tariff Authority for Major Ports hereby disposes of the proposal from the Chennal International Terminals Private Limited for general revision of its Scale of Rates, as in the Order appended hereto

TARIFF AUTHORITY FOR MAJOR PORTS

Case No. TAMP/51/2011-CITPL

Chennai International Terminals Private Limited

Applicant

ORDER

(Passed on this 6th day of January, 2012)

This case relates to a proposal filed by the Chennai International Terminals Private Limited (CITPL) for general revision of Scale of Rates for its Container Terminal at Chennal Port Trust (ChPT)

- The existing Scale of Rates of the CITPL, was approved vide Order No TAMP/10/2009-CITPL dated 3 November 2010 with a validity period till 31 December 2011. As per paragraph 5 (i) (a) of the Order No TAMP/23/2003-WS dated 30 September 2008, passed by this Authority, the major port trusts and private terminals have to file their proposals by 30 June of the financial year in which the tariff revision falls due along with the actuals upto the previous financial year. Since the review of the tariff of the CITPL fixed in November 2010 fell due in the year 2011-12, the CITPL was required to file its proposal by 30 June 2011. Since we did not hear from the CITPL, the CITPL was advised to file its proposal immediately vide our letter dated 15 July 2011
- . In response, the CITPL vide its letter dated 21 July 2011 citing difficulties in estimating volumes and operating cost sought time till 30 September 2011 to file its proposal. The CITPL was, therefore, granted time till 30 September 2011 for filing its proposal as per clause 3 1 3 of the tariff guidelines of March 2005 vide our letter dated 12 August 2011
- In this backdrop, the CITPL vide its letter dated 14 October 2011 filed its proposal for general revision of its Scale of Rates
- The main points made by the CITPL in its proposal are summarized below
 - .Chennai Port Trust (ChPT) entered into a License Agreement in March 2007 with (1). CITPL for development of container terminal at Chennai Port on Build-Own-Transfer (BOT) basis for a period of 30 years. The project comprises of construction of berths having total quay length of 832 metres with a basin depth of 15.5 metres yard space of 3.50.000 sq metres and providing equipment for handling containers at the terminal
- The berth will be utilized to handle different types and sizes of ships including fully **(a)** loaded panamax and super-post-panamax vessels. The terminal commenced

operations from 22 September 2009, with the first set of minimum equipment in place. The LA provides for minimum throughput from mainline vessel from 3rd operating year onwards.

- One of the features of operation has been handling of increasing numbers of more than 20' containers. In the calendar year 2011, the box ratio stands at 0.99.
- (iv) The performance of CITPL since it began operations on 22 September 2009 till end of August 2011 is given below

		(₹	in lakhs)	
SI No	Particulars	2009 (from 22 Sep 2009)	2010	2011 (upto August)
1	Container Traffic (TEU)	20100	304752	311014
2	Income from operations	451	7082	8914
3	Operating Expenses	736	4055	3291
4	Depreciation	713	2922	1823
5	Capital Employed	61473	59057	58252
	ROCE @ 16%	2722	, 9449	9320
7	Surplus/Shortfall	-3720	-9344	-5601

- The present proposal is for fixation of tariff for three years commencing from 1 January 2012. It is envisaged to create additional facilities at the terminal to better the efficiency of the terminal over the competing terminals at Chennai, Tuticorin, NSICT etc. The neighbour terminal CCTPL had the advantage of the existence of the berths of ChPT, the lower cost of equipment and the booming traffic when it started operation. Today it cames business with a set of depreciated assets and hence it is in a much better position to support its activity profitably at lower tariff than CITPL. Hence, CITPL has to look for something other than lower tariff to compete with its neighbouring terminals.
- (vi) Shipping lines have been requesting CITPL for additional handling facility to facilitate faster evacuation / loading and quick turnaround of ships on account of the following
 - (a) Flash strikes by trailer operators leading to huge backlog of inventory and hence sluggish movement of export cargo
 - (b) Slow Import evacuation from the Port
 - (c) Long Road queue
 - (d) Inadequate gate infrastructure at the port
 - (e) Poor road conditions
- (vii) New terminals coming up around CITPL are handsomely equipped as given below
 - (a). Kattupalli with 6 QCs and 15 RTGs
 - (b) Knshnapatnam (planned) with 6 QCs and 11 RTGs
 - (c) Karaikal with 2 QCs
 - (d) Ennore (planned) with 8 QCs and 33 RTGs
 - (e) CCTPL with 8 QCs and 24 RTGs

CITPL with 3 QCs is in a very weak position to compete. The comparative strength of CITPL is its longer quay length. CITPL should use it for providing faster evacuation of containers at terminal. It requires CITPL to put up adequate container handling equipment. By deploying additional container handling equipment CITPL will ensure faster vessel tumaround as shipping lines seek to minimize the amount of time spent in ports and prefer ports with faster vessel turnaround time.

Customer satisfaction by quick tumaround of ships has, therefore, been adopted as strategy for business by CITPL. Hence, for strategic reasons and for competitive edge, CITPL needs to invest in additional equipment. It proposes to commission 4 RMQCs and 8 RTGs in the year 2012. The orders have already been placed and the cranes are expected to be commissioned in the 3rd quarter of 2012. (The additional investment to procure the said equipment is pegged at ₹246.68 Crores by the CITPL)

Normally, with box ratio of 1 35 and 7 RMQCs the terminal should have handled 1 4 million TEUs. But, lower box ratio puts a severe constraint on the capacity of terminal. With the present box ratio of 0.99, the capacity of 7 QCs would be only 1.06 million TEUs as could be seen from below.

Capacity of Berth = 0 7*24*25*365*0 99*7= 1062369 TEUs

Because of industrialization in South India, the receipt of larger boxes at the terminal is expected to continue. Hence, box ratio may not go beyond 0.99 in near future.

(XI) With the traffic increasing from expected 4,50,000 TEUs in 2011 to 10,66,163 TEUs in 2014, it is imperative to bring 4 RMQCs at the earliest. The year-wise container throughput and terminal capacity is tabulated below.

SI. No.	Particulars	2012	2013	2014
1	Terminal Capacity	758835	1062369	1062369
2	Container Traffic	585000	789750	1066163

Cranes are expected to be commissioned in later half of the year 2012 and their availability is assumed to be for half year only in 2012. Therefore, the capacity for the year 2013 is being created 6 months earlier in 2012 itself.

- In addition to buying the RMQCs and RTGs, it is planned to spend ₹3000 lakhs in civil work. As per the License Agreèment, CITPL was allotted 35.8 ha area of land However. ChPT has handed over only 28 ha till date and the balance land is under reclamation. The ChPT is expected to handover the balance land of 7.8 ha in 2012. To handle the envisaged growth in traffic, the existing storage capacity will not be adequate. Hence, to cope up with the growing volumes the balance land to be handed over by ChPT will be developed and used as container yard for storage purpose.
- (XIII) Based on the projected income, expenses (without taking into account revenue share payable to the port) and maximum permissible ROCE, the operations for the years 2009 to 2014 would result in deficit as summarized below

Particulars	2009 A	2010 A	2011 E	2012 P	2013 P	2014 P
Container Traffic	20 100	304 752	450 000	585 000	789 750	1 066 16
Income	, , 451	7 082	13,131	17,723	23 940	32 319
Operative Exps -	511	2 799	4,732	7 125	8 752	10 564
Depreciation	713	2,922	2,920	5,494	5,449	5 445
Overheads	225	1 257	1,015	1 405	1 517	1 635
Capital Employed	61473	59057	58252	80203	77922	72593
ROCE @ 16%	2722	9449	9320	12 833	12 468	11 615
Surplus/Deficit	3720	-9345	-4856	-9134	-4246	3060
Surplus/Deficit as % to Income	825%	132%	37%	-52%	-18%	9%

A - Actuals E - Estimates P - Projections

- On the basis of the present tariff, CITPL faces a deficit of ₹247.46 Crores up to December 2011. During the next three years, it will incur a deficit of ₹100.35 Crores. The tariff should be increased by ₹422.79 per TEU in order to meet the shortfall of ₹103.20 Crores. The present rate being ₹3007/- per TEU, it is requested that the tariff be revised to ₹3458/- per TEU. This will be an increase of 15% over the existing tariff.
- The financial / cost position for the years 2012 2013 and 2014 at the existing level of tariff as reflected in the consolidated income and cost statement furnished by CITPL is tabulated below

(₹ in lakhs). **Estimates** SI. **Particulars** 2013 2014 2012 No. 789750 1066163 585000 Traffic (in TEUs) 1 23940 32319 17723 Operating income 2 ~ **35**09 £19t ₽859 Operating Expenses 3 5449 5445 5494 Depreciation 4 1635 1405 1517 Overheads 5 11658 12854 12510 ROCE 6 3668 (3845)(8889)Net surplus / (deficit) after return 7 (-)16% 11% (-)50% 8 Net surplus / (deficit) as a

(-)12%

Apart from the proposed tariff increase of 15%, the CITPL has proposed many changes in the definitions, headings as well as notes prescribed under different sub-sections of its existing Scale of Rates. It has also proposed the following new tariff items as "additional charges".

percentage of operating income

Average for three years

- (a) Transportion of containers to any other Rail Head or Container Terminal within ChPT premises
- (b). Plugging / unplugging of containers
- (c) Receipt of cargo beyond cut-off time
- (d) Direct loading

9

- (e) Handling of Shoe Bin
- (f) Container cleaning charges
- (g) Weighment of trailers with / without cargo
- (h). Sub-items under 'Customs Inspection charges' pertaining to stuffing and destuffing of containers' and 'seal cutting'
- In accordance with the consultative procedure prescribed, a copy of the proposal from the CITPL was forwarded to the ChPT and also to the concerned user organizations for their comments. The comments received from ChPT were forwarded to CITPL for its comments and CITPL has not responded to the comments of ChPT till finalisation of this case.
- Based on a preliminary scrutiny of the proposal, the CITPL was requested vide our letter dated 21 November 2011 to furnish additional information / clarifications on various issues. The CITPL responded vide its letter dated 5 December 2011. The response of CITPL contained certain gaps and additional clarification / information was required from CITPL. At our request, the CITPL furnished additional clarification / information vide its letter dated 14 December 2011 and e-mail dated 16 December 2011. The queries raised and the summanised response of CITPL are juxtaposed below.

SI.	Queries raised by TAMP	Response of CITPL
SI. No. (A).	General: The tariff guidelines of March 2005 stipulate that tanff should be linked to benchmark levels of productivity. The CITPL has stated that faster evacuation / loading and quick turnaround of ships is the strategy of the CITPL.	CITPL proposes to reduce the turnaround time of vessels as a strategy to attract business through deployment of more equipment as well as improving the rate of discharge of containers by each Crane. The benchmark of 20 moves per hour is proposed to be retained because the Crane Gross Rate (CGR) that each crane can achieve depends on manpower and its
	to compete with other terminals. The CITPL has also proposed additional investment in container handling equipment and storage yard in pursuance of its strategy. However, in SI No 6 of Form-1, CITPL has stated that it envisages to maintain the present bench mark of 20 moves per hour in the future also CITPL to review the benchmark level of productivity and update the existing productivity level of	synchronisation with other logistics at the terminal. They need more time in achieving higher efficiency on continuous basis. Even other terminals have taken 2-3 years to reach benchmark CGR of 20 moves per hour. The new equipment and new operators are other reasons which will delay, higher benchmark. Notwithstanding the benchmark at 20 moves per hour, the additional equipment is expected to additionally reduce the turnaround time to 50% of the present level initially.

	20 moves per hour prescribed in	
1	the existing Scale of Rates of	
	CITPL suitably	
(11)	CITPL has stated that its pricing	As against the array of 0.00 di
""	strategy is cost based CITPL to	
	bring out the impact of the	at present level of efficiency. The terminal has a berth
	anticipated improvement in	length to accommodate 3 vessels at a time With
1	performance on the cost of	present equipment, it can deploy one QC to each vessel
1	rendening the service	and a vessel of 700 containers will need 35 hours to
		unload the containers. With the additional equipment
	,	this time will be reduced to 15 hours. The port user will
		save on the cost on account of vessel charges and
-		berthing charges at the port
(10)	CITPL to furnish the details	The details at SI No 4 being the comparison of existing
``'	required as per SI Nos 4 and 5 of	And proposed rates are furnished asserted.
	Form-1	and proposed rates are fumished separately. The
	T CHINE	details at SI No 5 are provided in Form -1 of Format B
		(The CITPL has not furnished the details of average
		cost for a typical port user before and after the tariff
		change as required at SI No 5 of Form-1 in the
		modified cost statements)
	1	1
<u> </u>		
(IV)	The annual financial implication	The details of the annual financial implications are
	(change in revenues on account	furnished below
	of tariff revision) furnished by	(₹ in lakhe)
,	CITPL at SI No 7 of Form-1 for	Sr Particulars 2011 2012 2013 2014
'	the years 2011 to 2014 is based	Tentf Category 1
1	on the revenue at the existing	[[Exyling) 13 043 13 3/3 20 /63 27 1/0]
1	level of tariff Therefore, CITPL	2 Taulf Category 2 13 843 17 639 23 834 31 050
	to furnish the annual financial	[teleposasi
	implication of the proposal on	
	account of proposed revision in	
1	tariff	
(v)	The CITPL to furnish actuals for	The CITCL has forested the
	the period from January 2011 to	The CITPL has furnished the actual financials for the
	October 2011, duly certified by a	period from January 2011 to October 2011 certified by
	Chartered Accountant CITPL to	Chartered Accountant
		(The state of the
	revise the estimates for the	(Though the CITPL has stated that the actuals figures
	remaining two months in the year	for the above period are reconciled with the cost
	2011 and the estimates for the	statement, it has not furnished any reconciliation i
	years 2012 to 2014, based on the	statement)
	actuals from January 2011 to	
	October 2011 if necessary	
(vi)	CITPL has stated that in order to	The CITPL has furnished revised Format-B. The
	meet the estimated deficit of	estimated deficit has gone up but increase in tariff is
	₹103.20 crores dunng the years	proposed at 15% over present rate Le ₹3458/- per TEU
	2012 to 2014, the tariff should be	
	increased by ₹422.79 per TEU	^
]	from the reported existing rate of	
	₹3007 per TEU According to	
]	CITPL, the proposed tariff works	1
	out to ₹3429.79 per TEU	
	whereas, it has proposed a rate	
()		
[]		
	clarify the reasons for proposing	
	higher rate	
(VII)	During the last revision of tariff at	The present proposal is based on past experience of
	CITPL which culminated into tariff	expenditure incurred in running the terminal as well as
	Order dated 3 November 2010,	the realistic appreciation of future. They are not exactly
لـــــــــا	the CITPL had filed its proposal	as were projected in 2009. The lower cost incurred in

based on certain assumptions made by it in the estimation of operating expenses and general and management overheads for the future years Since the terminal had commenced its operations only In September 2009, the figures relating to 3 months' actuals (October 2009 to December 2009) then furnished by CITPL were not sufficient to validate the estimates for the next three years, which is also recorded in paragraph 13 (iii) of the said tariff Order dated 3 November 2010 It is also recorded in the same paragraph that the financial / cost position was analysed only to ensure that continuance of existing tanff as then proposed by CITPL would not provide any advantage beyond the cost plus model envisaged by the Tanff quidelines

The estimates in the present proposal of CITPL are also seen to be based on the similar assumptions and basis adopted by it during the last revision exercise. However, it is seen that there is significant reduction in the actual expenses incurred by the terminal during the year 2010 vis-à-vis estimates relied upon during the last revision of tariff in respect of following items

SI. No.	imu o exbendenie	tien
(a)	Operating & Direct labour	218%
(b)	Maintenance labour	40%
(c)	Equipment running cost	65%
(d)	Insurance	379%
(0)	Management &	48%

In view of the above, the CITPL to review the assumptions made by it in the estimation of expenses for the future years based on the actual expenses incurred in the year 2011

It is seen from the proposal that the inflation factor considered by the CITPL for the years 2012 to 2014 is calculated on a cumulative basis starting from the year 2008 onwards. The CITPL to apply the inflation factor of 6%

(viii)

quantum terms in 2010 is primarily because of lower traffic and avoiding certain necessary expenses because of losses that the terminal was making Because of the expenence gained quite a few of estimates of operating expenses are scaled down from previous projections and are lower than the norms prescribed by TAMP for fixing upfront tariff

(a) Operating & Direct Labour

As against the requirement of 178 employees only 83 were taken. This resulted in reduction in cost. The quality of employees too was compromised as the terminal was making loss. The average pay out per person was \$2.12 lakhs p.a. lower than what was projected initially. The average cost per employee for future has, however, been based on present level of salary.

(b) Maintenance labour

The reduction in cost is on assount of lower salary to employees and lower level of manning for the operation. The average cost per employee for the projection has been based on the salary levels presently paid.

(c) Equipment running Cost

Lower Volume and lower consumption of fuel because of new equipment are the main reasons for lower operating cost. Projections are based on past trend and the consumption of both power and fuel are estimated lower than the norm prescribed by TAMP for consumption for fixing upfront tanff.

(d) Insurance

Because of losses being incurred in business some of the normal insurance covers were compromised. The projections are based on the present market realities, proper risk valuation of operation and are assessed at 0.1% for Civil works and 0.5% for equipment which is much lower than 1% provided under norm fixed by TAMP for upfront tariff.

(e) Management & Admn Overheads

Manning level was consciously kept low because the terminal was incuming loss. Projections have been based on actual manpower requirement based on level of operation and salary levels seen in past.

Financial model assumes the base cost data as prevalent in 2008 and has been escalated at 3.76% for 2009 and 2010 and 6% in subsequent years. This is a very conservative estimate of expenses and present costs compare well with costs so amved CITPL submits that costs level as at 2011 are comparable with assumptions made.

1	on the actual unit cost /	
1	expenditure for the year 2011 for	
į	projection of expenditure for the	
İ	future years 2012 to 2014	
(B)	October 1981 8 2012 10 2014	<u> </u>
(B)	Comparison of actuals vis-à-	
	vis estimates provided earlier:	
1	Clause 2.13 of the tanff	7
ĺ.	guidelines requires this Authority	
1	to review the actual physical and	
	financial performance at the end	
	of the property to a true end	
	of the prescribed tariff validity	
	period with reference to the	1
	projections relied upon at the	
-	time of fixing the prevailing tanff	
1	In this context, the CITPL to	
	claπfy/ furnish the following	
(4)	The CITE!	
(t).	The CITPL to update the figures	The CiTPL has furnished the revised Form-7 reportedly
	for the year 2011 reported in	Dased On actual figures up to October 2011 and
	Form-7 based on actual figures	estimates for the remaining two months
	up to October 2011 and	i i i i i i i i i i i i i i i i i i i
	estimates for the remaining two	
	months	
7		
(11)	The state of the s	The CITPL has furnished a statement reconciling the
	Reconciliation statement to	cost statement and the audited annual accounts for the
[reconcile the Surplus before	year 2010
	Interest and tax as given in its	[* · · · · · · · · · · · · · · · · · ·
	Cost statement and the Loss	Subsequently the CITCH and the face of the con-
	before tax as reflected in the	Subsequently, the CITPL vide its fetter dated 14
1	cudited Assert Asserts for the	December 2011 furnished a revised reconciliation
1	audited Annual Accounts for the	statement for the year 2010
	year 2010 -	<u></u>
(111)	(a) The operating income for the	The CITDL exceed the said
	(=) opcioning income for the	I THE VITE Stated that the effor has been corrected and
' '	year 2010 reported in the cost	The CITPL stated that the error has been corrected and the Operating uncome for the year 2010, as any the
	year 2010 reported in the cost	I the Operating income for the year 2010 as per the I
	year 2010 reported in the cost statements is at ₹7082 lakhs	the Operating income for the year 2010 as per the revised cost statement is ₹7750 Lakhs
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating	I the Operating income for the year 2010 as per the I
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported	I the Operating income for the year 2010 as per the I
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL	I the Operating income for the year 2010 as per the I
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under	I the Operating income for the year 2010 as per the I
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under	I the Operating income for the year 2010 as per the I
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under statement in the cost statement.	I the Operating income for the year 2010 as per the I
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under statement in the cost statement. (b) The CITPL has stated that	the Operating income for the year 2010 as per the revised cost statement is ₹7750 Lakfis
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under statement in the cost statement. (b) The CITPL has stated that the reduction in actual operating.	the Operating income for the year 2010 as per the revised cost statement is ₹7750 Lakfis Volume rebates ₹226 lakhs
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under statement in the cost statement. (b) The CITPL has stated that the reduction in actual operating income for the year 2010.	the Operating income for the year 2010 as per the revised cost statement is ₹7750 Lakfis
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under statement in the cost statement. (b) The CITPL has stated that the reduction in actual operating income for the year 2010 compared to the estimates relied.	Volume rebates, - ₹226 lakhs Discounts - ₹ 42 lakhs
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under statement in the cost statement. (b) The CITPL has stated that the reduction in actual operating income for the year 2010 compared to the estimates relied upon at the time of last revision is	Volume rebates, - ₹226 lakhs Discounts - ₹ 42 lakhs
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under statement in the cost statement. (b) The CITPL has stated that the reduction in actual operating income for the year 2010 compared to the estimates relied upon at the time of last revision is due to lower volume and rebates.	Volume rebates - ₹226 lakhs Discounts - ₹42 lakhs Total - ₹268 lakhs
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under statement in the cost statement. (b) The CITPL has stated that the reduction in actual operating income for the year 2010 compared to the estimates relied upon at the time of last revision is due to lower volume and rebates.	Volume rebates, - ₹226 lakhs Discounts - ₹ 42 lakhs
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under statement in the cost statement. (b) The CITPL has stated that the reduction in actual operating income for the year 2010 compared to the estimates relied upon at the time of last revision is due to lower volume and rebates given to initial customers. The	Volume rebates - ₹226 lakhs Discounts - ₹42 lakhs Total - ₹268 lakhs
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under statement in the cost statement. (b) The CITPL has stated that the reduction in actual operating income for the year 2010 compared to the estimates relied upon at the time of last revision is due to lower volume and rebates given to initial customers. The CITPL to quantify and furnish the	Volume rebates - ₹226 lakhs Discounts - ₹42 lakhs Total - ₹268 lakhs
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under statement in the cost statement. (b) The CITPL has stated that the reduction in actual operating income for the year 2010 compared to the estimates relied upon at the time of last revision is due to lower volume and rebates given to initial customers. The CITPL to quantify and furnish the rebates / discounts passed on to	Volume rebates - ₹226 lakhs Discounts - ₹42 lakhs Total - ₹268 lakhs
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under statement in the cost statement. (b) The CITPL has stated that the reduction in actual operating income for the year 2010 compared to the estimates relied upon at the time of last revision is due to lower volume and rebates given to initial customers. The CITPL to quantify and furnish the rebates / discounts passed on to the customers during the year.	Volume rebates - ₹226 lakhs Discounts - ₹42 lakhs Total - ₹268 lakhs
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under statement in the cost statement. (b) The CITPL has stated that the reduction in actual operating income for the year 2010 compared to the estimates relied upon at the time of last revision is due to lower volume and rebates given to initial customers. The CITPL to quantify and furnish the rebates / discounts passed on to the customers during the year 2010.	Volume rebates - ₹226 lakhs Discounts - ₹42 lakhs Total - ₹268 lakhs =========
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under statement in the cost statement. (b) The CITPL has stated that the reduction in actual operating income for the year 2010 compared to the estimates relied upon at the time of last revision is due to lower volume and rebates given to initial customers. The CITPL to quantify and furnish the rebates / discounts passed on to the customers during the year 2010.	Volume rebates Volume rebates Discounts Total CITPL already furnished the computation of income in
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under statement in the cost statement. (b) The CITPL has stated that the reduction in actual operating income for the year 2010 compared to the estimates relied upon at the time of last revision is due to lower volume and rebates given to initial customers. The CITPL to quantify and furnish the rebates / discounts passed on to the customers during the year 2010. (c) CITPL to furnish a detailed income computation for the years.	Volume rebates Volume rebates Discounts Total CITPL already furnished the computation of income in
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under statement in the cost statement. (b) The CITPL has stated that the reduction in actual operating income for the year 2010 compared to the estimates relied upon at the time of last revision is due to lower volume and rebates given to initial customers. The CITPL to quantify and furnish the rebates / discounts passed on to the customers during the year 2010. (c) CITPL to furnish a detailed income computation for the years.	Volume rebates Volume rebates Discounts Total CITPL already furnished the computation of income in the standard format as well as the supporting financial
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under statement in the cost statement. (b) The CITPL has stated that the reduction in actual operating income for the year 2010 compared to the estimates relied upon at the time of last revision is due to lower volume and rebates given to initial customers. The CITPL to quantify and furnish the rebates / discounts passed on to the customers during the year 2010. (c) CITPL to furnish a detailed income computation for the years 2010, and 2011, at the existing.	Volume rebates Volume rebates Discounts Total CITPL already furnished the computation of income in the standard format as well as the supporting financial model for its operation vide letter dated 14th Oct 2011
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under statement in the cost statement. (b) The CITPL has stated that the reduction in actual operating income for the year 2010 compared to the estimates relied upon at the time of last revision is due to lower volume and rebates given to initial customers. The CITPL to quantify and furnish the rebates / discounts passed on to the customers during the year 2010. (c) CITPL to furnish a detailed income computation for the years 2010 and 2011 at the existing tariff level for the actual traffic	Volume rebates Volume rebates Discounts Total CITPL already furnished the computation of income in the standard format as well as the supporting financial model for its operation vide letter dated 14th Oct 2011 A part of income is earned from services for which rates
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under statement in the cost statement. (b) The CITPL has stated that the reduction in actual operating income for the year 2010 compared to the estimates relied upon at the time of last revision is due to lower volume and rebates given to initial customers. The CITPL to quantify and furnish the rebates / discounts passed on to the customers during the year 2010. (c) CITPL to furnish a detailed income computation for the years 2010 and 2011 at the existing tariff level for the actual traffic handled / services provided by	Volume rebates Volume rebates Discounts Total CITPL already furnished the computation of income in the standard format as well as the supporting financial model for its operation vide letter dated 14th Oct 2011 A part of income is earned from services for which rates are denominated in USD Because of change in
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under statement in the cost statement. (b) The CITPL has stated that the reduction in actual operating income for the year 2010 compared to the estimates relied upon at the time of last revision is due to lower volume and rebates given to initial customers. The CITPL to quantify and furnish the rebates / discounts passed on to the customers during the year 2010. (c) CITPL to furnish a detailed income computation for the years 2010 and 2011 at the existing tariff level for the actual traffic handled / services provided by CITPL. The existing tariff	Volume rebates Volume rebates Discounts Total CITPL already furnished the computation of income in the standard format as well as the supporting financial model for its operation vide letter dated 14th Oct 2011 A part of income is earned from services for which rates are denominated in USD Because of change in exchange rate, the exact rupee value of rates varies and
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under statement in the cost statement. (b) The CITPL has stated that the reduction in actual operating income for the year 2010 compared to the estimates relied upon at the time of last revision is due to lower volume and rebates given to initial customers. The CITPL to quantify and furnish the rebates / discounts passed on to the customers during the year 2010. (c) CITPL to furnish a detailed income computation for the years 2010 and 2011 at the existing tariff level for the actual traffic handled / services provided by CITPL. The existing tariff considered in such computation.	Volume rebates Volume rebates Discounts Total CITPL already furnished the computation of income in the standard format as well as the supporting financial model for its operation vide letter dated 14th Oct 2011 A part of income is earned from services for which rates are denominated in USD Because of change in exchange rate, the exact rupee value of rates varies and
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under statement in the cost statement. (b) The CITPL has stated that the reduction in actual operating income for the year 2010 compared to the estimates relied upon at the time of last revision is due to lower volume and rebates given to initial customers. The CITPL to quantify and furnish the rebates / discounts passed on to the customers during the year 2010. (c) CITPL to furnish a detailed income computation for the years 2010 and 2011 at the existing tariff level for the actual traffic handled / services provided by CITPL. The existing tariff	Volume rebates Volume rebates Discounts Total CITPL already furnished the computation of income in the standard format as well as the supporting financial model for its operation vide letter dated 14th Oct 2011 A part of income is earned from services for which rates are denominated in USD Because of change in
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under statement in the cost statement. (b) The CITPL has stated that the reduction in actual operating income for the year 2010 compared to the estimates relied upon at the time of last revision is due to lower volume and rebates given to initial customers. The CITPL to quantify and furnish the rebates / discounts passed on to the customers during the year 2010. (c) CITPL to furnish a detailed income computation for the years 2010 and 2011 at the existing tariff level for the actual traffic handled / services provided by CITPL. The existing tariff considered in such computation should be linked to the rates.	Volume rebates Volume rebates Discounts Total CITPL already furnished the computation of income in the standard format as well as the supporting financial model for its operation vide letter dated 14th Oct 2011 A part of income is earned from services for which rates are denominated in USD Because of change in exchange rate, the exact rupee value of rates varies and hence, it may not be possible to prepare a linked sheet
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under statement in the cost statement. (b) The CITPL has stated that the reduction in actual operating income for the year 2010 compared to the estimates relied upon at the time of last revision is due to lower volume and rebates given to initial customers. The CITPL to quantify and furnish the rebates / discounts passed on to the customers during the year 2010. (c) CITPL to furnish a detailed income computation for the years 2010 and 2011 at the existing tariff level for the actual traffic handled / services provided by CITPL. The existing tariff considered in such computation should be linked to the rates prescribed in the existing Scale.	Volume rebates Volume rebates Discounts Total CITPL already furnished the computation of income in the standard format as well as the supporting financial model for its operation vide letter dated 14th Oct 2011 A part of income is earned from services for which rates are denominated in USD Because of change in exchange rate, the exact rupee value of rates varies and hence, it may not be possible to prepare a linked sheet
	year 2010 reported in the cost statements is at ₹7082 lakhs which is lower than the operating income of ₹7482 lakhs reported in the audited financials. CITPL to furnish the reasons for under statement in the cost statement. (b) The CITPL has stated that the reduction in actual operating income for the year 2010 compared to the estimates relied upon at the time of last revision is due to lower volume and rebates given to initial customers. The CITPL to quantify and furnish the rebates / discounts passed on to the customers during the year 2010. (c) CITPL to furnish a detailed income computation for the years 2010 and 2011 at the existing tariff level for the actual traffic handled / services provided by CITPL. The existing tariff considered in such computation should be linked to the rates.	Volume rebates Volume rebates Discounts Total CITPL already furnished the computation of income in the standard format as well as the supporting financial model for its operation vide letter dated 14th Oct 2011 A part of income is earned from services for which rates are denominated in USD Because of change in exchange rate, the exact rupee value of rates varies and hence, it may not be possible to prepare a linked sheet

This amount represents income from sale of scrap The CITPL to clamfy the CITPL: has not considered the same in the cost nature of other income to the statement. tune of ₹5 03 lakhs reported in the audited annual accounts of 2010 Also, the treatment given to this other income in the cost statement to be furnished. The détails are already given under reply to query at SI The actual operating & direct labour cost reported by CITPL for No. A (vii) above the year 2010 in the cost statement is at ₹176 lakhs as against the estimate of ₹556 lakhs considered during the last tariff order, which shows a decrease of 216% Similarly, the actual maintenance labour cost reported for the year 2010 is ₹50 lakhs as against the estimate of ₹70 lakhs, which shows a decrease of 40% The CITPL has stated that the significant reduction in the labour cost is on account of deployment of less number of manpower. It is seen that the actual number of employees deployed by CITPL towards operating & direct labour is only 83 which is 53% lower than the estimated number of 178 employees reported by CITPL and relied upon by the Authority at the estimate stage, while the reduction in actual traffic as compared to the estimated traffic for the year 2010 works out to only 11% CITPL, therefore, to furnish the reasons for significant variation in the estimation of manpower requirement at the estimate stage The revised cost statement along with proposal gives (a) In the cost statement (Form power consumption and fuel cost duly reconciled with 3B), the actual power cost for the audited accounts. Certain expenses of power were year 2010 is given as ₹207 lakhs included in fuel which is now corrected and submitted in The actual fuel cost is given as the revised proposal. ₹415 lakhs The total of these two items works out to ₹622 (Based on the unit cost of power of ₹ 8 19 per KWH and The power & fuel lakhs unit consumption of 13.46 KWH per TEU reported in expenses reported in the audited revised Form 3B, the power cost for the actual accounts for the year 2010 throughput handled during the year 2010 works out to (excluding consumption of stores ₹336 lakhs as against ₹325-lakhs reported by CITPL. & spares amounting to ₹76.15 Further, the total of power and fuel cost reported in lakhs) is ₹620 22 lakhs, resulting in overstatement of ₹2 22 lakhs in Form-3B is ₹696 lakhs whereas as per audited accounts the power & fuel expenses, excluding stores & spares the cost statement. CITPL to consumption, is ₹620 22 lakhs) reconcile the difference

Include fixed charges CITPL to furnish the details of fixed charges and the treatment given to such fixed charges in the cost statements. A	May 2010 and nent giving more ars 2010 an ent the power for the years 2 of power cost by 2010 4104194 480000/ 14400/	May 2011 It nthwise details d 2011 (upto r cost is ₹8 21 2010 and 2011 furnished by
unit electricity cost of ₹17 31 per KWH and ₹1075 per KWH reported for the years 2010 and 2011 respectively (c) The CITPL has stated that the power cost indicated in Form 3B for all the years does not include fixed charges CITPL to furnish the details of fixed charges and the treatment given to such fixed charges in the cost statements. A	May 2010 and nent giving more ars 2010 an ent the power for the years 2 of power cost by 2010 4104194 480000/ 14400/	May 2011 It nthwise details d 2011 (upto r cost is ₹8 21 2010 and 2011 t furnished by
KWH and ₹10.75 per KWH reported for the years 2010 and 2011 respectively (c) The CITPL has stated that the power cost indicated in Form 3B for all the years does not include fixed charges CITPL to furnish the details of fixed charges and the treatment given to such fixed charges in the cost statements. C	nent giving more ars 2010 an ient the power for the years 2 of power cost ow 2010 4104194 480000/ 480000/ 14400/	nthwise details d 2011 (upto r cost is ₹8 21 2010 and 2011 t furnished by 2011 (upto Oct*11)
of power cost for the y 2011 respectively (c) The CITPL has stated that the power cost indicated in Form 3B for all the years does not include fixed charges. CITPL to furnish the details of fixed charges and the treatment given to such fixed charges in the cost statements. C	2010 an ent the power for the years 2 of power cost ow 2010 4104194 21939129 4880000/	d 2011 (upto r cost is ₹8 21 2010 and 2011 furnished by
2011 respectively (c) The CITPL has stated that the power cost indicated in Form 3B for all the years does not include fixed charges. CITPL to furnish the details of fixed charges and the treatment given to such fixed charges in the cost statements. C	2010 an ent the power for the years 2 of power cost ow 2010 4104194 21939129 4880000/	d 2011 (upto r cost is ₹8 21 2010 and 2011 furnished by
(c) The CITPL has stated that the power cost indicated in Form 3B for all the years does not include fixed charges. CITPL to furnish the details of fixed charges and the treatment given to such fixed charges in the cost statements. A	pent the power for the years 2 of power cost ow 2010 21939129 4880000/ 14400/	r cost is ₹8 21 2010 and 2011 furnished by 2011 (upto Oct*11)
the power cost indicated in Form 3B for all the years does not include fixed charges. CITPL to furnish the details of fixed charges and the treatment given to such fixed charges in the cost statements. Simplication Perticulars Pertic	for the years 2 of power cost ow 2010 units) 4104194 21939129 4880000/ 14400/	2010 and 2011 furnished by 2011 (upto Oct*11)
the power cost indicated in Form 3B for all the years does not include fixed charges. CITPL to furnish the details of fixed charges and the treatment given to such fixed charges in the cost statements. **The Citter in the cost statement in Form 3b in Form 3b of the cost statement.** **The Citter in Cost statement in Form 3b in Form 3b of the cost statement in Form 3b of the cost statement in Form 3b of the cost statement in Form 3b of the cost statement in Form 3b of the cost statement in Form 3b of the cost statement in Form 3b of the cost statement in Form 3b of the cost statement in Form 3b of the cost statement in Form 3b of the cost statement in Form 3b of the cost statement in Form 3b of the cost statement in Form 3b of the cost statement in Form 3b of the cost statement in Form 3b of the cost statement in Form 3b of the cost statement in Form 3b of the cost statement in Form 3b of the cost works out to ₹420 lakhs. Citrpl to reconcile the difference. **The Citrpl has stated that power cost hence needs purpose of cost statement in Form 3b of the cost statement in Form 3b of the cost statement in Form 3b of \$100 in Form 3b of \$1	of power cost 2010 units) 4104194 21939129 4860000/ 14400/	2011 (upto Oct*11)
and for all the years does not include fixed charges CITPL to furnish the details of fixed charges and the treatment given to such fixed charges in the cost statements. A	2010 2010 4104194 21939129 486000/ 14400/	2011 (upto Oct'11)
include fixed charges CITPL to furnish the details of fixed charges and the treatment given to such fixed charges in the cost statements. A	2010 units) 4104194 21939129 486000/ 14400/	(upto Oct'11)
furnish the details of fixed charges and the treatment given to such fixed charges in the cost statements. A	21939129/ 4860000/ 14400/	(upto Oct'11)
charges and the treatment given to such fixed charges in the cost statements. A Electricity consumption jin B Electricity cost statements. A Electricity cost statement in variable charges (1) A Variable charges (1) A Meter Peart (2) Fixed charges (1) Meter Peart (2) Electrocity Tax (2) 5% (1) Service charges (2) 20% (2) Total charges (2) 20% (3) Total charges (2) 20% (3) Total charges (2) 20% (3) Total charges (2) 20% (3) Total charges (1) A Electricity consumption jin 9 Electricity cost statement variable charges (1) Meter Peart (2) Electrocity cost (2) Fixed charges (1) Meter Peart (2) Electrocity cost (2) Fixed charges (1) Meter Peart (2) Electrocity cost (2) Fixed charges (1) Meter Peart (2) Electrocity cost (2) Fixed charges (1) Meter Peart (2) Fixed charges (1) Meter Peart (2) Total charges (2) 20% (2) Total	21939129/ 486000/ 14400/	Oct'11)
to such fixed charges in the cost statements. Service charges (?)	21939129/ 486000/ 14400/	
statements. Statements St	4860000/ 14400/	
Fixed charges (f) Motor Pent (f) Electrory Tax @ 5% (f) Service charges @ 20% (f) Total charges & 20% (f) Total charges & 20% (f) Total charges & 20% (f) Tot	4860000/ 14400/	
Meler Pent (1) Electorly Tax ② 5% (1) Service charges ② 20% (1) Total cherges	14400/	
C Service charges @ 20% Service charges @ 20% Total charges C Average unit cost (Br A) D Treffic handled (In TEUs) E Consumption per TEU units The CITPL has stated that power cost hence needs power less power less power less power less		
Service charges @ 20% (C Total charges C Average unit cost (B7 A) (N) D Traffic handled (in TEUs) E Consumption per TEU units	1264313/	12000/
Total charges C Average unit cost (D/A) (The first handled (in TEUs) E Consumption per TEU units The CITPL has stated that power cost hence needs purpose of cost statement prepared (The cost statement prepared (The cost statement) (d) The actual fuel cost for the year 2010 is given as ₹415 takhs in Form 3B of the cost statement When calculated with the unit rate of ₹40 per litre and consumption of 3 45 litres per TEU for actual throughput for the year 2010, as stated in the Form, the fuel cost works out to ₹420 lakhs CITPL to reconcile the difference. (vi) The actual repairs & maintenance expenses as per audited financials is ₹178.83 lakhs CITPL to reconcile the difference (vii) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers,	5615568/-	
D Treffe handled (in TEUs) E Consumption per TEU units The CITPL has stated that power cost hence needs purpose of cost statement prepared (The cost statement prepared (The cost statement prepared (The cost statement prepared (The cost statement) (d) The actual fuel cost for the year 2010 is given as ₹415 lakhs in Form 3B of the cost statement When calculated with the unit rate of ₹40 per litre and consumption of 3 45 litres per TEU for actual throughput for the year 2010, as stated in the Form, the fuel cost works out to ₹420 lakhs CITPL to reconcile the difference. (vi) The actual repairs & maintenance expenses as per audited financials is ₹178.83 lakhs CITPL to reconcile the difference (vii) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers,	33893409/	
The CITPL has stated that power cost hence needs purpose of cost statement prepared (The cost statement) (d) The actual fuel cost for the year 2010 is given as ₹415 takhs in Form 3B of the cost statement When calculated with the unit rate of ₹40 per litre and consumption of 3 45 litres per TEU for actual throughput for the year 2010, as stated in the Form, the fuel cost works out to ₹420 lakhs CITPL to reconcile the difference. (vi) The actual repairs & maintenance expenses as per audited financials is ₹178.83 lakhs CITPL to reconcile the difference (vii) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers,	8 21	8 72
The CITPL has stated that power cost hence needs purpose of cost statement prepared (The cost statement) (d) The actual fuel cost for the year 2010 is given as ₹415 lakhs in Form 3B of the cost statement When calculated with the unit rate of ₹40 per litre and consumption of 3 45 litres per TEU for actual throughput for the year 2010, as stated in the Form, the fuel cost works out to ₹420 lakhs CITPL to reconcile the difference. (vi) The actual repairs & maintenance expenses as per audited financials is ₹178.83 lakhs CITPL to reconcile the difference (vii) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers,	394762	399909
Colored Col	13 467	10 997
Colored Col		
(d) The actual fuel cost for the year 2010 is given as ₹415 lakhs in Form 3B of the cost statement When calculated with the unit rate of ₹40 per litre and consumption of 3.45 litres per TEU for actual throughput for the year 2010, as stated in the Form, the fuel cost works out to ₹420 lakhs CITPL to reconcile the difference. (vi) The actual repairs & maintenance expenses for the year 2010 is reported in Form 3B as ₹207. lakhs whereas the repairs & maintenance expenses as per audited financials is ₹178.83 lakhs CITPL to reconcile the difference. (vii) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers,	fixed cost is a	an element of
(d) The actual fuel cost for the year 2010 is given as ₹415 lakhs in Form 3B of the cost statement When calculated with the unit rate of ₹40 per litre and consumption of 3.45 litres per TEU for actual throughput for the year 2010, as stated in the Form, the fuel cost works out to ₹420 lakhs CITPL to reconcile the difference. (vi) The actual repairs & maintenance expenses for the year 2010 is reported in Form 3B as ₹207. lakhs whereas the repairs & maintenance expenses as per audited financials is ₹178.83 lakhs CITPL to reconcile the difference. (vii) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers,	to be consid	lered for the
(d) The actual fuel cost for the year 2010 is given as ₹415 lakhs in Form 3B of the cost statement When calculated with the unit rate of ₹40 per litre and consumption of 3 45 litres per TEU for actual throughput for the year 2010, as stated in the Form, the fuel cost works out to ₹420 lakhs CITPL to reconcile the difference. (vi) The actual repairs & maintenance expenses for the year 2010 is reported in Form 3B as ₹207 lakhs whereas the repairs & maintenance expenses as per audited financials is ₹178.83 lakhs CITPL to reconcile the difference (vii) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers,	and according	alv statement
(d) The actual fuel cost for the year 2010 is given as ₹415 lakhs in Form 3B of the cost statement When calculated with the unit rate of ₹40 per litre and consumption of 3 45 litres per TEU for actual throughput for the year 2010, as stated in the Form, the fuel cost works out to ₹420 lakhs. CITPL to reconcile the difference. (vi) The actual repairs & maintenance expenses for the year 2010 is reported in Form 3B as ₹207 lakhs whereas the repairs & maintenance expenses as per audited financials is ₹178.83 lakhs. CITPL to reconcile the difference. (vii) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers.	ement fumish	ed by CITDI
(d) The actual fuel cost for the year 2010 is given as ₹415 lakhs in Form 3B of the cost statement When calculated with the unit rate of ₹40 per litre and consumption of 3 45 litres per TEU for actual throughput for the year 2010, as stated in the Form, the fuel cost works out to ₹420 lakhs CITPL to reconcile the difference. (vi) The actual repairs & maintenance expenses for the year 2010 is reported in Form 3B as ₹207 lakhs whereas the repairs & maintenance expenses as per audited financials is ₹178.83 lakhs CITPL to reconcile the difference (vii) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers,	d the fived on	of also is the
(d) The actual fuel cost for the year 2010 is given as ₹415 lakhs in Form 3B of the cost statement When calculated with the unit rate of ₹40 per litre and consumption of 3 45 litres per TEU for actual throughput for the year 2010, as stated in the Form, the fuel cost works out to ₹420 lakhs CITPL to reconcile the difference. (vi) The actual repairs & maintenance expenses for the year 2010 is reported in Form 3B as ₹207 lakhs whereas the repairs & maintenance expenses as per audited financials is ₹178.83 lakhs CITPL to reconcile the difference (vii) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers,	o the fixed co	at also in the
(d) The actual fuel cost for the year 2010 is given as ₹415 lakhs in Form 3B of the cost statement When calculated with the unit rate of ₹40 per litre and consumption of 3.45 litres per TEU for actual throughput for the year 2010, as stated in the Form, the fuel cost works out to ₹420 lakhs. CITPL to reconcile the difference. (vi) The actual repairs & maintenance expenses for the year 2010 is reported in Form 3B as ₹207 lakhs whereas the repairs & maintenance expenses as per audited financials is ₹178.83 lakhs. CITPL to reconcile the difference. (vii) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers.	эх геропеа	in the cost
year 2010 is given as ₹415 takhs in Form 3B of the cost statement. When calculated with the unit rate of ₹40 per litre and consumption of 3 45 litres per TEU for actual throughput for the year 2010, as stated in the Form, the fuel cost works out to ₹420 lakhs. CITPL to reconcile the difference. (vi) The actual repairs & maintenance expenses for the year 2010 is reported in Form 3B as ₹207 lakhs whereas the repairs & maintenance expenses as per audited financials is ₹178.83 lakhs. CITPL to reconcile the difference. (vii) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers.		
in Form 3B of the cost statement When calculated with the unit rate of ₹40 per litre and consumption of 3 45 litres per TEU for actual throughput for the year 2010, as stated in the Form, the fuel cost works out to ₹420 lakhs CITPL to reconcile the difference. (vi) The actual repairs & maintenance expenses for the year 2010 is reported in Form 3B as ₹207 lakhs whereas the repairs & maintenance expenses as per audited financials is ₹178.83 lakhs CITPL to reconcile the difference (vii) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers,	at the average	fuel cost is
When calculated with the unit rate of ₹40 per litre and consumption of 3 45 litres per TEU for actual throughput for the year 2010, as stated in the Form, the fuel cost works out to ₹420 lakhs CITPL to reconcile the difference. (vi) The actual repairs & maintenance expenses for the year 2010 is reported in Form 3B as ₹207 lakhs whereas the repairs & maintenance expenses as per audited financials is ₹178.83 lakhs CITPL to reconcile the difference (vii) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers,	el and the con	sumption per
rate of ₹40 per litre and consumption of 3 45 litres per TEU for actual throughput for the year 2010, as stated in the Form, the fuel cost works out to ₹420 lakhs CITPL to reconcile the difference. (vi) The actual repairs & maintenance expenses for the year 2010 is reported in Form 3B as ₹207 lakhs whereas the repairs & maintenance expenses as per audited financials is ₹178.83 lakhs CITPL to reconcile the difference (vii) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers,		, ,
consumption of 3 45 litres per TEU for actual throughput for the year 2010, as stated in the Form, the fuel cost works out to ₹420 lakhs CITPL to reconcile the difference. (vi) The actual repairs & maintenance expenses for the year 2010 is reported in Form 3B as ₹207 lakhs whereas the repairs & maintenance expenses as per audited financials is ₹178.83 lakhs CITPL to reconcile the difference (vii) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers,		
consumption of 3 45 litres per TEU for actual throughput for the year 2010, as stated in the Form, the fuel cost works out to ₹420 lakhs CITPL to reconcile the difference. (vi) The actual repairs & maintenance expenses for the year 2010 is reported in Form 3B as ₹207 lakhs whereas the repairs & maintenance expenses as per audited financials is ₹178.83 lakhs CITPL to reconcile the difference (vii) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers,		
TEU for actual throughput for the year 2010, as stated in the Form, the fuel cost works out to ₹420 lakhs CITPL to reconcile the difference. (vi) The actual repairs & maintenance expenses for the year 2010 is reported in Form 3B as ₹207 lakhs whereas the repairs & maintenance expenses as per audited financials is ₹178.83 lakhs CITPL to reconcile the difference (vii) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers,		
year 2010, as stated in the Form, the fuel cost works out to ₹420 lakhs CITPL to reconcile the difference. (vi) The actual repairs & maintenance expenses for the year 2010 is reported in Form 3B as ₹207 lakhs whereas the repairs & maintenance expenses as per audited financials is ₹178.83 lakhs CITPL to reconcile the difference (vii) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers.		
the fuel cost works out to ₹420 lakhs CITPL to reconcile the difference. (vi) The actual repairs & maintenance expenses for the year 2010 is reported in Form 3B as ₹207 lakhs whereas the repairs & maintenance expenses as per audited financials is ₹178.83 lakhs CITPL to reconcile the difference (vii) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers.		
lakhs CITPL to reconcile the difference. (vi) The actual repairs & maintenance expenses for the year 2010 is reported in Form 3B as ₹207 lakhs whereas the repairs & maintenance expenses as per audited financials is ₹178.83 lakhs CITPL to reconcile the difference (vii) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers.		
difference. (vi) The actual repairs & maintenance expenses for the year 2010 is reported in Form 3B as ₹207. Iakhs whereas the repairs & maintenance expenses as per audited financials is ₹178.83 lakhs. CITPL to reconcile the difference (vii) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers.		• .
(vi) The actual repairs & maintenance expenses for the year 2010 is reported in Form 3B as ₹207 lakhs whereas the repairs & maintenance expenses as per audited financials is ₹178.83 lakhs CITPL to reconcile the difference (vii) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers,		· .
maintenance expenses for the year 2010 is reported in Form 3B as ₹207 lakhs whereas the repairs & maintenance expenses as per audited financials is ₹178.83 lakhs CITPL to reconcile the difference (vii) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers,		e de la companya de l
repairs & maintenance expenses for the year 2010 is reported in Form 3B as ₹207 lakhs whereas the repairs & maintenance expenses as per audited financials is ₹178.83 lakhs CITPL to reconcile the difference (VII) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers,		t .
year 2010 is reported in Form 3B as ₹207 lakhs whereas the repairs & maintenance expenses as per audited financials is ₹178.83 lakhs CITPL to reconcile the difference (VII) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers.	is submitted b	v CITPL vido
as ₹207 lakhs whereas the repairs & maintenance expenses as per audited financials is ₹178.83 lakhs CITPL to reconcile the difference (VII) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers.	ts submitted b	y CITPL vide
repairs & maintenance expenses as per audited financials is ₹178.83 lakhs CITPL to reconcile the difference (VII) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers,	er 2011, it has	revised the
as per audited financials is ₹178.83 lakhs CITPL to reconcile the difference (VII) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers,	er 2011, it has	revised the
₹178.83 lakhs CITPL to reconcile the difference (VII) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers,	er 2011, it has	revised the
reconcile the difference (VII) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers,	er 2011, it has	revised the
(vii) The estimated equipment hire charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers,	er 2011, it has	revised the
charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers, copies of the contracts enti-	er 2011, it has	revised the
charges considered in the case of CITPL was towards hiring of Reach Stackers, Prime Movers, copies of the contracts enti-	er 2011, it has	revised the
of CITPL was towards hiring of period from Jan'11 to Aug'11 Reach Stackers, Prime Movers, copies of the contracts enti-	er 2011, it has enses for the y	s revised the rear 2010 as
Reach Stackers, Prime Movers, copies of the contracts enti-	er 2011, it has enses for the y	revised the rear 2010 as
reach Stackers, Prime Movers, Copies of the contracts enti-	er 2011, it has enses for the y the break-up the year 2010	revised the rear 2010 as
	the break-up the year 2010 in the year 2010 in the year 2010	o for actual and for the
	the break-up the year 2010 in the year 2010	o for actual and for the
furnish equipment wise break-up equipment hire charges	the break-up the year 2010 in the year 2010 ered by it for the	o for actual and for the land f
IOI the actual Equipment hire tabulated below	the break-up the year 2010 in the year 2010 ered by it for the	o for actual and for the land f
charges of ₹571 lakhs reported	the break-up the year 2010 in the year 2010 ered by it for the	o for actual and for the land f
for the year 2010 and ₹445 lakhs Particulars	the break-up the year 2010 in the year 2010 ered by it for the	o for actual and for the land f
	the break-up the year 2010 in the year 20 ered by it for the furnished by	o for actual and for the land f
August 2011) in the cost	the break-up the year 2010 in the year 20 ered by it for the ers. The furnished by	o for actual and for the land f
	the break-up the year 2010 in the year 20 ered by it for the ers. The furnished by	o for actual and for the land for the land for the land for the land for the land for the land for the land for the land for the land for the land for the land land land land land land land land
statements with copies of the Container	the break-up the year 2010 in the year 20 ered by it for the ers. The furnished by	o for actual and for the land f
relevant contracts and Equipment Leese Charges	the break-up the year 2010 in the year 2010 in the year by it for the year 2010 in the year	o for actual and for the land for the land for the land for the land for the land for the land for the land for the land for the land for the land for the land land land land land land land land
L RST	the break-up the year 2010 in the year 2010 in the year by it for the year 2010 in the year	o for actual and for the land f

	documentary proof for the unit			
	rates paid	Prime Movers Hire Charges	23764929/	28197014/-
	1	Vehicle Hire Charges	3949377/-	
	1 4	Total	57106835/-	44460407/-
	.~	(The CITPL has not furn equipment hire charges mentioned in the contract	linking it with copies furnished	the unit rates ed by it)
(VIII)	(a) As reported by ChPT duning	CITPL has requested C	hennai Port T	rust vide letter
((() ()	the proceedings relating to the	dated 31 Oct 2011 to har	id over the bala	ince 78,000 Sq
	last revision of tariff at CITPL in	m. of reclaimed area bu	t it is not hand	led over so far
	the year 2010 and considered by	The additional land is ex	spected to be i	handed over by
	the Authority vide Order dated 3	Aug'2012		
1	November 2010, the area	_		
į	handed over to CITPL on 1 May			•
1	2007 comprises 60428 sq m of	_		
1	developed area and 146721 sq.		-	*.
]	m of undeveloped area. The			
ì	ChPT further stated that			
	reclaimed area to the extent of	li		
1	78,000 sq m was likely to be			
	handed over to CITPL in April			
	2010 The CITPL to inform the	د		
	exact date / month when the			
1	reclaimed land was handed over	1		
!	by ChPT to CITPL and the actual	i i		
1	extent thereof			
	(b) The CITIPL has mentioned in	The CITPL has submit	ted the revise	form-3B after
1	the cost statement (Form 3B) the	correcting the area allotte	ed by Chennail	Port Trust
	total area taken on lease from		,	
	ChPT as 126053 sq m for the			
<u> </u>	years 2010 and 2011 As stated	}		
	above, the area reportedly	`		
Ì	handed over by ChPT in May	<u>}</u>		
	2007 itself is 2,07,149 sq m			
	CITPL to revise the area reported		•	
	in Form-3B of the cost			
İ	statements with the actual area			
	allotted by ChPT	_		·
 	(c) The CITPL has reported the	Upto the year 2012,	no lease rent	is payable for
	actual lease rental for the year	reclaimed area as it is r	not handed ove	r and hence was
	2010 as ₹870 lakhs in the cost	not paid. There was a t	ypogr <mark>aphical e</mark> i	ror in form 3B or
	statement This figure is in		e figures are	corrected in the
	agreement with the lease rental			•
	expenses of ₹870 18 lakhs			
	reported in the audited accounts	II.		
1	However, on scrutiny of workings			
	furnished by CITPL for the			
	computation of lease rentals, it is			: :
1	seen that the CITPL has	I .		
	considered an area of 605 sq m			
	of developed area and 1468 sq.			
	m of undeveloped area and has			
	not considered the reclaimed			
ŀ	area of 51480 sq m for	•		
Ĭ	computation of lease rentals.	1	`	
	The CITPL to furnish a detailed			
}	working for the actual lease		~	,
	rental paid by it to the ChPT for			
-	the year 2010 duly indicating the			
L	the year 2010 duly moleaning the	<u>' </u>		

i	area and lease rental rate for	
	each category of land	
(0	. 1	t The details are already given under reply to query at Si
	reported for the year 2010 is ₹5	(I NO A (VIII) above
- 1	lakhs as against the estimate of	f
	₹273 lakhs considered during the	
1	last revision of tanff. The CITPI	
	has drawn reference to the	
1	covering fetter in the reasons fo	
	vanation column of Form-7	' •
- Í	However, the covering letter o	<u>,</u> ł
	CITPL dated 14 October 2011	
'	does not meetles and the	
	does not mention anything in this	
	regard The CITPL to furnish the	
	reason for such a steep decline) }
	in the actual insurance cost of	!
. _	2010 compared to estimates	
(x)		The estimated cost was arrived by calculating Lashing
1	expenses reported in the cost	I /UNIXXNING CORPAGE SEA ALASS LAGGE CALLERY
	statement for the year 2010	I MAIDMORE Whereas in actual the Conversions
1.	stands at ₹ 246 lakhs as againsi	for Terminals is also considered since this expense is
	the estimate of ₹121 laking	directly attributable to Direct expense. The transfer
i	considered during last revision of	the same is as follows
1.	tanff The variation works out to	45 III I I I I I I I I I I I I I I I I
	about 51% more than the	
İ	estimate The CITPL has not	=== 45 00 lakits
*	furnished any reasons for the) THE OUTAKIS
	variation in expenses in this	(23 00 lakil2
	regard The CITPL to furnish the	1 otal
	reasons for variation	C., h
	12.12.13.1	Subsequently, the CITPL stated that the security
i		I dialyes are grouped under General overheads in the !
	(b) This Authority vide	projection for the future years.
ļ. ·	paragraphs No 13 (xvi) (a) to (c)	The CITPL has furnished the copies of two invoices
1	of its Order of November 2010	percenting to the month of Decian for Lashing //
		unlashing expenses and reefer monitoring expenses A
	nas considered lashing / unlashing expenses @ ₹424 per	COPY Of another invoice furnished by CITDL for I
ì		December 2010 does not mention about the nature of
		service rendered by the party
	expenses @ ₹33/- per TEU and employee transportation	
		Subsequently, the CITPL vide its letter dated 14
i	expenses at ₹13.73 lakhs per	December 2011 furnished the details of approximate
i i	annum for the year 2010 and	monthly other direct expenses based on the actual t
j	escalation at the rate of 3.76%	expenses incurred for December 2010, which is given
1	for the year 2011, under the	· peiow
İ	heading of other expenses,	A <u>Lashing</u> / inspection expenses
ļ	subject to verification with actuals	(i) Lashing expenses - ₹5.32 160/-
	dunng the next review of tanff	(₹ 20/- per unit for 26,608 units)
ļ ·	The CITPL to furnish	(ii) Container inspection charges- ₹12 64,320/-
1	documentary evidence in support	(₹50/- per unit upto 20,000 units
1 2 4	of the rates of ₹42 per TEU and	& ₹40/- per unit above 20,000 units
i I	33 per TEU considered towards	- 20000 x 50 + 6608 x 40)
	lashing / unlashing expenses and	Total Co. Science 1
	reefer maintenance expenses	10tal for Dec'2010 ₹17,96,480/-
į	respectively The CITPL also to	The TEUs handled in December 2010 is 35 252 The
	furnish the actual expenses	average cost per TEU works out to ₹ 51/- per TEU
11	incurred by it towards	
	transportation of employees	B Reefer monitoring & other direct expenses
	dunng the year 2010.	
	<u> </u>	(1) 5.000/-
	\parallel	(II) Direct expenses - ₹ 4,82 500/-
		(security, water expenses, etc.)

=				· · · ·
_	T		Total for Dec'2010 -	₹ 5,61,485/-
	i i		The reefer monitoring and other dire	ect expenses work
i.	ļ		out to ₹5 61 lakhs per month or ₹67 la	khs per annum
\vdash		The natural depresention for the	The CITPL has submitted that	the depreciation
İ	(xı)	The actual depreciation for the	considered by it towards upfront pren	num and leasehold
		year 2010 is reported at ₹2922	premium is excluded in the revised of	nst statement
ı	1	lakhs which is in agreement with	premium is excluded in the revises of	30. 30.
1		the annual accounts However, it	was a second that the CITO	has maintained the
1		is seen that the depreciation	(However, it is seen that the CITPL	and cost statement
1		considered by CITPL in the cost	same depreciation figure in the revi	sed cost statement
		statement includes amortization	also)	.].
		of upfront premium of ₹10 crores		1
1		and land lease premium of ₹6 17		
ì		crores which is also considered		1
- 1		separately in the cost statement		ļ
1		under amortization of preliminary		
1		under amortization of premimary		1
1		expenses / upfront premium,		l l
1		which appears to be double	-	
- 1		counting of this item. The CITPL	,,	·
١		to exclude the depreciation		
1		considered by it towards upfront	1	· '
-1		premium and leasehold premium	ļ	. -
ļ		in the cost statement.		The CITP!
Ì	(XB)	The actual Administration and	Already replied under SI No A (VII) above The CLIPL
- 1	(,,,,	Management overheads reported	has furnished the actual number	of employees and
ŀ		for the year 2010 is at ₹256 lakhs	actual average salary incurred by it	dunng the year 2010
7.		as against ₹375 lakhs considered	towards Administration and Manage	ment overheads
i.		at the estimate stage. This	ł.	1
	í	Authority vide paragraph No 13		
			•	1
•			1	•
		November 2010, relied upon the		
	!	number of employees and	1	
	i	average annual salary	l .	ľ
		considered by CITPL for		•
		Administration, Finance and	1	
	i	Managenal category employees,	İ	
	<	subject to verification of actuals	•	- [
	1	in the next review of its tariff.		
	l .	which was the only item	내	
	1	considered under Administration	i	
	1	& Management overheads in the	• [' . ,
		cost statement The CITPL to)	1
	1	furnish the actual number of	f	\.
	{	employees and actual average	,	
		salary incurred by it during the		· }
	1	year 2010, duly reconciling with		· .
	1	the expenses of ₹256 lakhs		
			1	- 1
		reported in the cost statement		
	(XIII	The actual general overhead	*	
	1	reported in the cost statement fo	rţ	ì
	1	the year 2010 is ₹910 lakhs a	5	
	1	against ₹367 lakhs considered a		1
		the estimate stage CITPL to		
	Į.	clarify the following points in thi	s	
	Ī	regard		
		(a) As recorded in paragraph 1	3 The CITPL has furnished the	break-up of general
		(xviii) (c) of its Order of		h is given below
	1	November 2010, this Authorit		
	Ţ	relied upon the estimate		Amount
	1	furnished by CITPL for the year	·s	(₹ in lakhs)
			Advertisement	3 43
	1	2010 and 2011 subject t	<u>~ </u>	

}	verification of actuals in the next		
-	review of its tariff. The CITPL to	Business Promotion	
	furnish the break-up of actual	Gift & Entertainment	14 20
1	general evertends of 3040 total		0 35
	general overheads of ₹910 lakhs	Office Expense	3 43
	reported for the year 2010 and	Books & Pariodicals	0 29
	break-up of general overheads	Port Passes	2 20
1	incurred during the year 2011 up	Puje Expenses	0 14
	to October 2011	Recruitment Expense	0 42
	to October 2011	Bank Charges	284 92
		Rates & taxes	253 24
4 2		Traveling and communication expenses	38 73
	1	Legal and professional charges	335 52
1	·	Printing & Stationery	8 43
⊢ —		Total	945 30
	(b) The CITPL has stated in	The CITPL has furnished break-up	for the professional
-	Form-7 that the significant	charges for year 2010, which is give	be believe professional
1	increase in general overheads	Charges for year 2010, which is give	en delow - I
			i
	during the year 2010 was due to	Particulars	Amount
1.	higher professional and legal		া হে
	charges CITPL to clarify the	Audit / cartification	1,588,498
1 .	reasons for which it has incurred	Statutory filing fees (Returns as per	91 000
	lead and market it has inculted	Companies Act, Income-tax Act, atc.)	
	legal and professional charges to	Legal consultancy - Licence Agreemant	
	the tune of ₹335 52 lakhs during	review	218,900
	the year 2010, as reported in the	Legal consultancy - Retainership for	
	audited annual accounts and	vendor agreements, customer agreements	s I
	confirm that the expenditure	and other matters	3,164,605
	commit that the expenditure	Consultancy for ECB loan clearance &	
1 :	pertains to the terminal operated	Axis Bank loan document vetting	4,447,722
	at the ChPT	Valuation feea for loan (for asset and	T
1		equipment valuation)	2,644,025
j		Legal fees for Arbitration on licence issues	2 589 444
		and other matters with customers	_1.
1		Land measuring and survey charges	492,509
		Port consultancy (marketing consultancy	7 208 333
		including customer study website	
i		brochures and other advertising)	<u> </u>
!		Conaultancy - Terminal operations,	9 162 100
		efficiency and allied matters)	
		Air monitoring fees	68,950
· [•	Deelgn and drawing consultancy for	482,516
		software operation & sizing	
		Actuariel veluation	38,824
		Adviser charges for labour law	1 262 893
		conaultancy	
1		Provident Fund consultancy and	13 500
`		compliance	
 	(a) The CITPL has sended a	Total	33,552 317
]]	(c). The CITPL has reported an	The CITPL has furnished the detail	is of Bank charges.
1	expenditure of ₹285 lakhs during	which is tabulated below	·
$1 \cdot 1$	the year 2010 towards Bank	Particulars	Amount
j. '	Guarantee Commission paid to	·	(₹ in lakha)
·	Bank The CITPL to explain the	Bank Commission - Guarantees & Ban	k 79 40
]	nature of this symmetries and	<u>chemes</u>	
1	nature of this expenditure and	Commission to SCB for Loan	125 00
	confirm that the expenditure	Documentation/ Stamp charges	13 40
!	pertains to the terminal operated	Loan Fee to SCILL	28 14
į.	at the ChPT	Processing Fee for Loan	38 98
		Total	284 92
(xiv).	The CITPL to clarify the nature of	The exchange loss is on account of	navmente made to
	₹2 06 lakhs reported as	Overseas Vendors for Capital Goods	payments made (0
ļ : l	exchange fluctuation loss, in the	Transca removes for Capital Goods	1
		•	
] [audited accounts for the year		
لحصا	2010.		!
			

		are a second to the second sec
(xv)	THIS TOUTING THE PERSON OF THE	The CITPL has furnished the details for amortization of
	(****)	upfront premium and leasehold premium which is given
1	MOTOR EGITO MEG COMMITTEE	below Accept Current
	an amount of ₹53.90 lakhs per	Curping of assent Date put Raise of Total court degree as on dop-c
1	annum towards amortization of	Concessions to use depart of the second 11 12 20 (0 2) 0
-	upfront premium of ₹10 crores	Feb. (Induding pressure 07 03 07 3 35% 161 565 200 20 569 020 5 389 507
1.	and leasehold premium of ₹6.17	pad on old lease charges)
<u> </u>	crores paid by CITPL to ChPT,	Topper to the top to t
ì	over the project life of 30 years	PSA committee
ļ	The CITPL has considered the	TOTAL 5 562 276
	actual amortization amount for	
}	the year 2010 as ₹56 lakhs in the	
	cost statements The CITPL to	
1		
	furnish the workings for ₹56 takhs	
<u> </u>	considered by it	The CITPI furnished revised Form 4A after
(XVI)	(a) The opening gross block,	THE CITY INTO TOTAL TOTAL
1	closing gross block and closing	incorporating the opening cumulative depreciation for
1	net block of fixed assets for the	the year 2010
1	year 2010 reported in Form 4A of	
1	the cost statements do not tally	Subsequently, the CITPL furnished a statement
	with the audited annual accounts	reconciling the figures considered in Form-4A with the
1	for the year 2010 Further, the	figures reported in audited accounts for the year 2010
	opening cumulative depreciation	
-	for the year 2010 is reported as	(It is seen from the reconciliation statement that the
	'zero' which may be reviewed,	CITPL has considered an amount of ₹2876 lakhs
•	since the CITPL commenced	towards BG for duty saved amount under EPCG
	operations in September 2009	scheme in the gross block and net block of fixed assets
Ì	and claimed depreciation for 3	for the year 2010 in the cost statement (Form 4A), over
	months in the year 2009 CITPL	and above the gross block and net block figures
	to reconcile the figures with the	reported in the audited financials for the year 2010
	audited accounts	Further, it is seen that even the gross block and net
ſ	andice accessing	block figures furnished in the reconciliation statement
		did not tally with the figures considered in the Form-4A
· ·		for the year 2010)
	(b). Further, in Form-4A of the	The CITPL has furnished the revised Form 4A after
1	cost statements, the CITPL bas	incorporating the opening cumulative depreciation for
1	grouped the total assets into 3	the year 2010 and also the breakup of 3 categories, viz
		Plant & Machinery, Information Technology and Berths.
		yard & other civil construction
i	11140141101);	yalu a dulei civii consudedon
	Technology and Berths, yard &]
	other civil construction. The	
	break-up for each category of	
- -	assets in line with the list of	
l	assets shown in Fixed Assets	
ŀ	schedule of the audited annual	
1.	accounts for the year 2010 to be	
Ĭ	furnished. Such break-up for	
-	each category of assets also to	
	be furnished for the years 2011	
. L	to 2014	
	(c) With regard to the additions	
	to the gross block during the year	₹114 lakhs and adjustment of ₹309 34 lakhs, the net
Į.	2010. Form-4A depicts a	effect has been considered in the From 4A, since the
ĺ	negative, figure of ₹186 lakhs	deletion represent only exchange difference at the year
	whereas the Fixed Assets	
1	schedule of the audited accounts	
· [shows a positive figure of	
	₹114 36 lakhs Likewise, Form-	
1	4A does not show any figure with	
- 1	regard to deletions while the	
١	regard to deletions write the	<u></u>

The second and the contract of

	annual accounts shows a figure	T			
	of ₹309 24 lakhs The CITPL to				
	I clouds the acceptant				
	clarify the position				C
	(d) The annual accounts for the	CITPL has not	furnished a	DV (esponse	
	year 2010 shows an amount of			,ponico	
	₹61 69 lakhs as additions to the	(However in	the actual	financials for th	
	upfront premium of ₹10 crores	unto Octobos	ane actual	midificials for the	ne year 2011,
	The CITPL to clarify the nature of	detect 44 De-	ZUTTUTRISH	ed by the CITP	L vidè its letter
-	the expenditure	dated 14 Dec	ember 2011	, the said amo	ount has been
1.	this expenditure	shown as rec	luction from	the upfront p	remium under
j.	i · ·	deletions / a	diustments	column of the	Fixed Asset
Í		schedule and	considered	as additions ur	ider the asset
		heading 'Leas	ehold improv	/ements: \	
	(e) The CITPL has reported	The CITPL h	as fumiche	d details of ad	elia.
	additions to the gross block to the	2011 along w	ith the area	u details of ad	aillons auring
ŀ	tune of ₹300 lakhs for the year	of completion	ur ure prese	ent status with	expected date
	2011, viz ₹125 lakhs towards	or completion	i ne detail	s furnished by t	the CITPL are
	2011, VIZ (125 lakins towards	given below			*
	workshop, ₹125 lakhs towards	Summary of	fixed assets of	capitalised as at 3	1 Oct 2011
1	Equipment / mast and ₹50 lakhs	-	Particulars		Amount
	towards IT infrastructure CITPL	Diam'r a a a			(₹)
	to confirm whether the additions	Plant & Machine	<u>ry</u>		1,438,565
· [have already materialized. If so	Electrical Installa Computers	ition		256,734
	the details of the same along with	Office Equipmen			578,000
	documentary proof for actual cost	Leasehold land			143 312
	documentary proof for actual cost	Leasonoid land	Total		3,570,558
	of completion to be furnished. If	Add	TOTAL		5 987 169
1 .	not, the present status of capital	Particulars	A == - = -		
	works envisaged and the	Failuculais	Amount	Stat	us []
	documentary proof for the	Concrete Road	<u>(₹)</u> 4 742 900	Order cole d 141	·
}	estimated cost and expected		4742 300	Order released W commenced (P.C.	
	date of completion to be			25 11 2011) Exp	Acted .
	furnished			completion by 25	Dec 2011
	1.5771107100	Additional	12 500 000	Quotes received	under scrutiny
!		Reefer		for vendor evalua	ation Expected
1		structure		completion by Apr	1 2012
		Works shop	12 500 000	New Workshop	for additional
1		1		equipments Quo	tes invited from
				vendors Expected Aug 2012	o completion by
i i		IT	5 000 000	New ERP solution	P. Docusion on
		Infrastructure	0 000 000	implementation de	formed to 2012
				Expected comple	etion by Dec
100				2012	, , ,
		Total	34 742 900	-	
1		Total capex exclud	ing IT infrastruc	ture - ₹ 35 730 069	.
!!		Subsequently the	CITPL vide it	s email dated 27	December 2011
		rumisneo e copy o	of the work orda	er deted 25 Novem	iber 2011 nlaced
l i		by it for laying of c	concrete road a	it an estimated cost	l of ₹47 43 lakhis
		along with the do	cumentary pro	of for advance pa	iyment and part
		payment made by	it to the tune of	₹ 10 42 lakhs	1
		/The end date :		4	
!!		(ine additions	io the gro	ss block for th	e year 2011
1		considered in	the cost sta	itement (Form	4-A) is ₹300
		lakhs as agains	<u>t ₹35</u> 7 30 la	khs fumished at	pove)
	(f) This Authority vide paragraph	The CITPL sta	ited that the	e reclaimed are	a is not vet
	No 13 (xx) (a) of its Order of	handed over by	ChPT		
1	November 2010 considered				1
	estimated additions to the gross				j
	block amounting to ₹1275 lakhs	-			,
	in the year 2011 towards				
	development of reclamation area,				ľ
.	which was then expected to be				
	handed over by ChPT by April				
	2010 The Form-4A furnished by				`
	the CITPL does not depict any				ſ
	acplot ally				

	expenditure against this item	
}	CITPL to clarify the actual	
\	position in this regard	
 	. 4.84	This is the guarantee submitted in discharging
(XVII)		obligations under the License Agreement of holding the
Į.	considered by CITPL for the	containers within custom notified area and hence should
	years 2010 to 2014, inter-alia,	CONTRAINERS WIGHT CUSTOM Housed area and income of the
1	includes ₹610 lakhs for each of	be considered a part of working capital requirement of
1	the said years towards value of	CITPL.
	Bank Guarantee for being	
1	customs custodian for containers	
	As per norms prescribed in	,
1		
		-
1	guidelines of March 2005 read	
	with Order passed by this	
	Authority in September 2008, two	
Į.	months' estate rentals, two	
	months' terminal charges	
	payable by Indian Railways and	
	prepayments made to the	· •
	Licensor port arising out of	
	obligations as per Licence	
ľ	Agreement to the extent it is	
	otherwise permissible as pass	1
	Olliei wise permissible under	,
	through are permissible under	
	sundry debtors CITPL to justify	
	the morasion of the	1
	Guarantee value under Sundry	
	debtors in the light of the tariff	
٠ ا	guidelines	a variable de la constant de la cons
	(b). The CITPL has also	The CITPL has not considered revenue share as a part
ļ	considered the advance payment	of sundry debtors. The land lease charge and
ĺ	made / to be made by it to the	performance security payable in advance are
- 1	ChPT towards royalty / revenue	recognised as part of sundry debtors. As directed
	share under sundry debtors for	performance security has been excluded from sundry
	all the years in this regard, the	debtors
	Order of September 2008 clearly	
	stipulates that advance payment	
1	of revenue share / royalty to the	[
	landlord port will be recognised	
-	landing port will be recognised	<u> </u>
	as a part of sundry debtors only if	
	and to the extent such revenue	
	share/royalty is considered as	
-	pass through in tariff. As CITPL	
	is aware, royalty / revenue share	
·	is not an admissible item of cost	
.	in its case. Therefore, CITPL to	
1	exclude the advance payment	
!	towards royalty / revenue share	· 1
	from the value of sundry debtors	;
	for all the relevant years.	
	(c) The CITPL has considered	Current liabilities of ₹2903 lakh as per audited accounts.
· .	the value of current liabilities for	include amounts due to suppliers of capital equipment
	the year 2010 at ₹138 lakhs in	
Ι '	the computation of working	
	capital as against the actual	
	value of current liabilities	
'	reported in the audited annual	
}	accounts at ₹2903 lakhs The	
į	CITPL to justify the lower value of	
1	current liabilities considered in	
	current liabilities considered li	<u> </u>

capital (C). Financial(cost Statement): (1) Caselity The CITPL has calculated the annual berth capacity of the terminal for the years 2012 to 2014 borrowing the formula from 2008 upfront tariff guidelines However, the CITPL has considered a box ratio of 0.99, instead of the norm of 1.3 prescribed in the formula, reportedly based on the box ratio obtained during the year 2011, and thus worked out the annual capacity at 1062399 TEUs. In this context, CITPL to furrish the following: (a) Workings in support of the box ratio of 0.99 (ging details of actual numbers of different sizes of containers handled by the CITPL during the penod from January 2011 to October 2011 (b) Detailed analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 0.99 (ii). The CITPL as considered a norm of 25 moves / hour in the computation of quay capacity As stated earlier, the CITPL has stated that its strategy is to achieve quick tumaround of vessels with efficiency of terminal is aimed to be achieved through improvement in operational parameters in wey of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity on account of proposed investment of 30 crores envised during the year 2013 towards development of additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity on account of proposed investment of 30 crores envised capacity on account of proposed investment of 50 crores envised capacity on account of proposed investment of 50 crores envised capacity on account of proposed investment of 50 crores envised capacity on account of proposed investment of 50 crores envised to the capaci			
(ii) Capacity (i) The CiTPL has calculated the annual berth capacity of the terminal for the years 2012 to 2014 borrowing the formula from 2008 upfront tarinf guidelines. However, the CiTPL has considered a box ratio of 0.99, instead of the norm of 1.3 prescribed in the formula, reportedly based on the box ratio obtained during the year 2011, and thus worked out the annual capacity at 1062389 TEUs. In this context, CiTPL to furnish the following: (a) Workings in support of the box ratio of 0.99 giving details of actual numbers of different sizes of containers handled by the CITPL during the pend from January 2011 to October 2011 (b) Detailed analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 0.99 giving details of a form of 2.5 moves / hour in the computation of quay capacity As stated earlier, the CITPL has stated that its strategy is to achieve quick turnaround of vessels with efficiency improvement in operational parameters in view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than parameters in view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than parameters in view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than parameters in view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity (iii). The CITPL is requested to furnish its evisting yard capacity on account of proposed unwestment of 730 crores envisaged during the year 2013 towards development of additional yard capacity on account of proposed unvestment of 730 crores envisaged during the year 2013 towards development of additional yard capacity on account of proposed investment of 730 crores envisaged during the year 2013 towards development of additional yard capacity of the existing yard and proposed yard. See the year 2013 towards development of additio	i	the computation of working	
(ii) Capacity The CITPL has calculated the annual berth capacity of the terminal for the years 2012 to 2014 borrowing the formula from 2008 upfront tariff guidelines. However, the CITPL has considered a box ratio of 0.99, instead of the nom of 13 prescribed in the formula, reportedly based on the box ratio obtained during the year 2011, and thus worked out the annual capacity at 1062389 TEUs. In this context, CITPL to furnish the following: (a) Workings in support of the box ratio of 0.99 giving details of actual numbers of different sizes of containers handled by the CITPL during the period from January 2011 to October 2011 (b) Detailed analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 0.99 or considering a box ratio of 0.99 for considering a box r	/C)		
(ii) The CITPL has calculated the annual berth capacity of the terminal for the years 2012 to 2014 borrowing the formula from 2008 upfront tarm? guidelines However, the CITPL has considered a box ratio of 0.99, instead of the norm of 1.3 prescribed in the formula, reportedly based on the box ratio obtained during the year 2011, and thus worked out the annual capacity at 1062389 TEUs. In this context, CITPL to furnish the following: (a) Workings in support of the box ratio of 0.99 giving details of actual numbers of different sizes of containers handled by the CITPL during the penod from January 2011 to October 2011 (b) Detailed analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 0.99 (ii) The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity As stated earlier, the CITPL has stated that its strategy is to achieve quick tumaround of vessels with efficiency improvement in operational parameters. In view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity. (iii) The CITPL is requested to furnish its evisting yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings. (iii) The CITPL is requested to furnish its evisting yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings. (iii) The CITPL is requested to furnish its evisting yard and proposed yard. as given below.		Financial/Cost Statement:	
annual berth capacity of the terminal for the years 2012 to 2014 borrowing the formula from 2008 upfront tainfig indeflines However, the CITPL has considered a box ratio of 0.99, instead of the norm of 1.3 prescribed in the formula, reportedly based on the box ratio obtained during the year 2011, and thus worked cut the annual capacity at 1062399 TEUs. In this context, CITPL to firmsh the following: (a) Workings in support of the box ratio of 0.99 giving details of actual numbers of different sizes of containers handled by the CITPL during the penod from January 2011 to October 2011 (b) Detailled analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 0.99 (ii). The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity As stated earlier, the CITPL has stated earlier, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity (iii). The CITPL is requested to furnish its evisting yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged dump the year 2013 towards development of additional yard with detailed workings (iii). The CITPL is requested to furnish its evisting yard and proposed yard. as given below Yard Capacity = 0.716*H*Pi(S*D) G= Ground Slot per He =			
annual berth capacity of the terminal for the years 2012 to 2014 borrowing the formula from 2008 upfront tainfig indeflines However, the CITPL has considered a box ratio of 0.99, instead of the norm of 1.3 prescribed in the formula, reportedly based on the box ratio obtained during the year 2011, and thus worked cut the annual capacity at 1062399 TEUs. In this context, CITPL to firmsh the following: (a) Workings in support of the box ratio of 0.99 giving details of actual numbers of different sizes of containers handled by the CITPL during the penod from January 2011 to October 2011 (b) Detailled analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 0.99 (ii). The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity As stated earlier, the CITPL has stated earlier, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity (iii). The CITPL is requested to furnish its evisting yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged dump the year 2013 towards development of additional yard with detailed workings (iii). The CITPL is requested to furnish its evisting yard and proposed yard. as given below Yard Capacity = 0.716*H*Pi(S*D) G= Ground Slot per He =	(t)	The CITPL has calculated the	
terminal for the years 2012 to 2014 borrowing the formula from 2008 upfront tariff guidelines However, the CITPL has considered a box ratio of 0.99, instead of the norm of 1.3 prescribed in the formula, reportedly based on the box ratio obtained during the year 2011, and thus worked out the annual capacity at 1062369 TEUs. In this context, CITPL to furnish the following: (a) Workings in support of the box ratio of 0.99 giving details of actual numbers of different sizes of containers handled by the CITPL during the penod from January 2011 to October 2011 (b) Detailed analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 0.99 (ii) The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity As stated earlier, the CITPL has stated that its strategy is to achieve quick turnaround of vessels with efficiency improvement in operational parameters in view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity (iii) The CITPL is requested to firmlish its existing yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged dump the year 2013 towards development of additional yard dapacity of the existing yard and proposed yard. as given below Yard Capacity = 0.7°G*H*Pr(S*D) G=Ground Slot per He = 286 H= Awg Stack Height = 25. P=Penod (days) = 365 S=Surge leador = 1.3 and		annual berth capacity of the	
2014 borrowing the formula from 2008 upfront tartiff guidelines However, the CITPL has considered a box ratio of 0.99, instead of the norm of 1.3 prescribed in the formula, reportedly based on the box ratio obtained during the year 2011, and thus worked out the annual capacity at 1062369 TEUs. In this context, CITPL to furnish the following: (a) Workings in support of the box ratio of 9.9 giving details of actual numbers of different sizes of containers handled by the CITPL during the penod from January 2011 to October 2011 (b) Detailed analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 1.99 and the computation of quay capacity. As stated earlier, the CITPL has stated that its strategy is to achieve gulck turnaround of vessels with efficiency of terminal is aimed to be achieved through or vessels with efficiency of terminal is aimed to be achieved through or cranes for faster evacuation/loading. The benchmark for Gross Crane Rate (GCR) is proposed to be retained at 20 moves per hour per Quay crane than prescribed in the formula and reassess its capacity (iii). The CITPL is requested to furnish its evisting yard capacity and additional yard capacity on account of proposed investment of 730 crores envisaged during the year 2013 towards development of additional yard capacity on account of proposed investment of 730 crores envisaged during the year 2013 towards development of additional yard capacity of the existing yard and proposed yard, as given below Yard Capacity = 0.7°G*H*Pr(S*D) G = Ground Slot per He = 286 H = Awg Stack Height = 2.5. P = Penod (days) = 365. S = Surge lactor = 1.3 and		terminal for the years 2012 to	
2008 upfront tarff gudelines However, the CITPL has considered a box ratio of 0.99, instead of the norm of 1.3 prescribed in the formula, reportedly based on the box ratio obtained during the year 2011, and thus worked out the annual capacity at 1062369 TEUs. In this context, CITPL to furnish the following: (a) Workings in support of the box ratio of 0.99 giving details of actual numbers of different sizes of containers handled by the CITPL during the penod from January 2011 to October 2011 (b) Detailed analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 0.99 to 1.33 in the revised cost statements). The trend of sizes of containers is based on the Item of the computation of quay capacity considering a box ratio of 0.99 (ii)	1	2014 horrowene the formula from	
However, the CITPL has considered a box ratio of 0.99, instead of the norm of 1.3 prescribed in time formula, reportedly based on the box ratio obtained during the year 2011, and thus worked out the annual capacity at 1062369 TEUs. In this context, CITPL to furnish the following: (a) Workings in support of the box ratio of 0.99 giving details of actual numbers of different sizes of containers handled by the CITPL during the penced from January 2011 to October 2011 (b) Detailed analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 0.99 (ii). The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity. As stated earlier, the CITPL has stated that its strategy is to achieve quick turnaround of vessels with efficiency of terminal is aimed to be achieved through improvement in operational parameters in view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity (iii). The CITPL is requested to furnish its evisting yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity and additional yard capacity on account of proposed investment of 730 crores envisaged during the year 2013 towards development of additional yards development of additional yards development of additional yards development of additional yards development of additional yards development of additional yards development of additional yards development of additional yards development of additional yards development of additional yards development of additional yards development of additional yards development of additio		2014 borrowing the formula from	
considered a box ratio of 0.99, instead of the norm of 1.3 prescribed in the formula, reportedly based on the box ratio obtained during the year 2011, and thus worked out the annual capacity at 1062389 TEUs. In this context, CITPL to furnish the following: (a) Workings in support of the box ratio of 0.99 giving details of actual numbers of different sizes of containers handled by the CITPL during the penod from January 2011 to Cotober 2011 (b) Detailed analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 0.99 (ii). The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity. As stated earlier, the CITPL has a stated that its strategy is to achieve quick turnaround of vessels with efficiency improvement in operational parameters in view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane the above, the CITPL to consider lincrease in the number of moves per hour per Quay crane the above, the CITPL to consider lincrease in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity (iii). The CITPL is requested to furnish tits existing yard capacity and additional yard capacity on account of proposed investment of 730 crores envisaged during the year 2013 towards development of additional yard capacity of additional yard capacity of the existing yard and proposed investment of 730 crores envisaged during the year 2013 towards development of additional yard capacity of the existing yard and proposed yard, as given below Yard Capacity = 0.7°G*H*P/(S*D) G = Ground Slot per He = 286 H = Aws Stack Height = 2.5, P = Penod (days) = 385 S = Swreg lactor = 13 and		2006 upmont tarm guidelines	•
instead of the norm of 13 prescribed in the formula, reportedly based on the box ratio obtained during the year 2011, and thus worked out the annual capacity at 1062389 TEUS. In this context, CITPL to furnish the following: (a) Workings in support of the box ratio of 99 giving details of actual numbers of different sizes of containers handled by the CITPL during the penod from January 2011 to October 2011 (b) Detailed analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 0.99 (iii). The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity As stated earlier, the CITPL has stated that its strategy is to achieve quick turnaround of vessels with efficiency with efficiency with efficiency with efficiency improvement in operational parameters in view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane that above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity (iii). The CITPL is requested to funish its existing yard capacity on account of proposed investment of 730 crores envisaged during the year 2013 towards development of additional yard debelopment of additional yard development of additional yard with detailed workings The CITPL is requested to fund the formula and reassess its capacity on account of proposed investment of 730 crores envisaged during the year 2013 towards development of additional yard capacity on account of proposed investment of 730 crores envisaged during the year 2013 towards development of additional yard capacity of the existing yard and proposed yard, as given below Yard Capacity = 0.7°G*H*P/(S*D) G=Ground Stot per He = 286 H= AwS tack Height = 2.5, P=Penod (days) = 365 S=S*urgelactor = 13 and			*
instead of the norm of 13 prescribed in the formula, reportedly based on the box ratio obtained during the year 2011, and thus worked out the annual capacity at 1062389 TEUS. In this context, CITPL to furnish the following: (a) Workings in support of the box ratio of 99 giving details of actual numbers of different sizes of containers handled by the CITPL during the penod from January 2011 to October 2011 (b) Detailed analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 0.99 (iii). The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity As stated earlier, the CITPL has stated that its strategy is to achieve quick turnaround of vessels with efficiency with efficiency with efficiency with efficiency improvement in operational parameters in view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane that above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity (iii). The CITPL is requested to funish its existing yard capacity on account of proposed investment of 730 crores envisaged during the year 2013 towards development of additional yard debelopment of additional yard development of additional yard with detailed workings The CITPL is requested to fund the formula and reassess its capacity on account of proposed investment of 730 crores envisaged during the year 2013 towards development of additional yard capacity on account of proposed investment of 730 crores envisaged during the year 2013 towards development of additional yard capacity of the existing yard and proposed yard, as given below Yard Capacity = 0.7°G*H*P/(S*D) G=Ground Stot per He = 286 H= AwS tack Height = 2.5, P=Penod (days) = 365 S=S*urgelactor = 13 and	.	considered a box ratio of 0.99,	
prescribed in the formula, reportedly based on the box ratio obtained during the year 2011, and thus worked out the annual capacity at 1062399 TEUS. In this context, CITPL to furnish the following: (a) Workings in support of the box ratio of 0.99 giving details of actual numbers of different sizes of containers handled by the CITPL during the penod from January 2011 to October 2011 (b) Detailed analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 0.99 (iii) The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity As stated earlier, the CITPL has stated that its strategy is to achieve quick turnaround of vessels with efficiency of terminal is aimed to be achieved through reduction in turnaround time of vessels by deploying more cranes for faster evacuation/loading. The benchmark for Gross Crane Rate (GCR) is proposed to be retained at 20 moves per hour as crane discharge rise at higher efficiency on continuous basis need well trained efficient manpower and logistic synchronisation. To achieve it on sustainable basis needs more time At the benchmark level of 20 moves and box ratio of even prescribed in the formula and reassess its capacity. (iii) The CITPL is requested to furnish its existing yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard dapacity of additional yard depositional yard with detailed workings. (iii) The CITPL is requested to furnish its existing yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard capacity of the existing yard and proposed yard, as given below. (iii) The CITPL is requested to furnish its existing yard capacity of the existing yard and proposed yard, as given below.	ŀ	instead of the norm of 13	
reportedly based on the box ratio obtained during the year 2011 and thus worked out the annual capacity at 1062389 TEUs. In this context, CITPL to furnish the following: (a) Workings in support of the box ratio of 0.99 giving details of actual numbers of different sizes of containers handled by the CITPL during the penod from January 2011 to October 2011 (b) Detailed analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 0.99 (ii). The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity As stated earlier, the CITPL has stated that its strategy is to achieve quick turnaround of vessels with efficiency improvement in operational parameters in view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassessits capacity (iii). The CITPL is requested to furnish its existing yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard dapacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard apacity with detailed workings The CITPL furnished the box ratio from 0.99 to 1.33 in the revised cost statements). (It is seen that the CITPL has included in format B The CITPL has included in format B (It is seen that the CITPL has revised the box ratio from 0.99 to 1.33 in the revised cost statements). (It is seen that the CITPL has revised to for the current year. (It is seen that the CITPL has revised to sol statements.) (It is seen that the CITPL has revised the box ratio for the current year. (It is seen that the CITPL has revised to for the current year. (It is seen that the CITPL has revised to for the current year. (It is seen that the CITPL has revised to for the current year. (It is seen that the CITPL has revised to for the current year. (It is seen that the CITPL has revised to		prescribed in the formula.	
obtained during the year 2011, and thus worked out the annual capacity at 1062369 TEUs. In this context, CITPL to furnish the following: (a) Workings in support of the box ratio of 0.99 giving details of actual numbers of different sizes of containers handled by the CITPL during the penod from January 2011 to October 2011 (b) Detailed analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 0.99 (iii) The CITPL has considered a norm of 2.5 moves / hour in the computation of quay capacity As stated earlier, the CITPL has stated that its strategy is to achieve quick turnaround of vessels with efficiency of terminal is aimed to be achieved through reduction in turnaround time of vessels by deploying more cranes for faster evacuation/loading The benchmark for Gross Crane Rate (GCR) sproposed to be retained at 20 moves per hour as crane discharge rate at higher efficiency on continuous basis need well trained efficient manpower and logistic synchronisation. To achieve it on sustainable basis needs more time. At the benchmark level of 20 moves and box ratio from 0.99 to 1.33 in the revised cost statements). As already explained in reply to A (i) above, the citrple has stated that its strategy is to achieve quick turnaround of vessels with efficiency of terminal is aimed to be achieved through reduction in turnaround time of vessels by deploying more cranes for faster evacuation/loading The benchmark fevel of 20 moves per hour as crane discharge rate at higher efficiency on continuous basis need well trained efficient manpower and logistic synchronisation. To achieve it on sustainable basis needs more time. At the benchmark level of 20 moves and box ratio from 0.91 the proposed investment of \$30 crores envisaged during the visit of the proposed diversity and additional yard capacity of the existing yard and proposed yard, as given below. Yard Capacity = 0.716*H*P/(S*D) G = Ground Slot per He = 286 H = Avg Stack Height = 2.5 P = Penod (days) = 365 S = Surgel			
and thus worked out the annual capacity at 1062369 TEUs. In this context, CITPL to furnish the following: (a) Workings in support of the box ratio of 0.99 giving details of actual numbers of different sizes of containers handled by the CITPL during the penod from January 2011 to October 2011 (b) Detailed analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 0.99 (ii). The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity As stated earlier, the CITPL has stated that its strategy is to achieve quick turnaround of vessels with efficiency of terminal is aimed to be achieved through reduction in turnaround time of vessels by deploying more cranes for faster evacuation/loading. The benchmark for Gross Crane Rate (GCR) is proposed to be retained at 20 moves per hour as crane discharge fast at higher efficiency on continuous basis need well improvement in operational parameters. In view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity. (iii). The CITPL is requested to furnish its existing yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard development of additional yard with detailed workings. (iii). Service and the proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard capacity of the existing yard and proposed yard, as given below. Yard Capacity = 0.7°G*H*P/(S*D) G = Ground Slot per He = 286 H = Avg Stack Height = 2.5 P = Penod (days) = 365 S = Surge factor = 1.3 and		Obtained during the year 2011	
capacity at 1062389 TEUs. In this context, CITPL to furnish the following: (a) Workings in support of the box ratio of 0.99 giving details of actual numbers of different sizes of containers handled by the CITPL during the penod from January 2011 to October 2011 (b) Detailed analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 0.99 (ii) The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity As stated earlier, the CITPL has stated that its strategy is a stated that its strategy is a stated that its strategy is a stated that its strategy is a chieve quick turnaround of vessels with efficiency improvement in operational parameters in view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity (iii). The CITPL is requested to furnish its existing yard capacity and additional yard capacity on account of proposed investment of 30 crores envisaged during the year 2013 towards development of additional yard with detailed workings (iii). Seal that the CITPL has included in format B The CITPL has included in format B The CITPL has included in format B The CITPL has revised cost statements). (It is seen that the CITPL has revised cost statements). The trend of sizes of containers is based on the trend for the current year. As already explained in reply to A (i) above, the efficiency of terminal is aimed to be achieved through reduction in turnaround time of vessels by deploying reduction in turnaround time of vessels by deploying reduction in turnaround time of vessels by deploying reduction in turnaround time of vessels by deploying reduction in turnaround time of vessels by deploying reduction in turnaround time of vessels by deploying reduction in turnaround time of vessels by deploying reduction in turnaround time of vessels by deploying reduction in turnaround time of vessels by deploying reduction in turnaround time of vessels	j	and thus worked out the period	
this context, CITPL to furnish the following: (a) Workings in support of the box ratio of 0.99 giving details of actual numbers of different sizes of containers handled by the CITPL during the penod from January 2011 to October 2011 (b) Detailed analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 0.99 (ii). The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity. As stated earlier, the CITPL has stated that its strategy is to achieve quick turnaround of vessels with efficiency improvement in operational parameters. In view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reasses its capacity. (iii). The CITPL is requested to fumish its evisting yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings. The CITPL has included in format B The CITPL has included in format B The CITPL has revised the box ratio from 0.99 to 1.33 in the revised cost statements). (It is seen that the CITPL has revised the box ratio from 0.99 to 1.33 in the revised cost statements). The trend of sizes of containers is based on the trend of the current year. As already explained in reply to A (i) above, the efficiency of terminal is aimed to be achieved through more cranes for faster evacuation/loading. The benchmark for Gross Crane Rate (GCR) is proposed to achieve at 20 moves per hour as crane discharge rate at higher efficiency on continuous basis need well trained efficient manpower and logistic synchronisation or scheme for in sustainable basis needs more time. At the benchmark level of 20 moves and box ratio of even 1.33, the cranes will be able to discharge 163111 be able to handle 1.14 million TEUs. (iii). The CITPL is requested to fumish its evisting yard capacity and additional yard capacity on account of proposed investment of	ł	conneity of 1000000 TEVE	
(ii) The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity. As stated earlier, the CITPL has stated that its strategy is to achieve quick turnaround of vessels with efficiency improvement in operational parameters in view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity (iii) The CITPL is requested to furnish its existing yard capacity and additional yard capacity of account of proposed investment of 730 crores envisaged during the year 2013 towards development of account of proposed investment of 30 crores envisaged during the year 2013 towards development of account of proposed in vestment of the data with detailed workings The CITPL is requested to furnish its existing yard capacity and additional yard capacity on account of proposed investment of 30 crores envisaged during the year 2013 towards development of additional yard capacity on account of proposed investment of 30 crores envisaged during the year 2013 towards development of additional yard capacity on account of proposed investment of 30 crores envisaged during the year 2013 towards development of 30 crores envisaged during the year 2013 towards development of 30 crores envisaged during the year 2013 towards development of 30 crores envisaged during the year 2013 towards development of 30 crores envisaged during the year 2013 towards development of 30 crores envisaged during the year 2013 towards development of 30 crores envisaged during the year 2013 towards development of 30 crores envisaged during the year 2013 towards development of 30 crores envisaged during the year 2013 towards development of 30 crores envisaged during the year 2013 towards development of 30 crores envisaged during the year 2013 towards development of 30 crores envisaged during the year 2013 towards development of 30 crores envisaged during the year 2013 towards development of 30 crores envisaged during the year 2013 towards development of 30		Capacity at 1002369 TEUS. In	
(a) Workings in support of the box ratio of 0.99 giving details of actual numbers of different sizes of containers handled by the CITPL during the penod from January 2011 to October 2011 (b) Detailed analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 0.99 (ii) The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity. As stated earlier, the CITPL has stated that its strategy is to achieve qulck turnaround of vessels with efficiency improvement in operational parameters in view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity (iii) The CITPL is requested to fumish its existing yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings The CITPL is requested to face the formula and reasses its capacity or account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard capacity or account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard capacity or 30 crores envisaged during the year 2013 towards development of additional yard capacity or 30 crores envisaged during the year 2013 towards development of additional yard capacity or 30 crores envisaged during the year 2013 towards development of additional yard capacity or 30 crores envisaged during the year 2013 towards development of additional yard capacity or 30 crores envisaged during the year 2013 towards development of additional yard capacity or 30 crores envisaged during the year 2013 towards development of additional yard capacity or 30 crores envisaged during the year 20 crore year and year 30 crore year 30 crore y			
box ratio of 0.99 giving details of actual numbers of different sizes of containers handled by the CITPL during the penod from January 2011 to October 2011 (b) Detailed analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 0.99 (ii) The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity As stated earlier, the CITPL has stated that its strategy is to achieve qulck turnaround of vessels with efficiency improvement in operational parameters in view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity (iii) The CITPL is requested to furnish its enisting yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings (iii) The CITPL is requested to furnish its ensting yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings (iii) The CITPL is requested to furnish its envising yard capacity and additional yard capacity of \$30 crores envisaged during the year 2013 towards development of additional yard with detailed workings (iii) The CITPL is requested to furnish its envising yard capacity and additional yard capacity of \$30 crores envisaged during the year 2013 towards development of additional yard with detailed workings (iii) Seen that the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below (iii) Seen that the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below (iii) Seen that the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below	<u> </u>		
box ratio of 0.99 giving details of actual numbers of different sizes of containers handled by the CITPL during the penod from January 2011 to October 2011 (b) Detailed analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 0.99 (ii) The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity As stated earlier, the CITPL has stated that its strategy is to achieve qulck turnaround of vessels with efficiency improvement in operational parameters in view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity (iii) The CITPL is requested to furnish its enisting yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings (iii) The CITPL is requested to furnish its ensting yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings (iii) The CITPL is requested to furnish its envising yard capacity and additional yard capacity of \$30 crores envisaged during the year 2013 towards development of additional yard with detailed workings (iii) The CITPL is requested to furnish its envising yard capacity and additional yard capacity of \$30 crores envisaged during the year 2013 towards development of additional yard with detailed workings (iii) Seen that the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below (iii) Seen that the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below (iii) Seen that the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below		(a) Workings in support of the	The CITPL has included in format P
actual numbers of different sizes of containers handled by the CITPL during the penod from January 2011 to October 2011 (b) Detailed analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 0 99 (ii) The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity As stated earlier, the CITPL has stated that its strategy is to achieve quick turnaround of vessels with efficiency improvement in operational parameters in view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity (iii). The CITPL is requested to firmly and additional yard capacity and additional yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings (iii). The CITPL is requested to firmly in the control of the part of the part of the formula and reassess its capacity. (iii) The CITPL is requested to firmly in the part of the part of the formula and reasses its capacity of the part of the p		box ratio of 0.99 giving details of	Service and anomalog in forfillat D
of containers handled by the CITPL during the penod from January 2011 to October 2011 (b) Detailed analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 0.99 (ii) The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity As stated earlier, the CITPL has stated that its strategy is to achieve quick turnaround of vessels with efficiency improvement in operational parameters in view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity (iii) The CITPL is requested to fumish its existing yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings Oscillatoria (page 10 to 1.33 in the revised cost statements). The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the fefficiency of teachieval. As already explained in reply to A		actual numbers of different sizes	(It is open that the OITS) to a second of the oil of the oil of the oil of the oil oil oil oil oil oil oil oil oil oil
CITPL during the penod from January 2011 to October 2011 (b) Detailed analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 0 99 (ii) The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity. As stated earlier, the CITPL has stated that its strategy is to achieve quick turnaround of vessels with efficiency improvement in operational parameters in view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity (iii) The CITPL is requested to fumish its existing yard capacity and additional yard daditional yard with detailed workings The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. The trend of sizes of containers is based on the trend for the current year. T	1		0.00 to 4.20 = the CITPL has revised the box ratio from
(ii) Detailed analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 0.99 (iii) The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity. As stated earlier, the CITPL has stated that its strategy is to achieve quick turnaround of vessels with efficiency of terminal is aimed to be achieved through reduction in turnaround time of vessels by deploying more cranes for faster evacuation/loading. The benchmark for Gross Crane Rate (GCR) is proposed to be retained at 20 moves per hour as crane discharge rate at higher efficiency on continuous basis need well trained efficient manpower and logistic synchronisation. To achieve it on sustainable basis needs more time. At the benchmark level of 20 moves and box ratio of even 1 33, the cranes will be able to discharge 163111 containers per crane per year and 7 QCs logether will be able to handle 1 14 million TEUs. (iii) The CITPL is requested to fumish its existing yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings. (iii) Capacity 10 7 CS+PP/(S-D) G=Ground Stot per Ha = 286 H= Avg Stack Height = 2 5, P=Penod (days) = 365 S= Surge feator = 1 3 and	1	CITDL duffer the named (see	0 99 to 1 33 in the revised cost statements).
(ii) Detailed analysis of trend of box ratio in the next three years, which formed the basis for considering a box ratio of 0.99 (iii) The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity As stated earlier, the CITPL has stated that its strategy is to achieve quick turnaround of vessels with efficiency improvement in operational parameters. In view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity. (iii) The CITPL is requested to fumish its existing yard capacity and additional yard development of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings (iii) The CITPL is requested to fumish its existing yard capacity and additional yard development of additional yard with detailed workings (iii) The CITPL is requested to fumish its existing yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings (iii) The consider in the formula and reasses its capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings (iii) The consider in the current year. The trend of sizes of containers is based on the trend for the current year. As already explained in reply to A (i) above, the efficiency of terminal is aimed to be achieved through reduction in turnaround time of vessels by deploying more cranes for faster evacuation/loading. The benchmark for Gross Crane Rate (GCR) is proposed to be retained at 20 moves per hour as crane discharge rate at higher efficiency on continuous basis needs more time. At the benchmark level of 20 moves and box ratio of even 13 31, the cranes will be able to discharge the benchmark level of 20 moves and box ratio of even 13 31 to achieve it on sustainable basis needs more time. At the benchmark level of 20 moves and box ratio	1	transport 2011	
box ratio in the next three years, which formed the basis for considering a box ratio of 0.99 (ii) The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity. As stated earlier, the CITPL has stated that its strategy is to achieve quick turnaround of vessels with efficiency improvement in operational parameters. In view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity and additional yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings for the current year. As already explained in reply to A (i) above, the efficiency of terminal is aimed to be achieved through reduction in turnaround time of vessels by deploying more cranes for faster evacuation/loading. The benchmark for Gross Crane Rate (GCR) is proposed to be retained at 20 moves per hour as crane discharge rate at higher efficiency on continuous basis need well trained efficient manpower and logistic synchronisation. To achieve it on sustainable basis needs more time. At the benchmark level of 20 moves and box ratio of even 1.33, the cranes will be able to discharge 163111 containers per crane per year and 7 QCs logether will be able to handle 1.14 million TEUs. (iii) The CITPL is requested to furnish its existing yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings. (iii) Subsequently, the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below. Yard Capacity = 0.7*G*H*P/(S*D) G=Ground Stot per Ha = 286 H= Avg Stack Height = 2.5, P=Penod (days) = 365 S=Surge factor = 1.3 and			
which formed the basis for considering a box ratio of 0.99 (ii). The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity. As stated earlier, the CITPL has stated earlier, the CITPL has stated that its strategy is to achieve quick turnaround of vessels with efficiency of vessels with efficiency of vessels with efficiency of vessels with efficiency of vessels with efficiency of vessels with efficiency of vessels with efficiency of vessels with efficiency of vessels with efficiency of vessels with efficiency of vessels with efficiency of vessels with efficiency of vessels with efficiency of vessels with efficiency of vessels with efficiency of vessels with efficiency of vessels with efficiency of vessels by deploying more cranes for faster evacuation/loading. The benchmark for Gross Crane Rate (GCR) is proposed to be retained at 20 moves per hour as crane discharge rate at higher efficiency on continuous basis need well trained efficient manpower and logistic synchronisation. To achieve it on sustainable basis needs more time. At the benchmark level of 20 moves and box ratio of even in 33, the cranes will be able to discharge 163111 containers per crane per year and 7 QCs logether will be able to handle 1.14 million TEUs. (iii). The CITPL is requested to furnish its existing yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings. (iii). Subsequently, the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below. Yard Capacity = 0.7*G*H*P/(S*D) G = Ground Stot per He = 286 H = Avg Stack Height = 2.5, P = Penod (days) = 365 S = Surge factor = 1.3 and	1	(D) Detailed analysis of trend of	The trend of sizes of containers is based on the trend
which formed the basis for considering a box ratio of 0.99 (ii) The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity. As stated earlier, the CITPL has stated that its strategy is to achieve quick turnaround of vessels with efficiency improvement in operational parameters in view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity (iii) The CITPL is requested to fumish its existing yard capacity and additional yard capacity and additional yard capacity of account of proposed investment of \$30 crores envisaged during the year 2013 towards development of additional yard with detailed workings As already explained in reply to A (i) above, the efficiency of terminal is aimed to be achieved through reduction in turnaround time of vessels by deploying more cranes for faster evacuation/loading. The benchmark for Gross Crane Rate (GCR) is proposed to be retained at 20 moves per hour as crane discharge rate at higher efficiency on continuous basis need well trained efficient manpower and logistic synchronisation. To achieve it on sustainable basis needs more time At the benchmark level of 20 moves and box ratio of even 133, the cranes will be able to discharge 163111 containers per crane per year and 7 QCs logether will be able to handle 1.14 million TEUs. Present Yard Capacity 12915 Units Additional Yard Capacity 25,415 Units (Projected) Subsequently, the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below Yard Capacity = 0.7*G*H*P/(S*D) G = Ground Stot per Hs = 286 H = Avg Stack Height = 25. P = Penod (days) = 365 S = Surge factor = 1.3 and		box ratio in the next three years,	for the current year.
(ii). The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity As stated earlier, the CITPL has stated earlier, the CITPL has stated that its strategy is to achieve quick turnaround of vessels with efficiency improvement in operational parameters in view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity (iii). The CITPL is requested to furnish its existing yard capacity and additional yard capacity and additional yard capacity of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings As already explained in reply to A (i) above, the efficiency of terminal is aimed to be achieved through refliciency of terminal is aimed to be achieved through refliciency of terminal is aimed to be achieved through refliciency of terminal is aimed to be achieved through refliciency of terminal is aimed to be achieved through refliciency of terminal is aimed to be achieved through reduction in turnaround time of vessels by deploying more cranes for faster evacuation/loading The benchmark for Gross Crane Rate (GCR) is proposed to be retained at 20 moves per hour as crane discharge rate at higher efficiency on continuous basis need well trained efficient manpower and logistic synchrofitisation. To achieve it on sustainable basis needs more time At the benchmark level of 20 moves and box ratio of even 133, the cranes will be able to discharge 163111 containers per crane per year and 7 QCs logether will be able to handle 1 14 million TEUs (iii). The CITPL is requested to furnish its existing yard capacity 12500 Units (estimale) Total Yard Capacity 25,415 Units (epichery) 25,415 Units (epichery) 26,415 Units (epichery) 26,415 Units (epichery) 26,415 Units (epichery) 26,415 Units (epichery) 27,415 Units (epichery) 27,415 Units (epichery) 28,415 Units (epichery) 28,415 Units (epichery) 28,415 Units (epichery) 28,415 Units (epichery) 28,415 Units (epichery) 28		which formed the basis for	
(ii). The CITPL has considered a norm of 25 moves / hour in the computation of quay capacity As stated earlier, the CITPL has stated earlier, the CITPL has stated that its strategy is to achieve quick turnaround of vessels with efficiency improvement in operational parameters in view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity (iii). The CITPL is requested to furnish its existing yard capacity and additional yard capacity and additional yard capacity of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings As already explained in reply to A (i) above, the efficiency of terminal is aimed to be achieved through refliciency of terminal is aimed to be achieved through refliciency of terminal is aimed to be achieved through refliciency of terminal is aimed to be achieved through refliciency of terminal is aimed to be achieved through refliciency of terminal is aimed to be achieved through reduction in turnaround time of vessels by deploying more cranes for faster evacuation/loading The benchmark for Gross Crane Rate (GCR) is proposed to be retained at 20 moves per hour as crane discharge rate at higher efficiency on continuous basis need well trained efficient manpower and logistic synchrofitisation. To achieve it on sustainable basis needs more time At the benchmark level of 20 moves and box ratio of even 133, the cranes will be able to discharge 163111 containers per crane per year and 7 QCs logether will be able to handle 1 14 million TEUs (iii). The CITPL is requested to furnish its existing yard capacity 12500 Units (estimale) Total Yard Capacity 25,415 Units (epichery) 25,415 Units (epichery) 26,415 Units (epichery) 26,415 Units (epichery) 26,415 Units (epichery) 26,415 Units (epichery) 27,415 Units (epichery) 27,415 Units (epichery) 28,415 Units (epichery) 28,415 Units (epichery) 28,415 Units (epichery) 28,415 Units (epichery) 28,415 Units (epichery) 28		considering a box ratio of 0 99	
efficiency of terminal is aimed to be achieved through reduction in turnaround time of vessels by deploying more cranes for faster evacuation/loading. The benchmark for Gross Crane Rate (GCR) is proposed to be netained at 20 moves per hour as crane discharge rate at higher efficiency on continuous basis need well trained efficient manipower and logistic synchronisation. To achieve it on sustainable basis needs more time. At the benchmark level of 20 moves and box ratio of even 1 33, the cranes will be able to discharge 133, the cranes will be able to discharge 163111 containers per crane per year and 7 QCs logether will be able to handle 1 14 million TEUs. (iii). The CITPL is requested to fumish its existing yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings. Present Yard Capacity 12915 Units Additional Yard Capacity 25,415 Units (Projected) Subsequently, the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below Yard Capacity = 0.7°G*H*P/(S*D) G = Ground Slot per Ha = 286 H = Ayg Stack Height = 25, P = Penod (days) = 365 S = Surge factor = 13 and	(ii).		As already evoluted to seek to A ()
computation of quay capacity As stated earlier, the CITPL has stated that its strategy is to achieve quick turnaround of vessels with efficiency improvement in operational parameters. In view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity. The CITPL is requested to fumish its existing yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings. reduction in turnaround time of vessels by deploying more cranes for faster evacuation/loading. The benchmark for Gross Crane Rate (GCR) is proposed to be retained at 20 moves per hour as crane discharge it rained efficient manpower and logistic synchronisation. To achieve it on sustainable basis needs more time. At the benchmark level of 20 moves and box ratio of even 1.33, the cranes will be able to discharge 163111 containers per crane per year and 7 QCs logether will be able to handle 1.14 million TEUs. Present Yard Capacity 12915 Units (Projected) Present Yard Capacity 12915 Units (Projected) Subsequently, the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below Yard Capacity = 0.7°G°H°P/(S°D) G = Ground Slot per Ha = 286 H = Avg Stack Height = 2.5, P = Penod (days) = 365 S = Surge factor = 1.3 and		norm of 25 moves / hour in the	efficiency of terminal in reply to A (1) above, the
As stated earlier, the CITPL has stated that its strategy is to achieve quick turnaround of vessels with efficiency improvement in operational parameters. In view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity. (iii). The CITPL is requested to fumish its existing yard capacity and additional yard additional yard development of additional yard with detailed workings. more cranes for faster evacuation/loading The benchmark for Gross Crane Rate (GCR) is proposed to be retained at 20 moves per hour as crane discharge rate at higher efficiency on continuous basis need well trained efficient manpower and logistic synchronisation. To achieve it on sustainable basis need more time. At the benchmark level of 20 moves and box ratio of even 1.33, the cranes will be able to discharge 163111 containers per crane per year and 7 QCs logether will be able to handle 1.14 million TEUs. Present Yard Capacity 12915 Units. Additional Yard Capacity 25.415 Units (estimale). Total Yard Capacity 25.415 Units (Projected). Subsequently, the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below. Yard Capacity = 0.7*G*H*P/(S*D). G = Ground Slot per Ha = 286. H = Avg. Stack. Height = 2.5. P = Penod (days) = 365. S = Surge factor = 1.3 and.		computation of guar compute	eniciency of terminal is almed to be achieved through
stated that its strategy is to achieve quick turnaround of vessels with efficiency improvement in operational parameters in view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity (iii). The CITPL is requested to fumish its existing yard capacity and additional yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings benchmark for Gross Crane Rate (GCR) is proposed to be retained at 20 moves per hour as crane discharge rate at higher efficiency on continuous basis need well trained efficient manpower and logistic synchronisation. To achieve it on sustainable basis needs more time. At the benchmark level of 20 moves and box ratio of even 1 33, the cranes will be able to discharge 163111 containers per crane per year and 7 QCs logether will be able to handle 1 14 million TEUs. Present Yard Capacity 12915 Units Additional Yard Capacity 25,415 Units (Projected) Subsequently, the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below Yard Capacity = 0.7*G*H*P/(S*D) G = Ground Slot per Ha = 286 H = Avg Stack Height = 2.5, P = Penod (days) = 365 S = Surge factor = 1.3 and	1	As stated series the CIZOL has	reduction in turnaround time of vessels by deploying
achieve quick turnaround of vessels with efficiency improvement in operational parameters. In view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity. (iii). The CITPL is requested to furnish its existing yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings be retained at 20 moves per hour as crane discharge rate at higher efficiency on continuous basis need well trained efficient manpower and logistic synchronisation. To achieve it on sustainable basis needs more time. At the benchmark level of 20 moves and box ratio of even 1 33, the cranes will be able to discharge 163111 containers per crane per year and 7 QCs logether will be able to handle 1 14 million TEUs. Present Yard Capacity 12915 Units Additional Yard Capacity 25,415 Units (Projected) Subsequently, the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below Yard Capacity = 0.7°G°H°P/(S°D) G = Ground Slot per Ha = 286 H = Avg Stack Height = 2.5, P = Penod (days) = 365 S = Surge factor = 1.3 and		As stated earlier, the CTIPL has	more cranes for faster evacuation/loading. The
achieve quick turnaround of vessels with efficiency or deficiency or continuous basis need well trained efficient or or continuous basis need well trained efficient manpower and logistic synchronisation. To achieve it on sustainable basis needs more time. At the benchmark level of 20 moves and box ratio of even to sustainable basis needs more time. At the benchmark level of 20 moves and box ratio of even as the benchmark level of 20 moves and box ratio of even to sustain able to discharge 1331, the cranes will be able to discharge 163111 containers per crane per year and 7 QCs logether will be able to handle 1 14 million TEUs. The CITPL is requested to furnish its existing yard capacity and additional yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings. Present Yard Capacity 12915 Units (Projected) Subsequently, the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below Yard Capacity = 0.7*G*H*P/(S*D) G = Ground Slot per Ha = 286 H = Avg Stack Height = 2.5, P = Penod (days) = 365 S = Surge factor = 1.3 and			benchmark for Gross Crane Rate (GCR) is proposed to
improvement in operational parameters. In view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity. The CITPL is requested to fumish its existing yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings rate at higher efficiency on continuous basis need well trained efficient manpower and logistic synchronisation. To achieve it on sustainable basis needs more time. At the benchmark level of 20 moves and box ratio of even 133, the cranes will be able to discharge 163111 containers per crane per year and 7 QCs logether will be able to handle 1.14 million TEUs. Present Yard Capacity 12915 Units Additional Yard Capacity 25,415 Units (Projected) Total Yard Capacity 25,415 Units (Projected) Subsequently, the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below Yard Capacity = 0.7*G*H*P/(S*D) G = Ground Slot per Ha = 286 H = Avg Stack Height = 2.5, P = Penod (days) = 365 S = Surge factor = 1.3 and			be retained at 20 moves per hour as crane discharge
trained efficient manpower and logistic synchronisation parameters. In view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity. (iii) The CITPL is requested to fumish its existing yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings trained efficient manpower and logistic synchronisation. To achieve it on sustainable basis needs more time. At the benchmark level of 20 moves and box ratio of even 1 33, the cranes will be able to discharge 163111 containers per crane per year and 7 QCs logether will be able to handle 1 14 million TEUs. Present Yard Capacity 12915 Units (Additional Yard Capacity 25,415 Units (Projected) Subsequently, the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below Yard Capacity = 0.7*G*H*P/(S*D) G = Ground Stot per Ha = 286 H = Avg Stack Height = 25, P = Penod (days) = 365 S = Surge factor = 1.3 and			rate at higher efficiency on continuous basis need well
parameters in view of the above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity (iii). The CITPL is requested to furnish its existing yard capacity and additional yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings To achieve it on sustainable basis needs more time. At the benchmark level of 20 moves and box ratio of even 1 33, the cranes will be able to discharge 163111 containers per crane per year and 7 QCs logether will be able to handle 1 14 million TEUs Present Yard Capacity 12915 Units (Additional Yard Capacity 25,415 Units (Projected) Subsequently, the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below Yard Capacity = 0.7°G°H°P/(S°D) G = Ground Slot per He = 286 H = Avg Stack Height = 2.5, P = Penod (days) = 365 S = Surge factor = 1.3 and	1	improvement in operational	trained efficient mannower and logistic synchronisation
above, the CITPL to consider increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity (iii). The CITPL is requested to fumish its existing yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings (iii). The CITPL is requested to fumish its existing yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings (iii). The CITPL is requested to fumish its existing yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings (Projected) Subsequently, the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below Yard Capacity = 0.7*G*H*P/(S*D) G = Ground Slot per Ha = 286 H = Avg Stack Height = 2.5 P = Penod (days) = 365 S = Surge factor = 1.3 and		parameters In view of the	To achieve it on sustainable basis needs more time.
increase in the number of moves per hour per Quay crane than prescribed in the formula and reassess its capacity (iii). The CITPL is requested to fumish its existing yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings 1 33, the cranes will be able to discharge 163111 containers per crane per year and 7 QCs logether will be able to handle 1 14 million TEUs Present Yard Capacity 12915 Units (estimale) additional Yard Capacity 25,415 Units (Projected) Subsequently, the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below Yard Capacity = 0.7*G*H*P/(S*D) G = Ground Slot per Ha = 286 H = Avg Stack Height = 2.5, P = Penod (days) = 365 S = Surge factor = 1.3 and			the henchmark level of 20 moves and have sales of
per hour per Quay crane than prescribed in the formula and reassess its capacity (iii). The CITPL is requested to fumish its existing yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings (iii). The CITPL is requested to fumish its existing yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings (iii). Present Yard Capacity 12915 Units (estimale) Total Yard Capacity 25,415 Units (Projected) Subsequently, the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below Yard Capacity = 0.7°G*H*P/(S*D) G = Ground Slot per Ha = 286 H = Avg Stack Height = 2.5, P = Penod (days) = 365 S = Surge factor = 1.3 and			1 32 the section will be retter and box ratio of even
prescribed in the formula and reassess its capacity (iii). The CITPL is requested to fumish its existing yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings be able to handle 1 14 million TEUs Present Yard Capacity 12500 Units (estimate) Total Yard Capacity 25,415 Units (Projected) Subsequently, the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below Yard Capacity = 0.7*G*H*P/(S*D) G = Ground Slot per Ha = 286 H = Avg Stack Height = 2.5, P = Penod (days) = 365 S = Surge factor = 1.3 and			1 33, the cranes will be able to discharge 163111
reassess its capacity (iii). The CITPL is requested to furnish its existing yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings Present Yard Capacity 12915 Units Additional Yard Capacity 25,415 Units (Projected) Subsequently, the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below Yard Capacity = 0 7*G*H*P/(S*D) G = Ground Slot per Ha = 286 H = Avg Stack Height = 2 5, P = Penod (days) = 365 S = Surge factor = 1 3 and		per nour per Quay craile than	containers per crane per year and 7 QCs together will
(iii). The CITPL is requested to furnish its existing yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings Present Yard Capacity 12915 Units Additional Yard Capacity 25,415 Units (Projected) Subsequently, the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below Yard Capacity = 0 7*G*H*P/(S*D) G = Ground Slot per Ha = 286 H = Avg Stack Height = 2 5, P = Penod (days) = 365 S = Surge factor = 1 3 and		prescribed in the formula and	be able to handle 1 14 million TEUs
fumish its existing yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings Additional Yard Capacity 25,415 Units (estimale) Total Yard Capacity 25,415 Units (Projected) Subsequently, the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below Yard Capacity = 0.7*G*H*P/(S*D) G = Ground Slot per Ha = 286 H = Avg Stack Height = 2.5, P = Penod (days) = 365 S = Surge factor = 1.3 and		reassess its capacity	
fumish its existing yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings Additional Yard Capacity 25,415 Units (Projected) Subsequently, the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below Yard Capacity = 0.7*G*H*P/(S*D) G = Ground Slot per Ha = 286 H = Avg Stack Height = 2.5, P = Penod (days) = 365 S = Surge factor = 1.3 and		The City	
fumish its existing yard capacity and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings Additional Yard Capacity 25,415 Units (estimale) 25,415 Units (Projected) Subsequently, the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below Yard Capacity = 0.7*G*H*P/(S*D) G = Ground Slot per Ha = 286 H = Avg Stack Height = 2.5, P = Penod (days) = 365 S = Surge factor = 1.3 and	· (ui).	INE CLEPL is requested to	
and additional yard capacity on account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings Total Yard Capacity 25,415 Unils (Projected) Subsequently, the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below Yard Capacity = 0.7*G*H*P/(S*D) G = Ground Slot per Ha = 286 H = Avg Stack Height = 2.5, P = Penod (days) = 365 S = Surge factor = 1.3 and	1 .	tumish its existing yard capacity	Additional Yard Capacity 12500 Units (estimale)
account of proposed investment of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings (Projected) Subsequently, the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below Yard Capacity = 0.7*G*H*P/(S*D) G = Ground Slot per Ha = 286 H = Avg Stack Height = 2.5, P = Penod (days) = 365 S = Surge factor = 1.3 and		and additional yard capacity on	
of ₹30 crores envisaged during the year 2013 towards development of additional yard with detailed workings Subsequently, the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below Yard Capacity = 0.7*G*H*P/(S*D) G = Ground Slot per Ha = 286 H = Avg Stack Height = 2.5, P = Penod (days) = 365 S = Surge factor = 1.3 and	1	account of proposed investment	
the year 2013 towards development of additional yard with detailed workings Subsequently, the CITPL furnished the details of annual capacity of the existing yard and proposed yard, as given below Yard Capacity = 0.7*G*H*P/(S*D) G = Ground Slot per Ha = 286 H = Avg Stack Height = 2.5, P = Penod (days) = 365 S = Surge factor = 1.3 and		of ₹30 crores envisaged during	V J. v. uj
development of additional yard with detailed workings Capacity of the existing yard and proposed yard, as given below Yard Capacity = 0.7*G*H*P/(S*D)			Subsequently the CITEL Granate of the state of
with detailed workings given below Yard Capacity = 0.7*G*H*P/(S*D) G = Ground Slot per Ha = 286 H = Avg Stack Height = 2.5, P = Penod (days) = 365 S = Surge factor = 1.3 and			Subsequently, the CITPL turnished the details of annual
Yard Capacity = 0 7°G°H°P/(S°D) G = Ground Slot per Ha = 286 H = Avg Stack Height = 2 5, P = Penod (days) = 365 S = Surge factor = 1 3 and		with detailed westerne	capacity of the existing yard and proposed yard, as
G = Ground Slot per Ha = 286 H = Avg Stack Height = 25, P = Penod (days) = 365 S = Surge factor = 1 3 and		with detailed workings	given below
G = Ground Slot per Ha = 286 H = Avg Stack Height = 25, P = Penod (days) = 365 S = Surge factor = 1 3 and	[Yan barran and a same a same and a same and a same and a same and a same and a same and a same and
H = Avg Stack Height = 2 5, P = Penod (days) = 365 S = Surge factor = 1 3 and			
P = Penod (days) = 365 S = Surge factor = 1 3 and		The second secon	G = Ground Slot per Ha = 286
S = Surge factor = 1 3 and			H = Avg Stack Height = 2.5,
S = Surge factor = 1 3 and D = Avg Dwell time (days) = 3		·	
D = Avg Dwell time (days) = 3			S = Surge factor = 1 3 and
			D = Ayg Dwell time (days) = 3
] !	[
	L	<u>L</u>	

	THE GAZETTE O	f tNDL	4 · EXTRAURDII	NAKI		ART III—S
		Yard C	apacity per Ha. 0 7	*286*2 5*365	/(1 3*3) = 46	842 TEUs
		Preser	it Yard Area = 2071 it Yard Capacity (46	49 sq. m. or 2	2 07 149 Ha	27 TEUs
		Addition Addition	nai Area = 78000 s nai Yard Capacity Total Yard Capa	(4884 2*7 8)	= 365	,367 TEUs 694 TEUs
(iv).	The CITPL has stated that private rail operations will commence in its terminal shortly. The CITPL has stated that it can handle 2 rakes of 725 metres.	Opera CITPI	CITPL is in disc tors to commend has considered	e rail opera	tions in its	terminals.
	each. CITPL to quantify and furnish the impact of this facility in the dwell time of containers and the consequent improvement in the yard capacity of the terminal with workings.					
(V). The CITPL to furnish the teriff CITPL has furnished the details of proposed tall arrangement for the presser rail operations inside CITPL are summarised below.				esed tarm		
		SI No	Particulars	Per LCL Container upto 20'	Per LCL Container above 20' & upto 40'	Per LCL Container above 40'
			Handling at Container yard including lift on / lift off at Railway Container Yard			
			- Foreign Loaded	₹ 407;94	₹ 611 92	₹ 815 86
	<u> </u>		Foreign Empty	₹ 202,02	₹ 303.03	₹ 404 05 ₹ 489 51
	1	11-	- Coastal Loaded - Coastal Empty	₹ 244 77	₹ 378 16 ₹ 181 82	₹ 242 42
		2	Additional movement Terminal to Rail Yard or vice versa Charges for extra movement / transportation (uniform rate for foreign ceastal, loaded and empty containers)	₹2875 00	₹ 4313 00	₹ 6469 00
		3	Transporting of containers to any other Rail Head or Container Terminal within ChPT premises (uniform rate for foreign coastal loaded and empty containers)	₹ 2875 00	₹ 4313 00	₹ 6469 00

	- T40-	
(2)	Traffic	
	With reference to estimation of	
	traffic, CITPL to furnish / clarify	1
	the following	
-	(A) The CITES (
j	(i) The CITPL to furnish the	The CITPL has furnished the details of volumes for the
	details of the actual container	period of 10 months from January 2011 to October
	volume handled during the period	2011' The volume handled is 399906 TEUs
	of 10 months from January 2011	
	to October 2011 and also the	
	container mix	
	(II) The CITPL to provide the	Based on traffic study done by CITPL with assistance of
	basis of traffic projections for the	consultants, economic activities in the feeder area and
	years 2012 to 2014 with detailed	the terminals coming in vicinity, the projected traffic
	traffic analysis	growth is kept at 25 % in 2012 and 35% each in 2013
		and 2014
	(iii) The CITPL has stated that it	The terminals coming up in near vicinity and those
	envisages to create additional	existing presently have or are planning to have the
	capacity by commissioning	following equipment
	additional container handling	
1	equipment in the second half of	SI Terminals QCs RTGs
	the year 2012, in order to cater to	No. 1 Chennal Container Terminal Ltd. 9 24
	the anticipated volume increase	1 Chennal Container Terminal Ltd 8 24 2 L&T Kattupallii
-	The increase in traffic projections	(1 st phase by Jan 2012)
İ	for the years 2012 and 2013	3 Krishnaffatnam
	considered by CITPL does not	(1 st phase by Dec 2011) 6 16
1	appear to be commensurate with	4 Ennore (Start off) 10 33
	the estimated increase in	As against the above CITDL assessed to a six a six
İ	capacity Further, the CITPL	As against the above CITPL presently have only 3 QCs
]	anticipates that private operator	and 10 RTGs which puts it in a highly disadvantageous
1	will be commissioning Off-deck	position to compete CITPL has a distinct advantage in
	rail siding shortly The CITPL	long quay length of 852 m which can safely
i	has also proposed development	accommodate 3 vessels at a time but does not have the
!	of additional yard in the year	cranes to efficiently load/unload containers if three cranes only are allowed to continue then discharge of
	2013. Therefore, CITPL to	one vessel of 7,00 containers will need almost 35 hours
	review the estimated traffic for	to unload a vessel if three vessels arrive. But normally
1	the years 2012 to 2014 in line	when the terminal has only three QCs, more than one
	with the capacity increase	vessel at a time normally does not call and precious
		investment in berth remains unutilised. Hence to attract
1.		vessels to the port, under present situation of
		competition, it is essential to have additional equipment
	,	as proposed As said above, the capacity of berth after
1.	` ·	all 7 cranes are commissioned will be 1 14 million TEUs
1		p a The terminal has projected a traffic volume of 1 06
		million TEUs in 2014 The cranes will be fully utilised in
1 .		2014 and will be used for quicker discharge of
1	•	containers initially. The faster turnover at the terminal
		will be the strategy for marketing the terminal
	·	
.]		It is pertinent to note that the other terminal at the same
1		port has done volumes of 11,40,638 TEUS in the year
		2010 with 8 QC's and 24 RTGS with Berth length of
L		885m
	(IV). The mix of various types of	The CITPL has stated that the revised Format B is
	containers in the estimated traffic	updated on the basis of actuals upto October 2011
	for the years 2012 to 2014 to be	, and a second at details obto october 2011
	updated with the actual container	(The CITPL has not updated the mix ratio of various
1	mix obtained for the year 2011, if	types of containers based on the actuals from Jan'11 to
	necessary.	Oct 11 in the revised cost statements)
	L	

(3)	Operating Income		
(1)	(a) The estimated income	The CITPL vide its e-mail dated 16 De	cember 2011
, ,	computation furnished by CITPL	furnished break-up for the consolidated ra	te for ₹3007/-
1	for the years 2012 to 2014, at the	per 20' loaded container considered by it	in the income
ľ	existing level of tanff, shows that	estimation The details furnished by CITP	L is tabulated
		below	
	it has considered a consolidated	pelow	*
	rate for each type of containers,		Annum
· ·	viz. ₹3007/- for 20' loaded	SI Particulars	Amount (₹)
	container, ₹1428/- for 20' empty	No 1 Handling by Quay Crane including lashing	1076 93
	container, ₹1978/- for 20' coastal	/ unlashing charges (US\$ 22 53 x 47 80)	10,0 35
	loaded container, etc. A break-	2 Transportation from QC to yard and vice	641 91
	up of the consolidated rates	Versa	
	considered by CITPL in terms of	3 Handling at Container Yard lift on / lift off	354 73
	considered by CITE in terms of	on to / from Internal Transfer Vehicle	
	the item-wise tariff prescribed in	4 Handling at Container Yard lift on / lift off	354 73
	the existing Scale of Rates of	for delivery / receipt from / to customers	
	CITPL to be furnished for each of	5 Container Wharlage per TEU (US\$ 1.29	46 37
1	the consolidated rate considered	per box / 1 33 x 47 80)	
i ' '	by CITPL	6 Cargo wharfage per TEU (₹707 85 per box	532 22
	, , , , , , , , , , , , , , , , , , , ,	/1 33)	2006 80
		Total	3006.89
			ا = د دانج داند العالم ا
		(The CITPL has, however, not furnished	the break-up
Ì	1	for the consolidated rates considered by	it in respect of
		other types of containers such as emp	ty containers,
	'	coastal containers, transshipment contain	ers, etc.)
1	(b). The exchange rate	1 US\$ = ₹48 00	
	considered by CITPL in respect		
.		(The workings furnished by CITPL for inco	me estimation
	of dollar denominated tariff in	at the existing tariff level shows that it has	e considered a
	arriving at the consolidated rates		s considered a
<u> </u>	to be furnished	rate of ₹ 47 80 per US\$)	
(ii).	The CITPL has assumed that the	During the Current year, the average dwe	
	entire estimated container traffic,	per TEU is approximately ₹250/- At the i	present tanff of
	other than hazardous and Over	USD 550, it works out to almost one	e day stora ge j
-	dimensional containers, will stay	charges.	
	for one day beyond the free		
1	period on an average, in the		ì
	computation of estimated		
1 1 1	container storage charges for the		
1			
İ	years 2012 to 2014 The CITPL		
	to furnish a dwell time analysis,		
1	based on which the CITPL has		
1	arrived at the average stay of the		1
·	containers at one day and also		
	justify the same based on the		
	actual dwell time of containers in		
	the years 2010 and 2011		
(iii)		The rail siding facility has just commen	ced. Trend is
("")	5% of the total estimated traffic		
			•
	for the years 2012 to 2014 would		
	avail rail siding facility in the		٠
	computation of estimated rail		
	handling income for the said		
	years. The CITPL to furnish the		
,	basis for the percentage arrived		
	at by it with reference to the		
-	actual traffic that availed rail		*
	handling facility in the years 2010		. !
.			
1	and 2011 The CITPL also to		
i .	review the share of containers		
1	availing the rail siding facility in	<u> </u>	

		the light of the					
1		the light of the commencement o	of				
ŀ		private rail operations inside its	3				
1		terminal					
		(b). The basis for considering a	<u>a</u>	The CITPL furnished	tha abassa		
-		rate of ₹1400/- per TEU in the		The CITPL furnished	The charge	s presently o	collected by
Ì		estimation of income from rail		it for rail operations	The details	furnished b	y CITPL is
.		handling convers to the		tabulated below		•	
. 1		handling services for the year	n				19
	_	2011 to furnished The CITPL to	0	Particulars	Container	Container	Container
İ		give reference to the tanff item in	ות	1	upto 20'	above 20' &	anove 40
		the existing approved Scale of	of		1	upto 40°	
- }		Rates of CITPL in this regard					
		- I will a will be a willi	- 1.	As per tanff item			
ļ			- 11	No 3 12 13 (III) - Lift on /	₹ 707 85	₹ 1061 78	₹ 1415.70.
1			- 11	lift off in Container Yard As per tanff item			
1			- 11	10111			7
			- 11	No 3 12 13 (v) Additional movement			1.
Į			- []	transporting of	l		=
			-11	containers to any other	₹965.25	₹ 1447 88	₹ 1930.50
			- 11	Rall Head or Container		1	1
- 1			Ш	Terminal within ChPT]	i l
i				pramisaa			- 11
<u> </u>			Ш	Total	₹ 1673 10	₹ 2509 66	₹ 3346 20
		(c) The CITPL has considered a	ı [(CITPL has not furnished	ed any resp	ODSA	13340 20 1
ĺ		rate of ₹2500/- per TEU from	11		ou any resp	onse	1
ļ		2012 onwards for the purpose of	F				
- 1		income estimation from rail siding					Í
. }		facility for the years 2012 to	'			•	1
			1				
		reference to the tariff item in the	1	• •			
		existing approved Scale of Rates					
· _		of CITPL in this regard	1				
	(IV)	The CITPL has considered a rate	1	ITPL has not furnishe	4 4 4	_	
		of US\$ 56 3125 per TEU for	1,	or a mas not runnishe	o any resp	onse	
ĺ		foreign container and ₹1590 per	ı				1
ļ		TELL for container and (1590 per	1				
i		TEU for coastal container in the					
		computation of estimated income		· ·			
- 1		from Hatch cover opening]				× .
		services These rates are seen		± #		· **	
1		to be higher than the rates for	1				-
. •		hatch cover operation prescribed	1		4	, 2	1.
1		at Schedule 3.7 of the existing	1				
ĺ			1				
.		approved Scale of Rates The	ı				
-	7.4	CITPL to clarify the position	ــــ				
	(v).	The CITPL has neither reported	^C	ITPL has not earned	any income	from supply	of fresh
		tie feats 2010] w	ater and clearance of	garbage		0
	ĺ	and 2011 nor estimated any	1		JJV.	•	.]
		income for the years 2012 to	l				1
	- 1	2014 from miscellaneous			•		
1	- 1	charges, charges for supply of					.
	· 1	fresh water and charges for	ľ				
ļ.	I	classes of and charges for				100	
	1	clearance of garbage prescribed					
	ŀ	at Schedules 3.12.13, 3.13 and					1
1	1	3.14 of the existing Scale of			•		
		Rates. The CITPL to confirm that				4.00	·
		it has not earned any income					1
ļ		from these services during the		+ + + + + + + + + + + + + + + + + + +			: <u> -</u>
į.	[years 2010 and 2011 and also do			•		
		not optionate and also do					
!		not anticipate any income for the					. -
<u>. </u>		years 2012 to 2014]
[(4		Operating Cost			-		
	(i).	With regard to the escalation					
		factor to be applied for estimation					
		- 1, 3 5 15 55 55 50 50 50 50 50 50 50 50 50 50 50					

of operating costs, CITPL to note that as already communicated vide letter No TAMP/27/ 2005-Misc. dated 11 July 2011, an escalation factor of 6% per annum will be considered for the expenditure projections in the cost statement

(ii). Operating and Direct Labour

- (a). The CITPL has increased the number of operating direct labour from the actual of 67 and 86 for the years 2010 and 2011 respectively to 166, 245 and 267 for the years 2012 to 2014 respectively. The increase in the requirement manpower considered by CITPL does not commensurate with the increase in the estimated traffic for the corresponding years. In view of this and for the position brought out at query No.B (iv) above, the CITPL to review the manpower requirement for the years 2012 to 2014.
- (b). The average annual salary per employee reported for the year 2011 at ₹2 46 lakhs is increased to ₹2 73 lakhs for the year 2012, which shows an escalation of 11%. CITPL to justify the higher escalation factor considered for the year 2012.

It is already explained that the new additional equipment are being acquired as a business strategy to attract container traffic and the equipment get fully utilized duning the tanff period itself. The manpower requirement projected is based on justifiable requirement of manpower based on additional equipment proposed to be acquired. It may not be justifiable to compare it with past as the manpower provided in past was not commensurate with requirement because of losses sustained by the CITPL. The Procurement of 4 new QC and 8 RTG's, require additional manpower to operate The proposed manpower is equipment commensurate with additional equipment purchased. CITPL feels the requirement of manpower in 2012 to 2014 is justifiably considered

in earlier years many required personnel like yard planners, ship planners, operation executives and supervisors were not recruited as volumes were low and terminal was incurring losses. Though still not in full complement, these categories of personnel are proposed to be recruited with increasing volume. These are higher wage earners than direct labour, average salary per employee has gone up. As provided for by TAMP, the wages rate escalated by 6% on account of inflation. In the year 2012, apart from direct labour, due to higher volumes. CITPL has to recruit Yard planner, ship planners, operation executives and supervisors. Since the salary for these employees is higher, due to this employee mix has resulted the escalation is 11% in year 2012.

(iii). Maintenance Labour

(a). The CITPL has increased the number of maintenance labour from the actual of 25 and 28 for the years 2010 and 2011 respectively to 33 and 34 for the years 2012 and 2013 respectively. The CITPL to justify the increase in manpower requirement for the years 2012 and 2013

(b). The estimated average annual employee cost considered by CITPL for the year 2012 at ₹2.16 takhs is lower than the actual / estimated average

The Procurements of additional Quay Cranes and RTGs envisage the requirement of maintenance of the equipment; this has resulted in additional maintenance labour.

The salary escalation is considered at 6%, the negative escalation factor in 2012 in the average employee cost is due to requirement of more entry level maintenance labour at lower salary

employee cost reported for the year 2011 at ₹2.25 lakhs Further, for the years 2013 and 2014, the CITPL has considered an escalation factor of 7% and 6% respectively over estimates of corresponding previous years The CITPL to furnish the reasons considering a negative escalation factor for the year 2012 and also to revise the estimate for the year 2013 applying the prescribed escalation factor of 6%

(IV) Equipment running cost

(a) Power Cost

(i) The CITPL has considered power consumption of 8 KWH per TEU in the estimation of power cost for the years 2012 to 2014 as against the consumption of 6 KWH per TEU (actual) and 6.50 KWH per TEU (actual / estimate) reported for the years 2010 and 2011 respectively. The CITPL to justify the increase in the estimated power requirement for the years 2012 to 2014.

CITPL has stated that it has submitted the revised cost statement, as stated in the reply to the point No B (v); above

(In the revised cost statement, the CITPL has considered a power consumption of 10 99 KWH per TEU for the year 2011 (upto Oct'11) and has considered the same unit power consumption for the future years 2012 to 2014 also)

(ii) The CITPL has reported a unit power cost of ₹10.75 per KWH for 2011, reportedly based on actual expenses upto August 2011 and applied an escalation factor of 6% p.a. on this unit cost in arriving at the estimated unit cost for the years 2012 to 2014 on compounding basis. CITPL to turnish documentary evidence to reflect the actual unit cost of electricity applicable for the months of Aug'11 to Oct'11

CITPL has stated that it has furnished the revised cost statement as stated in the reply above to the point no B (v) above and furnished the copies of the electricity bills for the month of August to October 2011

(In the revised cost statement, CITPL has considered the actual unit power cost of ₹ 8 72 for the year 2011 (upto Oct'11) and has adopted the same with 6% annual escalation for the years 2012 to 2014. It has furnished the copies of electricity bills of May 2010 and May 2011)

(b) Fuel Cost

The CITPL has considered a fuel consumption of 4 litres per TEU in the estimation of fuel cost for the years 2012 to 2014 as against the consumption of 3.45 litres per TEU (actual) and 3.65 itres per TEU (actual / estimate) reported for the years 2010 and 2011 respectively The CITPL to justify the estimated fuel consumption for the years 2012 to 2014 with reference to the actual for the years 2010 and 2011.

With the passage of time, the consumption is expected to increase, past trend also shows increasing trend. The consumption is projected at the level of norm approved by TAMP for fixing upfront tariff.

(Based on the actual total fuel expenses upto October 2011 of ₹454 lakhs and unit rate of ₹45 per litre furnished by CITPL in the revised cost statement (Form 3-B) the actual fuel consumption works out to 2 52 litres per TEU as against 3 65 litres mentioned by CITPL)

(c) Repairs & Maintenance Cost.

(i). The CITPL has estimated the maintenance and expenses for the years 2012 to 2014 at 1.5% of the gross block for mechanical and electrical assets and 0.5% of the gross block for civil assets, the value of which is reported at ₹1740 lakhs. ₹1789 lakhs and ₹1841 lakhs respectively for the said three years. These estimates are seen to be significantly higher than the actual repairs and maintenance expenses reported for the years 2010 and 2011 (upto August 2011), which is at ₹207 lakhs and ₹282 lakhs respectively Therefore, CITPL to justify its estimates for the years 2012 to 2014 with reference to actuals for the previous years 2010 and 2011.

(ii). CITPL to also note that the actual repairs & maintenance expenses reported in the cost statement for the year 2010 is subject to reconciliation with the repairs & maintenance expenses reported in the audited annual accounts for the year 2010

As could be seen from the past trend, as against ₹207 lakhs in 2010, the annualised expenditure on repairs and maintenance in 2011 is ₹423 lakhs (₹282 lakhs for 8 months). The increasing trend of repairs is because of ageing of equipment. The warranty/guarantee period running in past also reduced the purchase of spares. For these reasons, the provision of expenses for repairs and maintenance @ 1.5% of gross block for mechanical and electrical assets and 0.5% for civil works are considered reasonable.

(In the revised cost statement, the CITPL has considered the actual repairs & maintenance expenses for the year 2011, upto Oct'11, as ₹211 lakhs, revising it downwards from the earlier reported figure of ₹ 282 lakhs for the 8 months upto Aug'11. As per the revised cost statement, the annualized expenditure works out to ₹253 lakhs and not ₹423 lakhs as stated by CITPL).

(v). Equipment Hire Charges

The equipment hire charges considered by CITPL compnses of hire of Reach stackers, Prime Movers, Forklift Trucks, Workshop tools, EQ Trolley, Air Compressors and UHF The CITPL to furnish / clarify the following:

(a). The CITPL has considered a rate of ₹90 per TEU in respect of Prime Movers and applied escalation factor of 4%, 6% and on respectively compounding basis for the years 2012 to 2014 on this rate As per evidence documentary furnished by CITPL dunng the last revision of tariff, rates of ₹ 90 per TEU upto 27,000 TEUs in a month and ₹80 per TEU beyond 27,000 TEUs, with a provision for adjustment of rate for variation in diesel price, is payable by CiTPL. Further, the validity of the contract was one year from June 2010 with a provision for

CITPL has extended the contract for two more years with revised slab structure and considering the rising fuel cost. The CITPL has furnished the copy of the documentary proof, dated16 September 2011 which indicates a (revised) rate of ₹ 92.62 per TEU upto 30,000 TEUs in a month and ₹ 82.62 per TEU from 30,001 TEUs and upwards

	i	extension for one more year						
	1	The CITPL to inform whether the	1				11.	
		contract has the morm whether the	•					
		contract has been extended for	·					
	ĺ .	one more year and the slab rates	;					
		per TEU payable at present with	. [, .			•
		the current diesel price. A copy			*			* .
		of the documentary proof for the						
ļ		rate considered in the estimation	' 		٠			
Ì		of but above						
}		of hire charges may be furnished						
		(b) The CITPL has considered	The	CITPL has fum	uched the	hand.		
- 1		estimated hire charges in respect		CITPL has furn	INSTITUTE THE	preakup	of hire	charges
	-	of other equipment as a lump		details furnishe	a by CITE	'L vide ii	is letter o	dated 14
[sum CITPL to furnish the		ember 2011 are	summans	ed below	<i>†</i>	
- 1		decumentary and a serial time						
		documentary evidence in support	SI No	Particulars	2011	2012		
- }.		of the lump sum rates considered	1 1	Reach Stackers - 6		2012	2013	2014
		by it for each of the equipment in	11	Nos	304			<u> </u>
.		The estimation of equipment hire	[2]	Prime Mover (TT)	301	315	334	354
		charges for the years 2012 to	3	Forture 3 Nos		558	799_	1143
		2014	4	Workshop Tools	30 55	31 57	33	36
ł		2014	5	EO Trolley	20	41	<u>61</u>	64
-	-		6	Air Compressor	9		43	48
			7	UHF	15	32	9	10
				Total	430	1043	34 1313	30
				<u> </u>			1313	1608
- [(The	CITPL has not t	himichad a	do a		. `
			resna	CITPL has not i	umsneu (ocumer	itary evid	lence in
		1	7	ect of hiring of ed	quipment n	nentione	edatSI1	Vos 3 to
		(c). The equipment hire charges	7 1/1 (rie above (able)				
Ι.		coting to dispite the charges	lhe	CITPL has sta	ted that	the hire	charges	being
		estimated by CITPL for the years	proje	cted are for othe	f tools real	ured for	Mainton	being
		2012 to 2014, inter-alia, includes		•		an ca 101	mannen	ance
ì		hire charges towards workshop		· L	•			
		tools at ₹57 lakhs, ₹61 lakhs and						1
-1						-		1
		to4 lakhs respectively The		*				1
ļ		estimated additions to the gross		•				}
-1		block considered by CITPL for						
-		the years 2011 and 2012						i
1		includes ₹250 lakhs and ₹900						
								1
1.		to the -						1
1		in the control of						
İ		equipment. In this context,						ł
1		CITPL to justify the need for						ļ
		hiring of workshop tools for the						
i		years 2012 to 2014						
-	(vi)							
i	(VI)	Lease rentals						
]								
Ì		(a) CITPL to confirm that the	Yes	We confirm the	at the set			[
	; .		measi	ill ittimico oct	et tile est	imales a	are as p	er the
		years 2012 to 2014 is as per the	meast	irement agreed i	abou with o	Chennai	Port Trus	3t
1	-	terms of License Assessment			<u> </u>			i
1		terms of Licence Agreement			~			1
			The d	etailed computa	tion of th	e lease	cant wa	h tha
ľ		(b). As stated earlier in SI No B	basis	of the calculation	- 10 free		TOTAL WIT	ur une
J			madul	submitted	וווטו פו ווכ	istied iu	i the Fin	ancial
		some discrepancy in the area	modali	s anomatica				
ľ	- 1	reported in the east states.						1
ĺ		reported in the cost statement for						
ĺ	j	calculation of lease charges The						
ŀ		CITPL to furnish detailed						
	1	workings for the estimated lease						
		rental indicating the area leased						i
	ĺ	and the cote are area leased						
	ł	and the rate per square metres		.*				ĺ
	ļ	considered, for each category of		4	-			
		land, viz. developed, undevelop-		4				
		•						

	ed and reclaimed land for all the years under consideration	
(vii)		
	The CITPL has estimated the insurance premium for the years 2012 to 2014 at 0.5% of the gross block for mechanical and electrical assets and 0.1% of the gross block for civil assets at the beginning of the year, the value	Because of losses being incurred in business some of the normal insurance covers were compromised. The projections are based on the present market realities, proper risk evaluation of operation and are assessed at 0.1% for Civil works and 0.5% for equipment which is much lower than 1% provided under norm fixed by TAMP for upfront tanff
	of which is reported at ₹204 lakhs, ₹206 lakhs and ₹270 lakhs respectively for the said three years. These estimates are seen to be significantly higher than the actual insurante premium of ₹57.	A suitable tailor made insurance cover for the terminal in compliance with the Terms of LA is estimated to cost in line with projections. The actual cost is derived on those lines and when policy coverage is taken. The CITPL has furnished copies of the insurance.
- 	lakhs and \$41 lakhs reported for the years 2010 and 2011 (upto August 2011) respectively Therefore, CITPL for justify its estimates for the years 2012 to 2014 with reference to actuals for	policies taken by it, which is valid for the period from 22 April 2011 to 21 April 2012. As per the copies of insurance policies furnished by it, the CITPL has paid a total insurance premium of ₹ 48,61,966/- for the above period (It has reported the actual insurance cost for the year 2011, upto October 2011, as ₹50 lakhs in the cost
\	the previous years 2010 and 2011 A copy of the Agreement entered into with insurance company (es) to be furnished	statement)
(VII	(a) CITPL to list out the items considered under the head 'other expenses'.	The following items are considered under "Other Expenses" 1. Lashing/ Unlashing Expenses 2. Transport Expenses for Shift staff 3. Reefer cleaning charges
	(b) Each item of the estimated other expenses for the years 2012 to 2014 to be justified with cost details and workings and also with reference to the actuals for the years 2010 and 2011	The CITPL has furnished the following details Particulars 2012 2013 2014
		(In the revised cost statement, the CITFL has estimated the other expenses for the years 2012 to 2014 at ₹713 lakhs, ₹865 lakhs and ₹ 1095 lakhs respectively)
1	x) Overheads	
	(a) CITPL to list out the items of expenditure considered under the management and administration overheads and furnish detailed workings under this head for all the years under consideration	are considered in the cost. The CTIPE has furnished the workings in the revised proposal
	(b) The actual management and administration overheads reported for the years 2010 and 2011 (upto August 2011) are ₹256 lakhs añt ₹165 lakhs (for 8 months) As against this, the CITPL has estimated management and administration overheads for the whole year	were kept below requirement in past because of ringe losses and low volume which is no more possible and feasible now. The CITPL has furnished the details of general overheads estimated by it in the revised proposal.
	Overneads for the whole year	<u></u>

- 1	2011 at ₹367 lakhs, which is 43%	
l	more than the actuals of 2010	
-	Further, the estimated	
	- Counting	
- '	management and administrative	
	overheads for the year 2012 is	
	considered at 44% more than the	
	estimated figure for the previous	
Į	year 2011 CITPL to justify the	:
	year 2011 CITE to justify the	
	estimates, with reference to	
1	actuals for the years 2010 and	
	2011	
	(c) The CITPL has considered	The increase of 48% in 2012 to an account of addition
		The increase of 48% in 2012 is on account of additional,
1		manpower to be employed because of additional
	bank guarantee commission	equipment. The general escalation of 6% only has been
i	under 'General Overheads' The	factored CITPL has furnished the details in the revised
	actual general overheads for the	proposal
	year 2010 reported in the cost	' '
1	statement at ₹910 lakhs is at a	
	higher level due to higher legal	
1	and acceptant the state of the	
	and professional charges as	
	stated by CITPL For the next	
	year 2011, the CITPL has	
	estimated the general overheads	
	at ₹555 lakhs reportedly based	
	on actuals for the first 8 months	
	1	
	upto August 2011 The	
	estimated general overheads for	
	the years 2012 to 2014 is	
	considered at around 48%, 10%	
1	and 10% more than the	
	1014 Miles	
	, , , , , , , , , , , , , , , , , , , ,	
1	respective previous years	
	Therefore, CITPL to justify the	
	estimates, with reference to	
		1
	l upuateu actuals to be turbished	. 1
	updated actuals to be furnished for the year 2011	
(%)	for the year 2011	
(x).	for the year 2011 Depreciation	
(x).	for the year 2011 Depreciation	
(x).	for the year 2011 Depreciation CITPL to furnish detailed	The CITPL stated that the details are provided in the
(x).	for the year 2011 Depreciation CITPL to furnish detailed workings for the estimated	The CITPL stated that the details are provided in the revised Form 4A
(x).	for the year 2011 Depreciation CITPL to furnish detailed workings for the estimated	The CITPL stated that the details are provided in the revised Form 4A
(x).	for the year 2011 Depreciation CITPL to furnish detailed workings for the estimated depreciation for all the years	revised Form 4A
(x).	for the year 2011 Depreciation CITPL to furnish detailed workings for the estimated depreciation for all the years under consideration bearing in	revised Form 4A The CITPL furnished the rates of depreciation followed
(x).	for the year 2011 Depreciation CITPL to furnish detailed workings for the estimated depreciation for all the years under consideration bearing in mind clause 2.7.1 of the revised	revised Form 4A
(x).	for the year 2011 Depreciation CITPL to furnish detailed workings for the estimated depreciation for all the years under consideration bearing in mind clause 2.7.1 of the revised tariff guidelines. The rates of	The CITPL furnished the rates of depreciation followed by it as per Companies Act, which is as follows
(x).	for the year 2011 Depreciation CITPL to furnish detailed workings for the estimated depreciation for all the years under consideration bearing in mind clause 2.7.1 of the revised tariff guidelines. The rates of depreciation adopted for each	The CITPL furnished the rates of depreciation followed by it as per Companies Act, which is as follows Buildings 3 64 %
(x).	for the year 2011 Depreciation CITPL to furnish detailed workings for the estimated depreciation for all the years under consideration bearing in mind clause 2.7.1 of the revised tariff guidelines. The rates of depreciation adopted for each group of assets as reported in the	The CITPL furnished the rates of depreciation followed by it as per Companies Act, which is as follows Buildings 3 64 %
(x).	for the year 2011 Depreciation CITPL to furnish detailed workings for the estimated depreciation for all the years under consideration bearing in mind clause 2.7.1 of the revised tariff guidelines. The rates of depreciation adopted for each group of assets as reported in the	revised Form 4A The CITPL furnished the rates of depreciation followed by it as per Companies Act, which is as follows Buildings 3 64 % Plant & Machinery 4 75% – 10 34%
(x).	for the year 2011 Depreciation CITPL to furnish detailed workings for the estimated depreciation for all the years under consideration bearing in mind clause 2.7.1 of the revised tariff guidelines. The rates of depreciation adopted for each group of assets as reported in the audited financials, also to be	The CITPL furnished the rates of depreciation followed by it as per Companies Act, which is as follows Buildings 3 64 %
(x).	for the year 2011 Depreciation CITPL to furnish detailed workings for the estimated depreciation for all the years under consideration bearing in mind clause 2.7.1 of the revised tariff guidelines. The rates of depreciation adopted for each group of assets as reported in the audited financials, also to be furnished giving reference to the	revised Form 4A The CITPL furnished the rates of depreciation followed by it as per Companies Act, which is as follows Buildings 3 64 % Plant & Machinery 4 75% – 10 34%
(x).	for the year 2011 Depreciation CITPL to furnish detailed workings for the estimated depreciation for all the years under consideration bearing in mind clause 2.7.1 of the revised tariff guidelines. The rates of depreciation adopted for each group of assets as reported in the audited financials, also to be furnished giving reference to the Companies. Act or provisions of	revised Form 4A The CITPL furnished the rates of depreciation followed by it as per Companies Act, which is as follows Buildings 3 64 % Plant & Machinery 4 75% – 10 34%
	for the year 2011 Depreciation CITPL to furnish detailed workings for the estimated depreciation for all the years under consideration bearing in mind clause 2.7.1 of the revised tariff guidelines. The rates of depreciation adopted for each group of assets as reported in the audited financials, also to be furnished giving reference to the Companies Act or provisions of concession agreement as the	revised Form 4A The CITPL furnished the rates of depreciation followed by it as per Companies Act, which is as follows Buildings 3 64 % Plant & Machinery 4 75% – 10 34%
	for the year 2011 Depreciation CITPL to furnish detailed workings for the estimated depreciation for all the years under consideration bearing in mind clause 2.7.1 of the revised tariff guidelines. The rates of depreciation adopted for each group of assets as reported in the audited financials, also to be furnished giving reference to the Companies Act or provisions of concession agreement as the case may be	revised Form 4A The CITPL furnished the rates of depreciation followed by it as per Companies Act, which is as follows Buildings 3 64 % Plant & Machinery 4 75% – 10 34%
	for the year 2011 Depreciation CITPL to furnish detailed workings for the estimated depreciation for all the years under consideration bearing in mind clause 2.7.1 of the revised tariff guidelines. The rates of depreciation adopted for each group of assets as reported in the audited financials, also to be furnished giving reference to the Companies Act or provisions of concession agreement as the	revised Form 4A The CITPL furnished the rates of depreciation followed by it as per Companies Act, which is as follows Buildings 3 64 % Plant & Machinery 4 75% – 10 34%
	for the year 2011 Depreciation CITPL to furnish detailed workings for the estimated depreciation for all the years under consideration bearing in mind clause 2.7.1 of the revised tariff guidelines. The rates of depreciation adopted for each group of assets as reported in the audited financials, also to be furnished giving reference to the Companies Act or provisions of concession agreement as the case may be Capital employed	revised Form 4A The CITPL furnished the rates of depreciation followed by it as per Companies Act, which is as follows Buildings 3 64 % Plant & Machinery 4 75% – 10 34%
(5)	for the year 2011 Depreciation CITPL to furnish detailed workings for the estimated depreciation for all the years under consideration bearing in mind clause 2.7.1 of the revised tariff guidelines. The rates of depreciation adopted for each group of assets as reported in the audited financials, also to be furnished giving reference to the Companies Act or provisions of concession agreement as the case may be Capital employed Fixed Assets	revised Form 4A The CITPL furnished the rates of depreciation followed by it as per Companies Act, which is as follows Buildings 3 64 % Plant & Machinery 4 75% – 10 34%
(5)	for the year 2011 Depreciation CITPL to furnish detailed workings for the estimated depreciation for all the years under consideration bearing in mind clause 2.7.1 of the revised tariff guidelines. The rates of depreciation adopted for each group of assets as reported in the audited financials, also to be furnished giving reference to the Companies. Act or provisions of concession agreement as the case may be Capital employed Fixed Assets (a) The CITPL has stated that it	revised Form 4A The CITPL furnished the rates of depreciation followed by it as per Companies Act, which is as follows Buildings 3 64 % Plant & Machinery 4 75% – 10 34%
(5)	for the year 2011 Depreciation CITPL to furnish detailed workings for the estimated depreciation for all the years under consideration bearing in mind clause 2.7.1 of the revised tariff guidelines. The rates of depreciation adopted for each group of assets as reported in the audited financials, also to be furnished giving reference to the Companies Act or provisions of concession agreement as the case may be Capital employed Fixed Assets (a) The CITPL has stated that it proposes to commission 4	revised Form 4A The CITPL furnished the rates of depreciation followed by it as per Companies Act, which is as follows Buildings 3 64 % Plant & Machinery 4 75% – 10 34%
(5)	for the year 2011 Depreciation CITPL to furnish detailed workings for the estimated depreciation for all the years under consideration bearing in mind clause 2.7.1 of the revised tariff guidelines. The rates of depreciation adopted for each group of assets as reported in the audited financials, also to be furnished giving reference to the Companies Act or provisions of concession agreement as the case may be Capital employed Fixed Assets (a) The CITPL has stated that it proposes to commission 4. RMQCs and 8. RTGs in the year.	revised Form 4A The CITPL furnished the rates of depreciation followed by it as per Companies Act, which is as follows Buildings 3 64 % Plant & Machinery 4 75% – 10 34%
(5)	for the year 2011 Depreciation CITPL to furnish detailed workings for the estimated depreciation for all the years under consideration bearing in mind clause 2.7.1 of the revised tariff guidelines. The rates of depreciation adopted for each group of assets as reported in the audited financials, also to be furnished giving reference to the Companies Act or provisions of concession agreement as the case may be Capital employed Fixed Assets (a) The CITPL has stated that it proposes to commission 4. RMQCs and 8. RTGs in the year 2012 in addition to the existing	revised Form 4A The CITPL furnished the rates of depreciation followed by it as per Companies Act, which is as follows Buildings 3 64 % Plant & Machinery 4 75% – 10 34%
(5)	for the year 2011 Depreciation CITPL to furnish detailed workings for the estimated depreciation for all the years under consideration bearing in mind clause 2.7.1 of the revised tariff guidelines. The rates of depreciation adopted for each group of assets as reported in the audited financials, also to be furnished giving reference to the Companies Act or provisions of concession agreement as the case may be Capital employed Fixed Assets (a) The CITPL has stated that it proposes to commission 4. RMQCs and 8. RTGs in the year 2012 in addition to the existing	revised Form 4A The CITPL furnished the rates of depreciation followed by it as per Companies Act, which is as follows Buildings 3 64 % Plant & Machinery 4 75% – 10 34%
(5)	for the year 2011 Depreciation CITPL to furnish detailed workings for the estimated depreciation for all the years under consideration bearing in mind clause 2.7.1 of the revised tariff guidelines. The rates of depreciation adopted for each group of assets as reported in the audited financials, also to be furnished giving reference to the Companies Act or provisions of concession agreement as the case may be Capital employed Fixed Assets (a) The CITPL has stated that it proposes to commission 4 RMQCs and 8 RTGs in the year 2012 in addition to the existing container handling equipment	revised Form 4A The CITPL furnished the rates of depreciation followed by it as per Companies Act, which is as follows Buildings 3 64 % Plant & Machinery 4 75% – 10 34%
(5)	for the year 2011 Depreciation CITPL to furnish detailed workings for the estimated depreciation for all the years under consideration bearing in mind clause 2.7.1 of the revised tariff guidelines. The rates of depreciation adopted for each group of assets as reported in the audited financials, also to be furnished giving reference to the Companies Act or provisions of concession agreement as the case may be Capital employed Fixed Assets (a) The CITPL has stated that it proposes to commission 4. RMQCs and 8. RTGs in the year 2012 in addition to the existing	revised Form 4A The CITPL furnished the rates of depreciation followed by it as per Companies Act, which is as follows Buildings 3 64 % Plant & Machinery 4 75% – 10 34%

estimated a capex of ₹247 68 crores in the year 2012 on this CITPL to clarify the account. following points in this regard CITPL has furnished the copies of work orders for 4 (i). The CITPL has considered a basic rate of US\$ 6,495,000 per nos RMQC, 8 nos RTGCs and Spreaders placed by it RMQC and US\$ 1,340,000 per on suppliers. The details of work order copies furnished by CITPL are summarized below RTG in the estimation of cost of Particulars Remarks Amount cranes. CITPL to fumish copies No of the work orders and purchase Letter of US\$ 25,360,000 Scheduled time agreements in support of these Acceptance of basic costs No CITPL/ENG/Q commissioning C/01 dt. 3 May the 4 QCs within 52 weeks 2011 for 4 Nos from the date of QCs without LOA signed by spreaders Unit cost. US\$ both pantes 6,340,000 US\$ 9 480,000 Scheduled time Letter of 2 Acceptance No CITPLIENGIR commissioning TG/01 dt 3 May the 8 RTGs within 52 weeks 2011 for 8 Nos. from the date of RTGs without anebaerge LOA signed by Unit cost US\$ both parites. 1,185,000 SG\$ 1,844 000 Delivery within 18 to 20 weeks Purchase Order No CITPU ENG/2011/19 from the date of PO directly to dated 4 May 2011 the for purchase of Crane suppliers RAM spraaders for QCs and RTGs Subsequently, the CITPL vide its email dated 28 December 2011 furnished documentary proof in support of advance payment and part payment made by it to the tune of ₹ 2183 44 lakhs to the suppliers of the cranes. The CITPL has corrected the figures in its revised (ii). It is seen from the workings furnished by CITPL for estimation proposal dated 5 December 2011. of capital cost, it has considered 10 Nos. of RTGs as against 8 Nos. proposed by it. The CITPL to clarify the position and revise the estimate accordingly Under EPCG Scheme, the importer is permitted to (iii). The CITPL has included the import capital goods at concessional rate. For the value of Bank Guarantee to be fumished the Customs concessions granted in custom duty to the importer, to towards customs bank guarantee is to be provided by him. If the importer concession under EPCG scheme fulfills the export obligations under the scheme, the BG in the capital cost of the RMQCs is returned to him. The situation is akin to the importer and RTGs. The Bank guarantee paying the normal custom duty and getting refund of given to Customs is in the nature custom duty paid after obligation is met. As far as CITPL is concerned, it has incurred full custom duty - partly in of security to fulfil the export obligations commitment. It is not cash and partly in the form of BG. Hence, it is requested the actual cost to be incurred by that till such time that the export obligation is fulfilled. the CITPL for the import of the the BG amount should be considered part of capex. The relevant said equipment. cost in this regard may be BG commission payable to Banks, which is already captured in the

general overheads. -- In view of

the above, the CITPL to exclude the value of Bank guarantee in the capital cost of cranes

The CITPL has estimated the requirement of additional container handling equipment based on certain assumptions, viz 1 RMQC per 200000 TEU of throughput and 3 RTGs per **RMQC** Going bν the assumptions of CITPL and based on the estimated traffic considered by CITPL for the years 2012 to 2014, the requirement οf additional container handling equipment is worked out and tabulated below

Particulare 2012 2013 2014 585000 789750 1088183 required (at 20000 TEUs / PMQC) Festing RMQCs Additions 1 3 - pannement CITPL Ексеза No of RTGA required (3 per RMQC) Extering RTGs 10 19 (88 per LA) 2 memeriupen B Ŧ

As can be seen from the above. the additional container handling equipment estimated to be provided is either over and above the requirement or estimated to be procured much ahead of its requirement in view of the above, the CITPL to review the quantum of additional equipment and phasing the of its commissioning, in order to ease the burden to the users on account of the additional capital

(v). The capital expenditure of ₹247.68 crores considered by CITPL in the year 2012 includes ₹4.50 crores each towards workshop and other ancillary equipment The CITPL to furnish the documentary proof in support of its estimates along with the details of works envisaged on this account, current status and estimated time of commissioning

(b). The CITPL has considered an additional investment of ₹30.00 crores in the year 2013

The benchmark GCR of 20 moves per hour, the box ratio of 1 33, gives a total capacity of 1 14 million TEUs capacity with 7 no RMQCs. The capacity requirement of 1 07 million in 2014 needs a total of 7 RMQCs. In the years 2012 and 2013, all the cranes may not be required for evacuating/loading the container traffic estimated to come but is essential for bringing the estimated traffic to the terminal by promising and achieving faster turnaround of vessels. It is already explained in reply to other queries on the capacity creation that with the existing and soon coming up terminals having equipment to achieve quick turnaround of vessels, CITPL not equipping itself for the challenge will be losing the battle before the fight. Hence it is submitted that there is no excess equipment. The additional equipment is the strategy tools for achieving the projected traffic

CITPL needs additional workshop and stores for maintenance of the new equipment being ordered. CITPL proposes to construct workshop and stores in Q2 2012

(The CITPL has not furnished documentary proof in support of its estimates)

CITPL has furnished a copy of the rough cost estimate dated 30 November 2011obtained by it from a private firm. The details of the rough cost estimate is given

=			
		towards development of t	below Amount
		additional yard, rail linkages, etc	St. Description of work
	l	CITPL to fumish the	NO. 55.50
	ĺ	documentary proof in support of	1 Investigation, design d approver
	.	its estimates along with the	2 Site cleerance work 146 50
	· 1	its estimates along with the	4 Pevement works 2183 00
ļ		details of works envisaged on	6 Hibbues 851 00
	ì	this account, current status and	a Miscellaneous 296 00
Ì	- 1	estimated time of commissioning	Total 3700 00
L		the transplated	
ı	l	(c) CITPL to note that completed	
l		and commissioned assets alone	4
l	٠.	will be counted for capital	
l		employed and work-in-progress	
١		should be excluded CITPL to	
l		fumish a confirmation in this	
l		1 1	
ŀ		regard Control:	
Ì	В	Working Capital:	The CITPL has made the necessary correction in the
١	(i)	I IIIA OLLI E (O IOLION	Format B
1		estimated value of sundry	l Connac o
		debtors considered by it for the	(in the revised cost statements, the CITPL has excluded
ŀ		years 2012 to 2014 in line with	the advance payment of revenue share from the sundry
	· .	the points made at Si, No.B (xviii)	THE SANGER ENGINEER IN LEAGUED SHOLD IN ALL WILL AND A
	ł	(a) & (b).	debtors It has, however, retained the value of BG given
	l .	(- X - X - X - X - X - X - X - X - X -	for being customs custodian of containers in the sundry
	!		debtors)
		The CiTPL to fumish the basis	The CITPL has stated that it is based on the thumb rule
	(ii)	nent of the	1
		101 0011010	i
	1	1cpane	
	1	expenses as the value of	
	1	consumption of stores, in the	
	1	estimation of inventory	
	1	component of working capital for	r <u> </u>
	1 .	the years 2012 to 2014.	
	(iii)		In the year 2009 and 2010, it had current liabilities of
	(11)	has assessed the current	+ I ₹2685 lakh and ₹2903 lakh Which Included ₹2646 laki
	Ì	liabilities as 15 days credit for	r land ₹2765 lakh of creditors for capital goods. These are
	1	goods and services purchased.	I have used to determine the levels of Current Habilities
	1	goods and services purchased.	
		CITPL to justify its assessment	it ₹138 lakh in 2010, the projections considered for year
	ľ	with reference to actual current	
	ŀ	liabilities for the years 2010 and	3 2015 to 5014 ata teasonable
	1	2011	The set elegand on the last day of the mont
		(b). It is seen from the workings	s These normally get cleared on the last day of the mont
	1	furnished by CITPL, it has no	when they become due.
	1	considered the estimated	d
		expenses in respect of operating	a l
	ļ	& direct labour, maintenance	e l
		labour, equipment hire charges	•
	- [nd /
	1 .	alla magaman	
	1	administration overheads in the	C
		estimation of current liabilities a	at
	1	15 days credit for the years 201	: 2
	1	to 2014	
	(D)		
	_		its With addition of handling equipment, CITPL will sen
	1 '		es the users with better and faster vessel turnaround tos
	- 1		
	1	considering an increase of 15°	
	1	over the existing tanff at CITPI	
	1 '		Of I
		CITPL to list out the benefit	• 1
		productivity improvement accruing to users justifying the	nt s (
			4-

	, hike	
(11)	T-(The CITE has dead
i \",	numerous changes in the	
	definitions conditions, headings	I was a summary and moves dudy occion 2 of the
	as well as notes prescribed under	3 The second of the second
	different sub-sections of the	and notes with reason for proposed modification
ļ	existing SoR, including shifting of	
ĺ	notes from one place to another	
	It has also proposed a number of	
	new tanff items CITPL to provide	
	the comparative position of the	
	existing Scale of Rates and	
	proposed Scale of Rates, in a	
1	tabular format, giving the reasons	
i	for each modification in a	
	separate column	
(0)		The changes have been made (5 d
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	the CITPL has proposed changes in the title paragraph	The changes have been made for the sake of more clarity and being precise
ì	under 'Definitions and Conditions'	Clarity and being precise
	by inserting the words 'from time	
	to time' and by replacing the	
	words 'at its Container Terminal'	
1	with CITPL The need therefor to	·
	be clarified	
(iv)	(a). The existing definitions of the	In the term "Over Dimensional Container", the words
, ,	terms "Over Dimensional	"including boxes having corner casting problem "has
	Container", "Reefer" and	been omitted since damaged includes such damages
	"Transhipment Container" have	been office damaged includes such damages
	been proposed to be modified	Transshipment container has been comprehensively
	The need therefor to be clarified	defined to cover all transshipment containers
		commos to vovor an autisorityment containers
		Definition for "Reefer" may be retained as per the old scale of rates
	(b) The CTIPL has proposed a	These terms have not been covered in the existing
	definition for the terms "Bonded	scale of rates and have been included for greater clarity
	Trucking", "ICD Container" and	for operations
	Per shift. The need therefor to	
	be clarified	
(V).	(a) The reasons for proposed	The point on the existing clause 2.2 under General
ļ	deletion of existing clause 2.2	conditions', which governs levy of charges for
	under 'General conditions', which	hazardous cargo containers / over dimensional
•	governs levy of charges for	containers has been covered in the proposed scale of
	hazardous cargo containers /	rates at clause 2 (m) (e)
	over dimensional containers to	
	be clarified	
	(b). The CITPL has proposed	The clauses 2 3, 2 5 and 2 9 have been included in the
į	modifications in the existing	proposed scale of rates as 2(v), 2 (x) and 2 (vii)
1	clauses 23, 25 and 29 of the	respectively
	general conditions The need	(CITPL has not clanfied the need for modification in the
	therefor, to be clarified	above clauses)
(vi)	CITPL to furnish the need for	The two new sections have been added to clarify the
ļ	proposing a separate Section	scope and applicability of import and export rates and
	under the heading 'Application'	transshipment container rates
<u> </u>	containing two new provisions	
(VII)	The CITPL has proposed new	CITPL has proposed comprehensive new rates for
1	rates for additional movement of	additional movement of container from Terminal to Rail
	container from Terminal to Rail	Yard or vice versa, at Section 434 to cover the
	Yard or vice versa, at Section	following
	4.3.4 of the proposed SoR The	Lift on/Lift off move at Container yard
<u> </u>	rate proposed for a 20' container	II Transportation from Container yard to Rail yard

	i	(loaded and empty) is ₹2875/-	III Lift on / Lift off move onto Rail
-	1	CITPL to furnish the basis for	
Ė	- 1		·
1	· 1	arriving at the rate of ₹ 2875/-	•
-		with cost details along with	
- [- 1	additional revenue likely to be	
	1	generated on this account during	
ı		the years 2012 to 2014 with	
-1		workings.	
ŀ	(viii).	(a). The CITPL has included the	The section has been clubbed with shifting of containers
- 1	(Am).	tariff for 'Shut out containers'	within vessels (Restows) for ease of use and clarity
ŀ			(Section 4.7 in the New SoR).
ł	'	under the existing heading	(Section 4.7 in the New Oorly.
		Charges for Shifting Containers	
-		within Vessel (Restows)'. In the	
1		existing SoR, it is prescribed as a	
	i	separate section at Section 3.10	
		The reasons for shifting the said	
		provision to be clarified.	
		(b). The CITPL has proposed an	This is a typographical error in our submission and
		increase of 30% in the rate of	corrected in the revised scale of rates submitted in its
			ietter dated 5 December 2011.
		'Shut out container' applicable for	letter dated 5 December 2011.
	ļ	20' foreign container as against	
		the general increase of 15%	
		proposed by it.	
	(ix).	The CITPL has proposed to	
		rename the existing section	
	i .	3.12.13 'miscellaneous charges'	
		as 'Additional Charges' in the	
	İ	proposed SoR (Section 4.9 of the	
		proposed SoR). Further, it has	
		proposed to include the following	
	1	proposed to include the following	"
	ļ	new tariff items under this	·
	<u> </u>	heading:	
	1	(a). Transportation of	This is required to cover movement of containers from
	!	containers to any other Rail Head	neighboring terminal (which does not have rail head) or
	į	or Container Terminal within	other terminals etc. in ChPT premises to CITPL for rail
	<u> </u>	ChPT premises.	operations
		(b) Plugging / unplugging of	Additional services required by users
	!	containers	
		(c) Receipt of cargo beyond	Duplication now deleted in the revised SOR
	ĺ	cut-off time	
		(d) Direct loading	Now deleted in the revised SOR
		(e) energy energy	1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
	<u> </u>	(e). Handling of Shoe Bin	†
	—	(f) Container cleaning charges	-
	1	(i) Container dearning dialiges	
	<u> </u>	(a) Maintenant of trades	This is required in case there is requirement by
	i	(g) Weighment of trailers	
	 	with / without cargo	Customs officials The Sub-dome have been deleted and the item restored.
	į	(h). Sub-items under	
	!	'Customs Inspection charges'	
	i	pertaining to stuffing and	1) 1
	İ	destuffing of containers' and 'seal	· 1
	İ	cutting'.	
	!		

	CITPL to clarify the following points in this regard	
	(i) The new tariff item at SI. No.	1
	(a) above appears to be a	
	duplication of new tanff item at	I IS COMPENIAN IN THE CAMPAN COMPANY AND AND AND AND AND AND AND AND AND AND
	Section 4.3.4 of the proposed SoR	
ļ	(ii). CITPL to justify the proposed	
	new tariff items with cost details	
	and furnish the additional income	
ļ	proposed to be generated on	
	account of each of proposed tanff	
	items, for each of the years 2012	
`. 	to 2014, with workings	
	(iii). Apart from proposed	We agree with the observation and it
1	modification of existing clauses	The control of the co
	under 'Miscellaneous charges'	
į.	the CITPL has also proposed a	Change of shipment status are removed from the revised Scale of Rates
1	number of new notes under the	Throad Ording Of I/ates
	renamed Section 'Additional	
'	charges', which appear to be	
	based on the new tanff items	
Ì	proposed by it. However it	·
	appears that some of the notes,	
i	viz. Issuance of documents,	
1	Change of container status,	
	Change of shipment status, etc.	
	are not linked to any tariff item.	
	The CITPL to clarify the need for	
İ	proposing modification in the	
	existing clauses as well as the	
	reason for introducing each new	
-	(iv). CITPL to clarify the	Through the second seco
İ	relevance of proposing a new	This is deleted in the revised SOR
İ	note '17. Delay in submission of	
	the relevant documents' under	
	Section 4.9 - Additional charges	
	of the proposed SoR	
(x).	(a). The existing note under	This is to ensure there is clarity to users and no
	i araida anaidas telating to OAEL I	ambiguity in the charges For such containers no l
	dimensional container stipulate	stacking is possible hence we propose to charge thrice
	that storage charges shall be	the normal charges
	based on the actual number of	İ
1	ground slots the respective	
i	container occupies. The CITPL	
İ	has proposed to modify this provision to the effect that such	
1	containers shall attract thrice the	
	normal storages charges. The	
ļ į	proposed modification to be	÷
<u> </u>	justified.	
!!	(b) The CITPL has proposed to	These clauses have inadvertently missed out and now
. !	delete the existing note at 3 12 8	added in the revised scale of rates submitted
I (which governs applicability of	
	free time and storage rates prescribed in case of ICD	
	containers only for movement of	
. !	containers to / from ICDs going	
·- <u>-</u>	Tarinario to 7 mont tops going	

	by rail only The CITPE has also	
1 1	proposed to delete the existing	· · · · · · · · · · · · · · · · · · ·
	Note at 3 12 9 which governs the	
1 '	Note at 3 12 9 Which governs the	
	admissibility of free period in	
	respect of normal import	
ļ	containers subsequently	
Ì	changing the mode to either LCL	
	or ICD containers Likewise, it	
	nas proposed to delete the	
	existing note at 3 12 12 warich	
i i	governs reservation of ground	
}	slots for export containers. The	
	reasons for proposed deletions:to	!
	be furnished.	
 	(c) The CITPL has proposed to	This is to bring clarity for auctioned containers on the
1 1	introduce a new note relating to	applicable rates after destuffing is completed
ļ [Introduce a needs that reading to	approximation to the second se
	storages changes applicable for	
i i	'auctioned contained CITPL to	
	clanfy the need therefor.	CITPL proposes to change the unit of levy since it is
(xı)	The charges for removal of	difficult to measure the garbage physically and full truck
	garbage prescribed in the	difficult to measure the datage physically and ton took
i i	existing Soft specify the unit of	needs to be arranged each time the garbage is to be
	lewy as 1/2 cubic metre and the	removed The additional income generated is estimated
'	rate is ₹257 40 per unit of levy	to be negligible amount for the year 2012 to 2014
[. '	The CITPL has proposed to	
1	modify the unit of levy as 'per	
	truck imp' and proposed a rate of	
	₹5:5007- in the proposed SoR	
1	The need for change in the unit	
	of levy may be furnished. The	
	proposed rate to be justified with	
1 .		
1		
1	income proposed to be	
	generated on account of the	
	proposed that item to be	
1:	quantified and firmished with	
-	workings for each of the years	
ŀ	2012 to 2014	, , , , , , , , , , , , , , , , , , ,
(XII)	In respect of charges for supply	The increase proposed is 15% and the error is rectified
	of fresh water, the CITPL has	in the revised submission of scale of fates
	proposed an increase of 20%	
1	and 35% over the existing rates	
1	of US\$ 7 47 per 1000 litres and	
	₹313 74 per 1000 litres	
	applicable for foreign vessel and	
1	coastal vessel respectively The	
	increase proposed at a higher	
	tevel than the general increase of	
	450/ proposed by CITOL poods	
i.	15% proposed by CITPL needs	
	to be justified with cost details	
	The additional income proposed	
.	to be generated on this account	
ŀ	also to be quantified and	
	fumished with workings for each	1
	of the years 2012 to 2014.	
(xiii)	The CITPL has proposed a new	The section on Entry pass is deleted in the revised
(2007)	tariff Section-II (Offner Services)	
	which comprises of charges for	, ,
ľ	'Entry Pass', 'Photography' and	I I Photography is included to allow charging for illin
ŀ	Web Access/others: The need	
	TOTAL PROPERTY OF THE PROPERTY	I amend the meaning manning and a second

for ea	ch of the proposed sets to		=
10.02	ch of the proposed rates to	negligible ————————————————————————————————————	٦
be jus	tified with cost details along		i
with a	additional income proposed		J
to bo	annosted mobile proposed		i
1000	generated on this account		ŀ
∣in ea⊲	ch of the years 2012 to		1
2014	702.0 29.22 (0		1
1 2017			-

- While furnishing its response to the queries, the CITPL has also modified its proposal. The main points / additional submissions made by the GITPL in its modified proposal are summanised below.
 - (i) The revised cost statements have been prepared in the prescribed formats with actuals for the years 2009 & 2010 (Actuals), estimates for 2011 with actuals upto October 2011 and projections from 2012 to 2014 Based on the revised cost statements, the operations for the years 2009 to 2014 (without taking into account Revenue share payable to the Port), would result in defioit as summarized below

Particulars	2009 A	2010 A	2011 E	2012 P	2013 P	4441.5
Container Traffic	20,100	304,752	450,000			2014 P
Income	451			585,000	789 750	<u>1 068 183</u>
Operative Exps		7,751	13.843	15,375	20,763	27 170
	497	2,873	4,036	7 125	8,752	10 564
Depreciation	713	2,922	2 920	5,350	5,06	
Overheads	225	1,257	919	1.525		<u>5,301</u>
Capital Employed	58469	56061	_53713	72613	1,644	1-769
ROCE @ 16%	2,589	8,973	38,594	12,833	70607	65441
Surplus/Deficit	-3572	-8 274	-2523	-10,441	12,468	11,615
Surplus/Deficit as % to				10,441	-69.18	-9 <u>3</u> 8
Income	-7 92	-1 07	0 19	068	03	0 03

A - Actuals E - Estimates, P - Projections

- (ii). On the basis of the present tanff, CITPL faces a deficit of ₹144.73 Crores up to December 2011. During next 3 years, it will incur a deficit of ₹176.97 Crores in order to meet the sho#fall_of ₹176.97 crores, the tariff should be increased by ₹725.01 per TEU, i.e. almost 25% of existing cost. CITPL has however requested for across the board increase of only 15% in the tariff. CITPL has sought a lower increase in tariff to ensure that the rates are not unduly high in view of the competition from the neighbouring terminals.
- (iii). CITPL proposes to procure 4 new Quay Cranes and 8 RTGS. The equipment is expected to be commissioned by May 2012. The terminals coming up in near vicinity and those existing presently have or are planning to have the following equipment.

SI. No.	Terminals	QCs	RTGCs
1	Chennai Container Terminal Ltd	8	24
2	L&T , Kattupalli (1st phase by Jan 2012)	6	18
3	Knshnapatnam (1st phase by Dec 2011)	6	16
4	Ennore (Start off)	10	33

(iv). As against the above, CITPL presently with 3 QCs and 10 RTGCs is in a highly disadvantageous position to compete CITPL has a distinct advantage in long quay length of 852 m which can safely accommodate 3 vessels at a time but does not have the cranes to efficiently load/unload containers. If three cranes only are allowed to continue then discharge of one vessel of 700 containers will need almost 35 hours to unload a vessel if three vessels arrive. But normally when the terminal has only three QCs, more than one vessel at a time normally does not call and precious investment in berth remains unutilised. Hence to attract vessels to the port, under present situation of competition, it is essential to have additional equipment as proposed.

- The capacity of berth after all 7 cranes are commissioned will be 1.14 million TEUs per annum at the CGR of 20 moves per hour, the benchmark for crane performance presently existing and proposed for the tariff cycle under consideration. The terminal has projected container traffic of 1.06 million TEUs in 2014 The cranes will be fully utilised in 2014 and will be used for quicker discharge of containers initially. The faster tumover at the terminal will be the The CiTPL has further stated that other strategy for marketing the terminal terminal at the same port (CCTPL) has done volumes of 11,40,638 TEUS in the year 2010 deploying 8 QC's and 24 RTGS
- The CITPL has modified the box ratio from 0.99 to 1.33 in the revised cost (vi). statements. It has also modified the number of moves per hour from 25 proposed earlier to 20 in the revised proposal. The annual capacity of the terminal is thus revised by CITPL from 1,062,369 TEUs to 1,141,778 TEUs
- The CITPL has modified the estimated traffic for the year 2011 from 4,50,000 (vii). TEUs proposed earlier to 4,70,000 TEUs in the revised proposal, based on the actual traffic handled up to October 2011 It has maintained the projected traffic for the years 2012 to 2014, as estimated by it in its original proposal of 14 October 2011
- The CITPL has modified the estimated operating income, operating expenses, (viii). depreciation, overheads and capital employed for the years 2012 to 2014 in its modified proposal of 5 December 2011 The CITPL has further modified the estimated operating cost and estimated capital employed in the revised the cost statements furnished by it under cover of its letter dated 14 December 2011.
- Some of the modifications proposed in the conditionalities governing the (ix). application of Scale of Rates are withdrawn
- The financial / cost position for the years 2012, 2013 and 2014 at the existing level of tariff as reflected in the modified consolidated income and cost statement furnished by CITPL is tabulated below:

(₹ in lakhs) Estimates SI. **Particulars** 2013 2014 2012 No. 1066163 585000 789750 1. Traffic (in TEUs) 27170 15375 20763 Operating income 2. 10567 7322 8835 Operating Expenses 3. 5301 5306 5350 Depreciation 4 1769 1644 1525 Overheads 5 11297 10471 11618 ROCE 6 (938)(6318)Net surplus / (deficit) after return (10441)(-)3% (-)68% (-)30%Net surplus / (deficit) as a 8. percentage of operating income (-)28%

The ChPT was also requested vide our letter dated 21 November 2011 to furnish the information / clarification on certain issues. The ChPT responded vide its letter dated 5 December 2011 The information sought and the response of ChPT are juxtaposed below:

Average for three years

SI. Information / Response of ChPT No. clarification sought by TAMP									
uring the calendar	fumished by	ChPT a	ere give	n belov	W Export	Trans	shifting	ne deta	3113
		145208	Loaded 0~2\1	<u>6625</u>	56350	7109	730	304752	j
	by TAMP ctual traffic of CITPL uring the calendar ear 2010 and the	by TAMP ctual traffic of CITPL The ChPT for the calendar furnished by	by TAMP ctual traffic of CITPL uring the calendar fumished by ChPT are 2010 and the	by TAMP ctual traffic of CITPL The ChPT fumished the truining the calendar fumished by ChPT are give the control of the contr	by TAMP ctual traffic of CITPL trunished the traffic during the calendar ear 2010 and the trunished by ChPT are given below the trunished by ChPT are given below the trunished by ChPT are given below the trunished by ChPT are given below the trunished the traffic during the trunished trunished the traffic during the trunished trunished the traffic during the trunished trunished the traffic during the trunished trunished the traffic during the trunished trunishe	by TAMP ctual traffic of CITPL trumshed the traffic details a trumshed trumshed by ChPT are given below tear 2010 and the trumshed by ChPT are given below Year trumport Export trumport Export trumport Export trumport Export trumport Emptry trumport tru	by TAMP ctual traffic of CITPL uring the calendar ear 2010 and the traffic details as Annex tra	by TAMP ctual traffic of CITPL uring the calendar ear 2010 and the Table 1 to 1 to 1 to 1 to 1 to 1 to 1 to 1 t	by TAMP ctual traffic of CITPL trumshed the traffic details as Annexure. The detailing the calendar trumshed by ChPT are given below trumshed by ChPT are given below trumshed by ChPT are given below trumshed by ChPT are given below trumshed the traffic details as Annexure. The details as Annexure. The details as Annexure. The details as Annexure. The details as Annexure.

1		rom January 2011 to	year	Import Loeded	Export	Import	Export	Trane	Shifting	T Jtal	
į		October 2011 with		183775	Loaded 14 · 70	Empty 985	57376	ehipmənt 40:0	430	399904	
ļ		container mix pattern	[Jan to Oct.]		L	<u> </u>					
			i								
·	(ii)	Traffic forecast of	The projects	The projected container traffic in RE 2011-12 is 408623 TEUs ar in BE 2012-13 is 429054 TEUs							
Į	(,	CITPL terminal for the	In BE 2012 1								
-		years 2011 to 2014 as	III DE 2012-1	3 18 42	9054 1	EUS				•	
-		per the port's business									
.		plan / annual plan /	1								
		five year plan.									
-	(iii)	ChPT's comments on	With the ava	lable e		-4-40	D1100	- 	==		
	. ,	the quay capacity	With the available have handled	the fo	Hamina	ntor 3	KMQC	5 & 10 R	TGS, M	I/s CITPL	
		calculation furnished	, are name		nowing	trame (nrougn	put			
		by CITPL, with the	Sep 2	onna to	Dec 20	νο .	30400	TE			
ĺ		proposed addition of 4	Jan 2	010 to	Dec 20	10 2	20100	TEUS			
		RMQCs and 8 RTGs	Jan 2	010 (0	Oct 201	10 - 3	00004	TEUS			
ļ		The Port's comments	Jan 2	01110	OCI 20 i		99904	IEUs			
Ì		on the box ratio of	Dunna the	loint b	92000	hald a	2004	1 2044	NA/- 0:-		
		0.99 considered by	Dunng the projected a	through	bout w	ith tha	1 49 T	1 4011,	IVI/S CIT	PL nave	
ļ		CITPL in the capacity	RTGs for the	nevt th	ree vea	ne se é	ا)الالاله مستماله	UN OT 4	KMQC	s and 8	
-		calculation.	1		Jes	a 5 [(NIOW3				
		1	2012	- 585	0 00 TE	l Je					
					750 TE						
					163 TE						
		1		,,,,,		•					
1			As regards the box ratio of 0.99 is concerned, 0					Сьрт	hae no		
			specific rema	rks to d	offer sin	ce M/s	CITPL	. the Te	minal (nerators	
L			<u>nave projecte</u>	d the b	ox ratio	based	on the	ir practic	al expe	rience	
-1	(iv).	As per the LA, the	Article 6, Cla	ause 6	4 of L	_icense	Agree	ement si	tates th	at "The	
		ChPT was to reclaim	Licensor Will	endea\	our to	handov	er the	Reclaim	ed area	of roing a	
		an area of 78,000 sq	the date of co	mmerc	ial opei	ration !	n the e	vent the	License	or fails to	
		m. and hand it over to	nandover the	Reclai	med ar	ea with	IIN a p	eriod of	30 mor	the from	
-		the CITPL During the	the date of A	ward o	if the Li	icense	it shall	at its co	ost and	charnes	
İ		last revision of tariff at	make availab	le an a	ltemate	land o	f simila	ir area a	s the R	eclaimed	
		CITPL, it was reported	area and as	close	as is	reason:	ably p	ossible i	to the	Licensed	
1	1.	by ChPT that the	premises with	iin a pe	eriod of	30 mo	nths fr	om the d	late of	Award of	
		reclaimed area would	the License	Failure	of the	Licen	sor to	handove	er the re	eclaimed	
	7	be handed over to	area or an a	Iternate	area i	in lieu	of Red	laimed :	area wi	Il not be	
		CITPL in April 2010	treated as a L	icensor	Event	of Defa	ult".		2		
		ChPT to inform the	The Course of								
	1	over of the reclaimed	The work of r	eclaimi	ing an a	area of	about	78000 s	sq m o	f land is	
		area to CITPL.	partly complete	ea The	e balan	ce recla	amatio	n work is	propos	ed to be	
		area to OTTPL.	completed by		ig the	sand fr	om re	cently a	warded	work of	
			dredging the 2012	רו "∀WI	nedKar	DOCK	sasın	by the e	nd of I	-ebruary	
	(v).	ChPT to confirm that		n of la	290 50	ntolo :-	-\	4a Ob 5			
	.,,	the estimation of lease	The estimation CITPL for the	VASTE 1	:ase [6]	iitais β 2014	ayaDie	O Ch F	'i as r	nade by	
	1	rentals made by	2011	years 2 - ₹887	lakha	2V 14 13	as IVII	CW3		}	
		CITPL for the years			5 lakhs						
		2011 to 2014 are in			7 lakhs					}	
İ	ŀ	line with the provisions	2013	. ₹112 _ ₹112	9 lakhs						
		of the Licence	2014	(113	∵ iαRH3					1	
	ŀ	Agreement.	However, as p	er the	License	e Aares	ement	the Lea	ea rent	navabla	
1		·	by M/s CITPL	to Ch	PT for	the ve	ars 20	11 to 20	idd for i	hayaule	
			aiready allotte	d is as	follows	,	20	20	ישו די	ure iailu	
				- ₹858							
	1			- ₹901							
				- ₹945							
Ĺ.				- ₹993				٠			
_											

(vii)	ChPT to furnish its specific comments on the additions to the Gross Block of assets estimated to the tune of ₹247 68 Crores during the year 2012 towards purchase of additional container handling equipment and ₹30 crores during the year 2013 towards development of container yard The audited annual accounts for the year	M/s CITPL have paid the initial upfront premium of ₹10 00 Crores on 17 11 2006 only and no further payment has been received
	2010 shows an amount of ₹61,68,966/- towards addition to the initial upfront premium of ₹10 crores ChPT to confirm whether this amount represents additional upfront premium received by ChPT and if so, the details thereof to be furnished	

- 7 1 A joint hearing in this case was held on 29 November 2011 at Chennai The CITPL made a presentation of its proposal At the joint hearing, CITPL, ChPT and users have made their submissions
- At the joint hearing, the CITPL was advised to explore the possibility of reducing the gap between the estimated traffic and assessed capacity of the terminal after the proposed capital additions. CITPL was also advised to explore the possibility of introducing a performance based tariff structure with an assured level of productivity and send a detailed note in this regard. The decisions taken at the joint hearing and response of CITPL culled out from its response to our queries seeking additional information / clanfication is summansed below

SI. No.	Decision taken at the joint hearing	Response of CITPL				
(i).	CITPL to explore the possibility of reducing the gap between estimated traffic and assessed capacity of the terminal after the proposed capital additions	The capacity of berth after all 7 cranes are commissioned will be 1.14 million TEUs per annum at the CGR of 20 moves per hour, the benchmark for crane performance presently existing and proposed for the tariff cycle under consideration. The terminal has projected container traffic of 1.06 million TEUs in 2014. The cranes will be fully utilised in the year 2014 and will be used for quicket discharge of containers initially.				
(и)	citple to explore the possibility of introducing a performance based tariff structure with an assured level of productivity and send a detailed note in this	The CITPL has not furnished any response.				

A comparative position of the estimated traffic and financial / cost position at the existing level of tariff furnished by the CITPL in its original proposal dated 14 October 2011, modified proposal dated 5 December 2011 and revised cost statements vide letter dated 14 December 2011 is tabulated below

SI No	Particulare			Modified proposal deted 5 December 2011			(₹ in lakhs) Revised cost statements dated 14 December 2011			
		2012	2013	2014	2012	2013	2014	2012	2013	2014
1	Traffic (in TEUs)	58500Q	769750	1066163	586000	789750	1066163	585000	789750	1066163
2	Operating income	17 723	23 940	32,319	15 375	20,763	27 170	15 375	20 763	27 170
3	Operating cost	6,659	8,309	9,913	7 322	8,835	10,567	7 322	8 879	10 731
4	Depreciation	5,494	5,449	5,445	5,350	5,308	5,301	5 350	5 306	5 301
5	Qverheads	1,405	1,517	t 635	1,525	1 644	1 769	1 525	1 644	1 769
8	Capital Employed	80 340	76 167	72 664	72 613	70 607	65 44 1	71 782	59 779	64 623
7	ROCE	12 954	12 510	11 659	11619	11 297	10 471	11 485	11 165	10 340
8	Nat surplus / (deficit) after return (2 - 3 - 4 - 5 - 7)	(8 889)	(3 845)	3 668	(10 440)	(6 319)	(936)	(10 308)	ı6 2 30)	(971)
7.	Net eurplus / (deficit) as a percentage of operating income	()60%	()18%	11%	()68%	()30%	()3%	()67%	(-)30%	(-)4%
8	Aggregate Net deficit for the terrific cycle		(9 068)	-		(17697)			(17509)	
9	Average percentage of Net deficit for the tariff cycle		12%			-27.95%	· -		-27.65%	:=:-::

- 9. The proceedings relating to consultation in this case are available on records at the office of this Authority. An excerpt of the comments received and arguments made by the concerned parties will be sent separately to the relevant parties. These details will also be made available at our website http://tariffauthority.gov.in
- 10. With reference to the totality of the information collected during the processing of this case, the following position emerges
 - (i). The existing Scale of Rates (SOR) of CITPL was approved in November 2010 with validity till 31 December 2011. The modified proposal of CITPL dated 5 December 2011 along with the revised cost statements furnished by CITPL under cover of its letter dated 14 December 2011 and the additional information / clarifications offered during the processing of this case is considered in this analysis.
 - (ii) The existing tariff was fixed in November 2010 relying on the estimated financial / cost position for the years 2010 and 2011. Incidentally, CITPL follows calendar year for financial reporting and it has adopted the same basis for tariff revision exercise also. Clause 2.13 of the tariff guidelines of March 2005 mandates a review of the actual physical and financial performance of the Major Ports and Private Terminals thereat at the end of the prescribed tariff validity period with reference to the projections relied upon at the time of fixing the prevailing tariff Therefore, the actual physical and financial performance of the Terminal during the years 2010 and 2011 are analysed in the following paragraphs.
 - (iii). The statement furnished by the CITPL for the year 2010 reconciling the financial / cost position as furnished in the cost statement with the position as per the audited accounts contained deficiencies. Therefore, necessary modifications are made in the cost statement to reflect the audited position. The modifications made in the cost statement are discussed in the subsequent paragraphs.

As far as the year 2011 is concerned, the CITPL has furnished the actual financial position for the period from Jan'11 to Oct'11, duly certified by a Chartered Accountant. The CITPL has furnished the financial / cost position for the corresponding period from Jan'11 to Oct 11 in the cost statement. The position furnished in the cost statement vis-à-vis the certified financial position do not match with each other. Though the position furnished in the cost statement is

claimed to be reconciled with the certified accounts, a reconciliation statement in this regard is not furnished by the CITPL. Therefore, necessary modifications are made in the cost statement for the period upto October 2011, to reflect the certified financial position for the corresponding period. The modifications made in the cost statement for the period upto October 2011 are also discussed in the subsequent paragraphs.

The financial / cost position furnished by the CITPL in the cost statement for whole of the year 2011 is found to be not in tandem with the actuals for the first 10 months upto Oct'11 for the following reasons

- (i). The CITPL has reported actual traffic for the first 10 months of the year 2011 at 399,906 TEUs, which on an average works out to 39,990 TEUs per month, whereas the CITPL has estimated traffic for the remaining two months at 35,000 TEUs per month. Accordingly, the operating income for the whole of the year 2011 is under estimated.
- (ii). The per TEU actual fuel cost for the first 10 months works out to ₹113.50. The CITPL has, however, considered a per TEU fuel cost of ₹163.40 for whole of the year 2011. There appears to be some error in the estimation of fuel cost
- (iii). The CITPL has estimated repairs & maintenance expenses at ₹328 lakhs for whole of the year 2011 as against the actuals of ₹211 lakhs for the first 10 months. It has considered a 55% escalation in this item of expenditure for the remaining two months of the year. The reason for such a huge hike remains unexplained
- (iv): The CITPL has estimated equipment hire charges at ₹834 lakhs for whole of the year 2011 as against the actuals of ₹596 lakhs for the first 10 months. It has considered a 40% hike in this item of expenditure for remaining two months. The 40% hike appears to be due to consideration of equipment like Forklift, Trolley, Air compressor, tools and rental for UHF in the estimate for the whole year which does not form part of the actual equipment hire charges incurred for the first 10 months. The CITPL has not furnished documentary evidence for hiring the additional equipment in the last two months of the year 2011.
- (v). The other direct expenses comprise lashing/unlashing, providing transport to shift staff and reefer cleaning / monitoring charges. The CITPL has estimated other direct expenses at ₹351 lakhs for whole of the year 2011 as against the actuals of ₹250 lakhs for the first 10 months, which shows an increase of 40% for the two months period. The reason for such an increase remains unexplained.
- (vi) The CITPL has estimated general overheads at ₹555 lakhs for whole of the year 2011 as against the actuals of ₹328 lakhs for the first 10 months, which shows an increase of 69% for the two months. The CITPL has not justified the hike of 69% in the general overheads for the remaining two months period.

In short, the CiTPL has not updated its estimates for the year 2011 based on the actuals for the first 10 months of the year 2011, inspite of an advice given to the CiTPL vide our letter dated 21 November 2011. Therefore, the cost statement for the year 2011 is revised on a proportionate basis based on the actuals for the first 10 months. The cost statement so revised is considered for comparison with the estimates relied upon during last tariff fixation in November 2010. The physical and financial performance of the CITPL for the years 2010 and 2011 are discussed in the following paragraphs.

- (b) The operating income for the years 2010 and 2011 considered by CiTPL is inclusive of rebates and discounts allowed by the operator to the extent of ₹268 00 lakhs and ₹947 24 lakhs respectively. With regard to the operating income for the year 2011 it is seen that the CITPL has overstated the income to the extent of ₹18 49 lakhs in the cost statement as compared to the certified accounts. Therefore, the amount of ₹18 49 lakhs is excluded from the operating income for the year 2011. The variation in total operating income for the years 2010 and 2011 compared to the estimates works out to (-)10 22%.
- (c) The vanation in the actual operating expenses for the years 2010 and 2011 as compared to the estimates works out to around (-)21 85% Incidentally, CITPL has excluded the Revenue share paid by it to ChPT during the years 2010 and 2011 in the cost statement, which is in line with last Tariff Order
- (d) The CITPL has overstated depreciation to the tune of ₹56 lakhs in the cost statement for the year 2010 compared to the audited accounts, which is excluded. The CITPL has shown the depreciation for the year 2011 at ₹2920 26 lakhs in the cost statement. Despite a query, it has not furnished workings for the computation of depreciation. The depreciation for the year 2011 is calculated applying the depreciation rates furnished by the CITPL in the audited annual accounts for the year 2010 for the respective assets and considering the additions to the gross block reported in the certified accounts for the year 2011 (upto October 2011). The depreciation for the year 2011 works out to ₹2865.53 lakhs. The aggregate variation in depreciation for the years 2010 and 2011 compared to actuals yis-à-vis estimates works out to ₹14.32%.
- (e) The general overheads considered by CITPL for the year 2010, *inter-alia* include legal and professional charges of ₹335.24 lakhs & bank charges of ₹284.92 lakhs respectively

The bank charges of ₹284 92 lakhs includes expenses amounting to ₹205 52 lakhs towards commission, processing fee and documentation charges for raising loan. Since the expenses relating to sourcing of finance is not an admissible item of cost in the Return on Capital Employed' approach adopted by this Authority as per the Government policy guidelines, the above said expenses amounting to ₹205 52 lakhs is excluded from the general overheads considered by the CITPL

Incidentally, the CITPL has understated overheads to the tune of ₹46.68 lakhs for the year 2010 and overstated overheads to the tune of ₹1.17 lakhs for the year 2011, when compared to the audited and certified accounts respectively, which appears to be an error. The error is rectified. The actual general overheads for the year 2010, subject to the above-adjustments, work out to ₹786.16 lakhs. The actual / estimated general overheads for the year 2011 is at a lower level of ₹392.20 lakhs as compared to the actuals for the year 2010 mainly due to the reason that the operator has incurred substantial expenditure towards legal and professional charges in the year 2010.

(f). In the last tariff Order of November 2010, the upfront fee of ₹10 crores and the leasehold premium of ₹6.17 crores were amortized over the

[[गुल्ली] ~्रेख्यंप्रदेशः|

project period of 30 years @ ₹53 90 lakhs per annum. The CITPL has considered an amount of ₹55 62 lakhs and ₹57 00 lakhs for the years 2010 and 2011 respectively towards amortization of upfront fee and leasehold premium.

It is seen from the annual accounts for the year 2010 that the increase in the annual amortization amount is on account of the addition of ₹61 69 lakhs to the upfront fee of ₹10 crores considered by CITPL. When sought to clarify the nature of this payment, the CITPL has not responded. The ChPT has stated that it has not received any additional payment from The certified accounts for the period upto CITPL towards upfront fee October 2011 for the year 2011 shows that the above item of addition has been shifted from the 'upfront fee' to the 'leasehold improvements'. Apart from shifting the above item, it has also considered a further addition of ₹35.71 lakhs to the leasehold improvement in the year 2011, aggregating to ₹97,40 lakhs, as seen from the certified copy of the financial position of Relying on the audited accounts for the the CITPL upto October 2011 year 2010 and the certified financial position for the year 2011 (upto October 2011), the additional capital expenditure to the tune ₹61 69 lakhs and ₹35.70 lakhs for the years 2010 and 2011 respectively are considered and amortized over the remaining licence period. Accordingly, the annual amortization amount works out to ₹55.61 lakhs and ₹57.58 lakhs for the years 2010 and 2011 respectively

The variation in actual overheads for the years 2010 and 2011 compared to the estimates for the corresponding years is seen to be 12.73%

(g) The actual miscellaneous income to the tune of ₹5 03 lakhs realized from sale of scrap and not considered by CITPL in the cost statement is considered under Finance & Miscellaneous income

The certified financial position for the period upto October 2011 shows realization of ₹7.98 lakhs towards exchange fluctuation gain and other income. The CITPL has not considered this income in the cost statement Since the reason for exclusion of this income not being explained, the same is considered under 'Finance & Miscellaneous income' for the year 2011.

(h) The closing net block of fixed assets reported by the CITPL in the cost statement for the years 2010 and 2011 do not match with the figures reported in the audited / certified accounts for the relevant years. At our request, the CITPL has furnished a statement reconciling the gross block and net block figures considered in the cost statement for the year 2010 with the gross block and net block figures reported in the audited annual accounts. It is seen from the reconciliation statement that the CITPL has included an amount of ₹28.76 crores in the opening and closing gross block as well as opening and closing net block of assets for the year 2010 towards Bank Guarantee for duty saved amount under EPCG scheme. Inclusion of ₹28.76 crores in the gross / net block of fixed assets over and above the position reported in the audited accounts remain unexplained. The net block as per the audited accounts for the year 2010 is considered for the purpose of computation of capital employed.

Incidentally, the CITPL has proposed additions to the gross block to the extent of ₹347 43 lakhs in the year 2011 which-have not materialized upto October 2011, as seen from the certified accounts. The details are tabulated below:

SI. No.	Particulars	₹ in lakhe	Status indicated by CITPL
1	Laying concrete road near CITPL terminal entrance	47 43	As per the copy of the work order furnished by CITPL, the work is likely to be completed before 6 January 2012
2.	Additional Reefer structure	125 00	Quotes received by CITPL are under evaluation. The work is estimated to be completed by April 2012.
3	Construction of new workshop for additional equipment	125 00	Quotee invited from vendore Estimated completion by August 2012
4	IT infrastructure (New ERP solutions)	50 00	Work expected to be completed by December 2012
L	TOTAL	347.43	

Since none of the above said work is expected to be completed in the remaining two months of the year 2011, these items are not considered in the year 2011, and its consideration in the subsequent years is discussed in the later part of this analysis.

- (i) Clause 2 9 9 of the tanff guidelines of March 2005 prescribes norms for admissibility of working capital. The details of working capital considered are as follows.
 - (i) As per the norms, two months' estate income and two months' terminal charges payable by Indian Railways are the limit for allowable sundry debtors. This Authority has passed an Order on 30 September 2008 which, inter-alia, permits the outflow on certain items arising from contractual obligations of LA to be taken as a part of sundry debtors.

The CiTPL has considered Bank Guarantee for being customs custodian for containers and land lease charges under sundry debtors. The element of Bank Guarantee for being customs custodian for containers is not permitted in the tariff guidelines of March 2005. As far as the land lease charges is concerned, as per the provisions of LA, one year lease rent is payable by the CITPL to the ChPT in advance. Considering this position, six months' lease rent based on the annual lease rent actually paid by the CITPL for the relevant years, is considered under 'sundry debtors' for the years 2010 and 2011. The sundry debtors estimated by the CITPL for the future years 2012 to 2014 is moderated at six months' annual land lease charges based on the respective years.

(ii) The limit on inventory for capital spares prescribed in the tariff guidelines is one year's average consumption and the limit on other items of inventory is six months' average consumption of stores excluding fuel, as stipulated in the tariff guidelines of March 2005

The CITPL has not considered any amount towards capital spares for the year 2010. It has considered an amount of ₹110.00 lakhs

for the year 2011. The certified accounts for the year 2011 do not reflect the consumption of capital spares in the year 2011. That being so, the value of capital spares is not considered.

The value of inventory considered by CITPL for the year 2010 is seen to be as per norms. As far as the years 2011 to 2014 are concerned the CITPL has considered 25% of the repairs and maintenance expenditure as the value of consumption of inventory for whole year and six months' consumption is considered as the value of inventory by CITPL. The approach adopted by the CITPL in the calculation of inventory maintained but the value of actual / estimated inventory considered by CITPL for the year 2011 is moderated based on the moderated repairs and maintenance expenses considered for the year 2011.

- (iii) The limit on cash balance prescribed in the tariff guidelines is one month's cash expenses. The actual / estimated cash balance considered by the CITPL for the years 2010 and 2011 is moderated based on one month's moderated operating expenses and overheads excluding depreciation as considered.
- (iv) The audited annual accounts for the year 20ftΩ reports current liabilities to the tune of ₹ 2903 lakhs. However, the CITPL has considered the current liabilities at ₹138 lakhs in the computation of working capital. To e query in this regard, the CITPL has clarified that a sum of ₹2765 lakhs relates to its liability to the suppliers of capital equipment and hence excluded for the purpose of computation of working capital. Capital works in progress are not recognized as part of Capital Employed, and, therefore, the payment due to the suppliers of capital equipment may not form part of current liabilities for the purpose of computation of working capital.

As far as the years 2011 is concerned, the CITPL has calculated the value of current liabilities at 15 days' credit for goods and services purchased. It has not considered the actual / estimated expenses in respect of operating direct labour, maintenance labour, equipment hire charges and management & administration overheads for this purpose on the ground that these expenses normally get cleared on the last day of the month when they become due. Since the above items of expenses are considered in the estimation of cash balance under current assets, it is not appropnate to exclude them for the purpose of estimation of current liabilities. That being so, the above said expenses are also considered at 15 days' credit, following the approach adopted by the CITPL for calculation of current habilities. The current liabilities estimated by CITPL for the year 2011 is modified taking into account the moderated operating expenses considered for the said year

Considering the moderated current assets and current liabilities, the working capital for the years 2010 and 2011 works out to ₹654.60 lakhs and ₹701 98 lakhs respectively.

(j) The unamortized portion of upfront fee and leasehold premium form part of the capital employed on which return is allowed. Subject to above modifications, the capital Employed for the years 2010 and 2011 works out to ₹52748 59 lakhs and ₹49927 82 lakhs respectively as against the estimated capital employed of ₹52416 50 lakhs and ₹50320 74 lakhs for

the corresponding years. The variation between the actual and estimated capital employed is seen to be (-)0.06%

- Considering the annual capacity of the terminal at 597870 TEUs for the years 2010 and 2011 as considered in the tariff Order of November 2010 and the actual traiffic handled during the relevant years, the actual capacity utilization works out to 51% and 80% respectively for the said two years. Since the investment mede by the CITPL in the facilities is as per the LA, the operator is eligible for full ROCE, as per the guidelines and as recorded in the last tariff Order of November 2010. Accordingly, return on capital employed for the said two years is allowed at the maximum rate of 16% applicable for the respective years.
- (I) Subject to the above adjustments, the financial / cost position after return for the years 2010 and 2011 shows a deficit position. The net deficit after permissible return for the years 2010 and 2011 are at ₹7493 68 lakhs and ₹1153.28 lakhs respectively, aggregating to ₹8646 96 lakhs.
- (m) The variations in the actual performance of CITPL compared to the estimates, in respect of key parameters, are furnished in the table given below

Particulars	Aggregate of 2010 and 2011				
	Estimates	Actuals	Variance		
Traffic (in TEUs)	787500	784639	(-)0.36%		
Operating Income	24,163 50	21,695 06	(-)10.22%		
Operating Expenses (including depreciation and overheads)	16,463 62	13,926.81	(-)15.41%		
Capital Employed (average)	51,368 62	51,335 25	(-)0.06%		
Rate of Return on Capital Employed	7.49%	7 58%	(+)1.12%		

/7 in Jakhal

Clause 2.13 of the tariff guidelines of March 2005 while prescribing performance variation of + or - 20% for adjustment of past surplus, stipulates review of both physical and financial performance. In this case, the variation in both the physical performance as well as the key parameters of financial performance like operating income, operating expenses and capital employed, Rate of Return on capital employed are found to be less than 20%. Therefore, the question of adjustment of past deficit in future tariff does not arise.

Since the deficit position for the year 2011 is partially based on estimates the actual position for the year 2011 shall be subject to review during the next tariff revision exercise. If variation is found between the estimate and actual position for the year 2011, the net deficit position for the years 2010 and 2011 considered above shall be reviewed and shall be dealt as per clause 2.13 of the tariff guidelines of 2005.

(vi) As per clause 3.1.8 of the tariff guidelines of 2005, the normal tariff validity cycle is for a period of three years and hence the analysis in respect of CITPL is done for a three years period from 2012 to 2014

The actual / estimated traffic handled by CITPL is 479,887 TEUs in the year 2011. The traffic estimated by CITPL for the years 2012 to 2014 is 585,000 TEUs, 789,750 TEUs and 1,066,163 TEUs respectively with the proposed addition of 4 RMQCs and 8 RTGs during the year 2012. The annual growth projected in the traffic is around 22% in the year 2012 and 35% each during the years 2013 and 2014 over the estimated traffic of the respective previous year. The CITPL has stated that the projected traffic growth is based on traffic study carried out by it

with the assistance of consultants, economic activities in the feeder area and the terminals coming in vicinity

The estimated traffic for each of the years 2012 to 2014 is more than the Minimum Guaranteed Throughput (MGT) prescribed in the LA at 500,000 TEUs per annum Further, the traffic estimated by the CITPL for the year 2012 is more than the projected traffic of 429,054 TEUs reportedly considered by the ChPT in its Budget Estimates 2012-13 in respect of CITPL. The ChPT and the users have not made any adverse remarks on the traffic estimates of CITPL Therefore, the traffic estimates as furnished by CITPL for the years 2012 to 2014 are relied upon for the purpose of this analysis

The CITPL has adopted a container mix ratio of 94 09% for foreign containers, 3.78% for coastal containers, 1.77% for transhipment containers and 0.36% for others which includes hazardous and oversize containers in the estimated traffic for the years 2012 to 2014 reportedly based on the actual mix ratio of vanous types of containers handled during the year 2011 (upto October 2011). However the actual container mix ratio in the actual traffic handled by CITPL from January 2011 to October 2011, as furnished by the CITPL, is seen to be at 95.11% for foreign containers, 3.24% for coastal containers, 1.38% for transhipment containers and 0.28% for other types of containers, which shows that the CITPL has not updated the position. Therefore, ratio of vanous types of containers in the estimated traffic for the years 2012 to 2014 is updated based on the actual container mix ratio obtained for the period upto October 2011.

Though the estimated traffic compares favourably with MGT levels, there is considerable capacity available during the years 2012 and 2013 in view of the proposed addition of container handling equipment. Therefore, if any undue advantage is found to have accrued to the CITPL due to wrong estimation of traffic, the additional surplus so earned will be adjusted as per the tariff guidelines of March 2005 in the next tanff cycle.

- The operating income estimated by CITPL in the cost statement for the years 2012 to 2014 is ₹15375 lakhs, ₹20763 lakhs and ₹27170 lakhs respectively. The operating income estimated by CITPL for the years 2012 to 2014 for the estimated volumes is not found to be in tandem with the actual operating income for the actual traffic handled during the year 2011. While the average actual per TEU realisation for the year 2011 works out to around ₹2906/-, the average per TEU realisation considered by CITPL for the years 2012 to 2014 is around ₹2,628/- for the years 2012 and 2013 and around ₹2,548/- for the year 2014. Considering the position that the actual container mix ratio of 2011 is adopted for the years 2012 to 2014 by the CITPL, the operating income estimated by the CITPL for the years 2012 to 2014 is seen to be understated.
 - The workings furnished by CITPL, for estimation of income at the existing (b) level of tariff for the estimated traffic for the years 2012 to 2014 shows that it has considered consolidated unit rates for each category of container like foreign, coastal, transhipment and loaded, empty, reefer containers When sought to furnish the break-up for the under each category consolidated rates in terms of item-wise rates prescribed in the approved Scale of Rates (SoR), the CITPL has furnished such break-up for one type of container, viz normal foreign 20' loaded container only. It has not furnished such break-up for other types of containers Therefore and considering that the operating income estimated by CITPL for the years 2012 to 2014 is seen to be understated, the consolidated unit rates for each type of containers is calculated taking into account the item wise rates prescribed in the approved SoR. The estimated container handling income furnished by CITPL for the years 2012 to 2014 is revised taking

into account the consolidated unit rates worked out and estimated traffic for the relevant years

The other operating income considered by CITPL comprises of storage charges, reefer charges, rail terminal handling charges and hatch cover handling charges. The CITPL has estimated the storage income for the years 2012 to 2014 considering that the entire volume of estimated traffic would stay for one day, on an average, beyond the prescribed free period. The approach adopted by the CITPL is reportedly based on the actual storage income realised by it during the year 2010. The approach adopted by the CITPL in the estimation of storage income is considered in this analysis.

The CITPL has considered the estimated reefer volume for the years 2012 to 2014 for estimation of reefer charges which is found to be in order. However, the reefer charges estimated by CITPL for the years 2012 to 2014 is updated taking into account the modified container mix ratio.

The CITPL has considered 5% of the total estimated traffic for rail terminal handling for estimation of income from rail terminal services, reportedly based on past experience at its Terminal. The approach adopted by the CITPL is relied upon in this analysis. It has considered a unit rate of ₹1400/- per TEU in the estimation of rail terminal income. When sought to furnish the provision in the approved SoR for this tariff item, the CITPL has stated that the charges presently collected by it for rail terminal operations is ₹1673.10 per TEU (i.e. ₹707.85 for lift on/lift off at container yard and ₹965.25 for transportation from Rail yard to Terminal or vice versa). Accordingly, the estimated rail handling income for the years 2012 to 2014 are modified taking into account the rates prescribed in the existing SoR and traffic estimate as furnished by CITPL

The CITPL has considered a unit rate of US\$ 56 3125 and ₹1622/- per hatch cover operation for foreign vessels and coastal vessels respectively. The rate prescribed in the existing approved SoR of CITPL for one operation of hatch cover handling (both opening and closing) via landing on quay is US\$ 45.05 for foreign vessels and ₹1135.26 for coastal vessels. The reason for considering a higher rate in the estimation of income by CITPL remains unexplained, despite a query posed to CITPL in this regard. Therefore, the income from hatch cover handling estimated by the CITPL for the years 2012 to 2014 is moderated applying the rates prescribed in the SoR.

- (d) The CITPL has considered an exchange rate of ₹47.80 per US\$ in respect of container handling income and ₹.48.00 per US\$ in respect of other operating income such as storage charges, reefer charges etc. in the computation of estimated income from dollar denominated tariff items. Normally, the dollar exchange rate prevailing at the time of finalization of the case in reference is considered as base to determine the income from the dollar denominated tariff items for the future period. However, given the sudden volatility leading to sharp, weakening of the Rupee Vis-a-vis the US dollar, it may not be possible to say that this position will continue for next three years. The last year shows an average exchange rate of ₹46.33 per US\$, which is considered in this analysis for determination of estimated income from dollar denominated tariff items for the years 2012 to 2014.
- (e) Subject to the above changes, the revised estimated operating income works out to ₹16797 86 lakhs ₹22677 11 lakhs and ₹30614 11 lakhs for the years 2012 to 2014 respectively as against the estimates of ₹15375

lakhs,

₹20763 lakhs and ₹27170 lakhs furnished by CITPL for the corresponding years

- (viii). Clause 2.5.1 of the tariff guidelines of 2005 requires that the expenditure projections of the major port trusts / terminal operators should be in line with traffic adjusted for price fluctuations with reference to current movement of Whole Sale Price Index (WPI) for all commodities announced by the Government of India Accordingly, this Authority has decided to consider an escalation factor of 6% for the expenditure projections in the tariff cases to be decided during the year 2011-12, as communicated to all the major port trusts and private terminal operators including CiTPL vide letter No TAMP/27/2005-Misc dated 11 July 2011
- As against the actual number of employees of 86 under operating and (IX)(a). direct labour category for the year 2011, the CITPL has estimated the number of employees under this category at 166, 245 and 267 for the years 2012 to 2014 respectively. The maintenance labour requirement is estimated by CITPL at 33, 34 and 34 no of employees during the years 2012 to 2014 as against existing 28 no of employees reported for the The CITPL has justified that the increase estimated in the labour force is on account of commissioning of four new RMQCs and eight RTGCs in the year 2012. The CITPL has also stated that it had engaged less manpower than the requirement in the past since the terminal was The increase in the number of operating and direct labour and maintenance labour force estimated by CITPL for the years 2012 to 2014 is relied upon in this analysis. If the actual number of operating & direct labour and maintenance labour engaged by the CITPL during the years 2012 to 2014 is found to be lower than the estimates, the resultant impact at actuals will be quantified in the next tariff review and fully set off in future tariff
 - The average cost per operating and direct labour and maintenance labour (b). reported by CITPL for the year 2011 is ₹2 87 lakhs per annum and ₹2 54 For the year 2012, the CITPL has lakhs per annum respectively considered the average annual cost at ₹2.73 lakhs and ₹2.16 lakhs per operating & direct labour and maintenance labour respectively which is seen to be lower than the actuals of 2011. The CITPL has stated that the reduction in the average employee cost is due to requirement of more entry level maintenance labour at lower salary. The position reported by CITPL in this regard is considered in this analysis. For the next two years 2013 and 2014 the average annual employee cost of operating and direct labour as well as maintenance labour is escalated by 6% per annum, over the estimates of respective previous year, which is found to be in order Therefore, the operating & direct labour cost and maintenance labour cost estimated by the CITPL for the years 2012 to 2014 are considered without modification
 - The estimated Equipment running cost comprises of power cost, fuel cost and repairs & maintenance expenses, which is discussed in the following paragraphs in seriation
 - (a): The CITPL has reported an actual power consumption of 10.99 units per TEU during the year 2011 and has also considered the same unit power consumption for the years 2012 to 2014. The workings furnished by the CITPL in this regard shows that the CITPL has considered the total power consumption during the year 2011 for determining the power consumption per unit of throughput. It has not segregated the actual power

consumption into variable and fixed components. In the absence of such details, the power consumption of 10.99 units per TEU estimated by CITPL is considered in this analysis. However the CITPL is advised to segregate the power consumption into variable and fixed components and estimate the power consumption per unit of throughput accordingly in the next review of its tariff.

The average unit cost of power for the year 2011 is reported by CITPL at ₹8.72, which is substantiated with a copy of the electricity bill for the month of May 2011. The CITPL has escalated the unit power cost applying 6% annual escalation on compounding basis for the years 2012 to 2014, which is found to be in order. Therefore, the power cost estimated by CITPL for the years 2012 to 2014 is considered without any modification.

(b) The CITPL has reported an actual fuel consumption of 3 65 litres per TEU for the year 2011. However, based on the total fuel cost of ₹454 lakhs incurred during the year 2011 (upto October 2011) and unit fuel rate of ₹45 per litre furnished by CITPL, the actual fuel consumption works out to 2 52 litres per TEU for the actual traffic of 399 906 TEUs handled upto October 2011. Further, the CITPL has considered a fuel consumption of 4 litres per TEU in the estimation of fuel cost for the years 2012 to 2014 stating that the consumption is expected to increase with the passage of time. The actual fuel consumption of 2 52 litres per TEU reported for the year 2011 is maintained for the years 2012 to 2014 also in the estimation of fuel cost.

The unit cost of fuel considered by CITPL for the years 2012 to 2014 is updated with the prevailing market price of diesel at Chennai at ₹43 95 per litre, allowing 6% annual escalation for the years 2012 to 2014 on compounding basis

- (C) The CITPL has reportedly estimated the repairs and maintenance cost for the years 2012 to 2014 at 1,5% of the gross block per annum for mechanical / electrical assets and 0.5% of the gross block per annum for civil assets. The repairs and maintenance expenditure so estimated by the CITPL is to the tune of ₹1686 lakhs, ₹1734 lakhs and ₹1785 lakhs for the years 2012 to 2014 respectively. Even going by the assumptions of CITPL, the estimated repairs and maintehance expenses for the years 2012 to 2014 works out to around ₹838 lakhs per annum which apparently shows that the repairs and maintenance expenses estimated by CITPL is overstated The estimated repairs and maintenance expenses for the years 2012 to 2014 is moderated applying 6% annual escalation on the actual / estimated expenses for the respective previous year. In respect of additions to fixed assets, the estimated repairs and maintenance expenses is allowed at 2% of the estimated capital cost for mechanical / electrical assets and 1% of the estimated capital cost for civil assets on the additions to gross block considered for the respective years. following the approach adopted by this Authority in the tariff cases of other private terminals. The moderated repairs, and maintenance expenses work out to ₹521 75 lakhs, ₹726 41 lakhs and ₹769 99 lakhs for the years 2012 to 2014 respectively
- (XI) The CITPL has not claimed estimated revenue share payable by it to the ChPT for the years 2012 to 2014 for review of its tariff, which is found to be in line with the provisions of LA and the tariff guidelines of March 2005.
- (XII) The estimated equipment hire charges considered by CITPL for the years 2012 to 2014 comprises of hire charges for 6 Nos of Reach-stackers. Prime Movers

(Tractor Trailers) 3 Nos of Forklifts, Workshop tools, EO Trolley, Air Compressor and UHF

The LA provides for deployment of 6 Nos of Reach-stackers with an option to the operator to hire them. The number of Prime movers is to be decided by the operator based on the operational requirements, as stipulated in the LA. The other items of equipment for which CITPL has estimated hire charges, are not specifically mentioned in the LA.

The CITPL has furnished documentary support only in respect of hiring of Reach-stackers and Prime-movers. Despite a specific requisition, it has not furnished documentary evidence in respect of hiring other items of equipment. Incidentally, the break-up of actual equipment hire charges furnished by the CITPL for the years 2010 and 2011 shows that the CITPL has not incurred equipment hire charges for the said other equipment. Further, in the last tariff Order passed in November 2010, hire charges estimated by CITPL for these equipment were not admitted as it had not furnished documentary support for hiring the same. In view of the above, equipment hire charges estimated by the CITPL in respect of Forklifts, Workshop tools, EO Trolley, Air Compressor and UHF are not considered.

The CITPL has estimated an amount of ₹315 lakhs, ₹334 lakhs and ₹354 lakhs for the years 2012 to 2014 respectively towards hire charges for Reach-stackers. The workings furnished by the CITPL shows that it has calculated hire charges for 7 Nos of reach-stackers. Though the LA stipulates deployment of 6 Nos reach-stackers, the deployment of additional one reach-stacker is considered in the light of the proposed additional deployment of 4 RMQCs and 8 RTGs and increase in traffic volumes. Therefore, the equipment hire charges for 7 Nos reach stackers as estimated by CITPL, are considered in this analysis.

The documentary evidence furnished by the CiTPL in this regard shows monthly hire charges for reach stackers which are valid upto 31 May 2012. The workings furnished by CiTPL shows that it has applied escalation on the base rates for the whole of the year 2012. Recognising the validity of the existing rates till May 2012, escalation @ 6% per annum is allowed on the base rates from June 2012 for the year 2012. Following the same approach, for the subsequent two years 2013 and 2014, the escalation @ 6% p.a. on compounding basis is allowed from June 2013, and June 2014 respectively over the rates considered for the respective previous year.

In respect of prime movers, the documentary support furnished by CITPL shows that the payment is linked to throughput. The contract is effective from 1 June, 2010 to 31 May 2011 with an option to extend the contract for another year at the same terms & conditions. The contract also provides for adjustment of the unit price for variation in the diesel rates. Accordingly, it seen that the CITPL has revised the unit rates effective from 25 June 2011. The hire charges in respect of prime rnovers estimated by CITPL for the years 2012 to 2014, applying the escalation of 6% per annum are considered subject to rectification of minor errors found in its calculation.

The CITPL has considered a total area of 285,149 sq. m. for the estimation of lease rent payable for years 2012 to 2014, which includes additional area of 78,000 sq. m. yet to be handed over by ChPT. As reported by CITPL the additional area of 78,000 sq. m. is likely to be handled over to CITPL by ChPT in August 2012. The CITPL has considered the lease rental for the additional area for the whole of the year 2012. However, relying on the information furnished by CITPL, the lease rental for the additional area is considered from August 2012.

The CITPL has estimated the lease rent for the years 2012 to 2014 for the total area of 285,149 sq. m. at ₹1457 lakhs. ₹1486 lakhs, and ₹1516 lakhs. When

(xnı)

sought to confirm the lease rental estimates furnished by the CITPL, the ChPT has furnished details on the lease rental payable by the CITPL for the area of 207,149 sq. m. already allotted at ₹901 lakhs, ₹945 lakhs and ₹993 lakhs for the years 2012 to 2014 respectively. The annual lease rental reported by the ChPT for the area already allotted is considered.

In respect of lease rental for the additional area of 78,000 sq. m., it is seen that the CITPL has considered the rate applicable for developed area in its calculation. As per the LA, this additional area of 78,000 sq. m. is included in the undeveloped area. Therefore, the lease rental for the additional area is calculated by adopting the rate applicable for undeveloped area, allowing 2% annual escalation on compounding basis, as per Land Policy 2010 issued by the Government

As recorded in the last tanff Order of November 2010, both the CiTPL and ChPT were reportedly in the process of raiering the dispute between them on license fee to arbitration. The status in this regard is not reported to us during the current tanff proceedings by both the parties. However, as a measure of abundant caution, it is made clear that the estimates of estate rental considered in this exercise should not be construed as pre-judging the issues to be settled between them.

- The CITPL has reportedly estimated the insurance cost for the years 2012 to 2014 at 0.5% of the gross block per annum for mechanical / electrical assets and 0.1% of the gross block per annum for civil assets. The insurance cost so estimated by the CITPL is to the tune of ₹200 lakhs, ₹259 lakhs and ₹263 lakhs for the years 2012 to 2014 respectively. The estimated insurance cost for the years 2012 to 2014 is calculated taking the actual insurance cost for the year 2011 as the base and applying 6% annual escalation thereon on compounding basis. While doing so, the insurance cost in respect of additions to fixed assets is allowed at 1% of the estimated capital cost of the additions to gross block considered for the respective years, following the approach adopted by this Authority in the tariff cases of other private terminals like the South West Port Limited, TM International Logistics Limited, Visakita Container Terminal Pvt, Ltd. The revised insurance cost works out to ₹186.92 lakhs for the year 2012 and ₹269 52 lakhs each for the years 2013 and 2014,
- The CITPL has estimated the other direct expenses at ₹713 lakhs, ₹865 lakhs and ₹1095 lakhs for the years 2012 to 2014 respectively. When sought to list out the items considered under other expenses with cost details, the CITPL has stated that it comprises of lashing / unlashing, transport expenses for shift staff and reefer cleaning and monitoring charges and reported the aggregate amount of these expenses at ₹157 lakhs, ₹195 lakhs and ₹285 lakhs for the years 2012 to 2014 respectively. The reason for such a vast difference between the estimates considered by CITPL in the cost statement and the figures reported in the reply to

As per the details furnished by the CITPL, the average lashing / unlashing expenses and container inspection charges works out to ₹51/- per TEU which is supported by copies of invoices pertaining to December 2010. Therefore, and the unit rate for the year 2011 not being furnished by the CITPL, the lashing / unlashing expenses and container inspection charges for the years 2012 to 2014 are calculated applying the unit rate of ₹51/- per TEU escalated by 6% per annum on compounding basis on the estimated traffic for the respective years.

As far as reefer monitoring expenses and other general expenses are concerned, the documentary support furnished by CITPL shows that they are related to time period. Based on the actual expenses incurred for December 2010, the annualised expenses work out to ₹67 lakhs per annum, as furnished by the CITPL. Therefore, and the actual other expenses for the year 2011 not being furnished by CITPL, the other expenses for the years 2012 to 2014 are calculated.

taking the annualised expenses of ₹67 lakhs as the base and applying escalation @ 6% per annum on compounding basis thereon

The revised other direct expenses considered for the years 2012 to 2014 works out to ₹391 89 lakhs, ₹532 74 lakhs and ₹732 60 lakhs respectively.

Clause 2.7.1 of the revised tariff guidelines stipulates that in case of private terminals, depreciation has to be allowed on straight line method with life norms adopted as per the Companies Act, 1956 or based on the life norms prescribed in the Concession Agreement whichever is higher. Despite a query, the CITPL has not confirmed that the depreciation is calculated by it in line with the provisions of tariff guidelines. However, it has stated that it has followed the depreciation rates as per the Companies Act.

The CITPL has grouped the total assets into 3 categories and applied a common depreciation rate for each group. The audited annual accounts of CITPL for the year 2010 indicate the item-wise depreciation rate adopted by it. The estimated depreciation for the years 2012 to 2014 is calculated taking into account the item-wise depreciation rates indicated in the audited annual accounts for the year 2010. The depreciation on additions to the gross block during the years 2012 to 2014 computed by the CITPL is also modified applying the same rates and in line with the modifications considered in the additions to the gross block as explained in the subsequent paragraphs. The depreciation on additions is, however, allowed on pro-rate basis reckoning the expected date of commissioning of the assets furnished by CITPL, as per the provisions of Companies Act, 1956. The upfront fee and leasehold premium included in the fixed assets is not considered for computation of depreciation, in view of amortisation of the same over the project period in line with the approach followed in the earlier Order passed by this Authority in November 2010.

(XVII). (a) The CITPL accounts for staff salary under the management and administration overheads. As against the actual number of staff of 14 for the years 2011, the CITPL has estimated the number of staff at 21 each for the years 2012 to 2014. The number of staff estimated by CITPL for the years 2012 to 2014 is relied upon in this analysis. If the actual-number of staff engaged by the CITPL during the years 2012 to 2014 is found to be lower than the estimates, the resultant impact at actuals will be quantified in the next tariff review and fully set off in future tariff.

The actual average cost per staff for the year 2011 works out to ₹19 04 lakhs per annum. The average annual staff cost is escalated by 6% per annum on compounding basis for estimation of this expenses for the years 2012 to 2014, taking the actual for the year 2011 as base.

The general overheads estimated by CITPL consist of various administrative expenses like communication, travelling, printing & stationery, advertisement, bank charges, etc. The CITPL has estimated the overheads for the years 2012 to 2014 at ₹ 819 lakhs, ₹ 898 lakhs and ₹ 983 lakhs respectively as against the actual / estimated expenses for the year 2011 of ₹ 392 lakhs. When asked to justify the estimates for the years 2012 to 2014 at a higher level, the CITPL has stated that the increase is on account of additional manpower to be employed due to addition of equipment. However, the items of expenditure listed down by the CITPL for general overheads do not include any manpower related It is noteworthy to recall that the CITPL has already expenditure accounted for the manpower expenditure under operating & maintenance labour and management and administration overheads. Therefore, the estimates of CITPL for the years 2012 to 2014 in this regard are moderated by taking the actual / estimated general overheads for the year

2011 as the base and applying 6% annual escalation on compounding basis

- (xviii) As already discussed earlier, the annual amortization amount of ₹57.58 lakhs is considered for the year 2014 towards amortization of upfront fee and leasehold premium. The same amount is-considered for each of the years 2012 to 2014 also
- The CITPL has not estimated any Finance & Misdellaneous Income as well as Finance & Miscellaneous expenses for the years 2012 to 2014. The position considered by the CITPL-is relied upon/in/this/analysis/
- (xx) The Capital Employed compnsing of Net Fixed Assets and Working Capital are analysed in the following paragraphs.

(a) Fixed Assets.

(I) Year 2012

The CITPL has proposed additions to the gross block to the tune of ₹23378 lakes towards cost of four RMQCs and eight RTGCs. These handling equipment are proposed to be added to the existing fleet of 3 RMQCs and 10 RTGCs deployed by CITPL for operation at the terminal. The tea at Appendix 12 provides for deployment of 3 RMQCs and 10 RTGCs. It also provides for deployment of additional RMQCs and RTGCs to meet increasing business and operations demand.

It is the position of the CITPL that the berth length of 832 m can accommodate 3 vessels at 'a time'. Since the existing 3 cranes are not sufficient to service the 3 vessels in an efficient manner, more than one vessel at a time does not call the terminal. If additional cranes are not provided, the berth will lie idle and the precious investment made in the berth would remain unutilised. If more cranes are added; the CITPL states that it can attract more vessels to its terminal apart from reduction in the tumaround time of the vessels. The CITPL has also considered volume build up in the future years in a phased manner on account of the addition of cranes. The licensor port, ChPT has also supported the proposed deployment of additional container handling equipment by the CITPL stating that the CITPL needs to develop quay side capacity to achieve full potential of the yard capacity and it would also increase the efficiency parameter of the port as a whole

On account of addition of 8 RTGCs the terminal will have a total of 18 RTGCs. The upfront tartiff guidelines of 2008, though not applicable in this case, prescribes a norm of 3 RTGCs for each RMQC. That being so and keeping in view the total availability of 7 nos of RMQCs, the total number of RTGCs that will be available at the CITPL will be 18, which is less than the total number of RTGCs as per the norm.

In view of the above-position and justification given by the CITPL and keeping in view the position brought out by ChPT, the proposed addition of 4 RMQCs and 8 RTGCs are considered in this analysis

The CITPL has substantiated the procurement of the four RMQCs and eight RTGCs with copies of the work orders placed by it in May 2011. It is noteworthy that it has also produced documentary

proof in respect of advance payment made by it to the tune of ₹2183 lakhs to the suppliers. As per the work orders, all the additional equipment will be commissioned in May 2012.

The workings furnished by the CITPL for the estimated capital cost of ₹23378 lakhs shows that it includes an amount of ₹3699 lakhs towards Bank Guarantee for duty saved amount under EPCG scheme and ₹450 lakhs each towards workshop and incidental capex in equipment / mast

The Bank Guarantee for duty saved amount to be furnished by the CITPL to the Customs is a security to fulfil export obligations against the concessional customs duty to be availed under EPCG scheme and does not form part of the actual cost of procurement. The commission payable to the Banks on the value of Bank Guarantee is the relevant cost in this regard which is already captured under general overheads. In view of the above position, the value of Bank Guarantee for duty saved amount under EPCG scheme is not considered in the capital cost estimation with regard to RMQCs and RTGCs.

With regard to the total estimate of ₹900 lakhs for workshops and incidental equipment like mast, the CITPL has neither furnished documentary evidence in support of its estimates nor given a definite time schedule for its commissioning, despite a query posed to it in this regard. Therefore, the estimate of ₹900 lakhs towards workshop and incidental equipment is not considered.

Consequent to the above adjustments, the modified capital cost of the additional container handling equipment works out to ₹13294 lakhs for the four RMQCs and ₹5485 lakhs for the eight RTGCs, aggregating to ₹18779 lakhs. The operating expenses, viz repairs and maintenance, insurance and depreciation are allowed for the additional container handling equipment from the expected month of commissioning since the equipment are proposed to be put into use from the date of commissioning, as stated by the CITPL. Admissibility of return on the capital cost of the proposed additions is discussed in the later part of this Order

Apart from the above and as stated earlier, the following additions to gross block proposed by the CITPL in the year 2011 and considered in the year 2012 are discussed below

(i) Laying of concrete road

The CITPL has substantiated the proposed investment of ₹47 43 lakhs in this regard with a copy of the work order placed by it and documentary proof in respect of advance payment made to the contractor. As per the work order, the work is likely to be completed in January 2012. The CITPL has not included this item in the cost statement (Form 4A), which is seen to an error of omission. However, taking into account the documentary support furnished by the CITPL, the estimate of ₹47 43 lakhs towards taying of concrete road is considered in the year 2012.

(ii) Additional reefer structure

Though the CITPL has not furnished any documentary evidence for the above work estimated at a cost of ₹125 00 lakhs, considering traffic volume build up in near future and relying on the position reported by the CITPL that quotes received from the vendors are under its scrutiny and the work is expected to be commissioned by April 2012, the estimate of CITPL towards construction of additional reefer structure is considered in the year 2012, subject to ventication with actuals during the next review of its tariff

(iii) Construction of workshop

As stated by CITPL, the estimate amounting to ₹125 00 lakhs relates to construction of new workshop for additional equipment proposed to be commissioned during the year 2012. Though the CITPL has not furnished any documentary evidence for the above work, relying on the position reported by the CITPL that quotes are invited from the vendors and the work is expected to be commissioned by August 2012, the estimate of ₹125 00 lakhs proposed by CITPL towards construction of workshop is considered in the year 2012, subject to venification with actuals during the next review of its tariff

(II) Year 2013

The CITPL has proposed additions to the gross block to the tune of ₹3000 lakhs towards civil works for the development of additional yard in the area of 78,000 sq. m. likely to be handed over by the ChPT in August 2012

The allotment of the above additional area for development of container yard is covered under the LA provisions at Article 6 and Appendix 4 of the LA

Though the CITPL has pegged the additional investment in this regard at ₹3000 lakhs in the cost statement, the documentary support furnished by it shows the estimated capital cost of the work as ₹3700 lakhs. The CITPL has also confirmed that the work will be completed in the year 2013. Relying upon the documentary support furnished by the CITPL, the estimate of ₹3700 lakhs towards development of additional yard is considered in the year 2013.

Apart from the above and as stated earlier, the additions to gross block proposed by the CITPL in the year 2011 in the IT infrastructure is also considered in the year 2013, as discussed below.

As stated by CiTPL, the estimate amounting to ₹50 00 lakhs relates to implementation of new ERP solutions. Though the CITPL has not furnished any documentary evidence for the above work, it has reported that the system is expected to be commissioned by December 2012. Relying on the position reported by the CiTPL and considering that the expected commissioning of the facility is slated in the fag end of the year 2012, the proposed investment of ₹50 00 lakhs in this regard is considered in the year 2013, subject to verification with actuals during the next review of its tariff

(III) Year 2014

The CITPL has not proposed any additions during the said year

(b) Working Capital.

- (i) As explained in the earlier paragraphs, value of sundry debtors estimated by the CITPL for the years 2012 to 2014 is moderated to six months' annual land lease charges
- (II) As regards inventory, the CITPL has estimated capital spares at ₹137 lakhs, ₹193 lakhs and ₹195 lakhs for the years 2012 to 2014 respectively. Since the CITPL is in the process of commissioning the additional container handling equipment in the year 2012, the capital spares as estimated by the CITPL are relied upon and considered, subject to ventication of actuals during the next review of its tanff.

As already stated, the approach adopted by the CITPL for estimation of other inventory as a proportion of estimated repairs & maintenance expenses is considered in this analysis. However, the estimates of CITPL for the years 2012 to 2014 are moderated by taking into account the moderated estimates of repairs & maintenance expenditure for the corresponding years.

- (III) The cash balance is allowed as per the norms on the moderated operating expenses including overheads
- Following the approach adopted for the year 2011, the current liabilities estimated by the CITPL for the years 2012 to 2014 are revised by taking into account the moderated estimates of operating expenses for the corresponding years

Considering the moderated current assets and revised current liabilities, the working capital for the years 2012 to 2014 work out to ₹1028 90 lakhs, ₹1302 04 lakhs and ₹1420 65 lakhs respectively

- (c) The unamortized portion of upfront fee and leasehold premium form part of the capital employed on which return is allowed. Subject to above modifications, the Capital Employed for the years 2012 to 2014 works out to ₹65097 91 lakhs, ₹64128 36 lakhs and ₹59315 80 lakhs respectively which is considered in this analysis.
- (XXI) With the existing number of 3 quay cranes deployed at the terminal, the quay capacity of the terminal, at 70% utilisation level works out to 5,97,870 TEUs per annum, which was considered in the last tariff Order of November 2010 for allowing permissible return.

With the proposed addition of 4 quay cranes, the CITPL has reported the quay capacity of the terminal at 11,41,778 TEUs per annum for 7 quay cranes, considering a productivity norm of 20 moves per hour per quay crane and a box ratio 1 33. However, following the methodology adopted in the November 2010 order the quay capacity of the terminal with the 7 cranes works out to 13,95,030 TEUs per annum.

With the ground slot of 286 TEUs per hectare, average stack height of 2.5 and the average dwell time of 3 days, the CITPL has reported the yard capacity for the allotted area of 207,149 sq. m. at 970,327 TEUs per annum at 70% utilisation

With the proposed development of yard in the additional area of 78,000 sq. m. to be allotted by the ChPT, the yard capacity is estimated at 13,35,694 TEUs per annum. However, with the improved norm for ground stots at 360 TEUs per hectare and stack height of 3 considered by this Authority in determination of yard capacity in other cases, the yard capacity works out to 14,65,312 TEUs per annum for the existing allotted area of 207,149 sq. m. and 19,81,108 TEUs per annum including the area of 78,000 sq. m. to be handed over by the ChPT in August 2012. The quay capacity of 13,95,030 TEUs per annum with 7 quay cranes is relevant for the years 2013 and 2014. For the year 2012, considering that the additional 4 cranes would be available only for the second half of the year, the capacity of the terminal is computed on pro-rata basis, which works out to 996,450 TEUs.

Based on the above capacity and the estimated traffic, the overall capacity utilisation work out to 58 71%, 56 61% and 76 43% for the years 2012 to 2014 respectively

As stipulated in clause 2.9.11 of the tanff guidelines of March 2005, in the case of private terminal operators, if the investment made is in accordance with the obligations under the LA, it will be considered for ROCE even if full capacity utilisation is not achieved.


In the present case, the LA provides for deployment of 3 RMQCs and 10 RTGCs, as stated earlier. The LA also provides for deployment of additional RMQCs and RTGCs based on increase in business and operational demand. Since induction of additional equipment is linked to increase in business, i.e. traffic, the deployment of additional four RMQCs and eight RTGCs envisaged by the CITPL in the current tariff cycle vis-à-vis estimated traffic for the years 2012 to 2014_is discussed in the following paragraphs-for each of the years for the purpose of allowing return.

<u>Year 2012</u>

The estimated traffic for the year 2012 is 585000 TEUs. The capacity with the existing 3 quay cranes at 70% utilisation works out to 597870 TEUs, which is sufficient in the year 2012 to handle the estimated traffic of 585000 TEUs. Therefore, the Written Down Value (WDV) of the additional four RMQCs and eight RTGCs is not considered for the purpose of allowing return for the year 2012. Maximum of return of 16% adopted by this Authority for allowing return for the tariff cases to be decided during the year 2011-12 is allowed on the admissible capital employed for the year 2012.

Year 2013

The estimated traffic for the year 2013 is 789750 TEUs. Since the capacity with the existing 3 quay cranes at 70% utilisation which works out to 597870 TEUs is not sufficient to handle the estimated traffic additional handling equipment is required to handle the residual traffic of 191880 TEUs. Taking into consideration the aggregate capacity of the additional handling equipment of 797160 TEUs at 70% utilisation and the residual traffic of 191880 TEUs, the capacity utilisation of the additional equipment works out to 24%. Since the capacity utilisation of these additional cranes is less than 60%, return on the WDV Of these additional cranes is allowed on pro-rata basis, in terms of Clause 2.9.10-of the tariff guidelines. Accordingly, 3.85% return on the WDV of additional container handling equipment and maximum return of 16% on the remaining capital employed is allowed for the year 2013.



Year 2014

The estimated traffic for the year 2014 is 10 66,163 TEUs. The capacity with the existing 3 quay cranes is not sufficient to handle the projected traffic. Taking into consideration the aggregate capacity of the additional equipment of 797,160 TEUs at 70% utilisation, and the residual traffic of 468293 TEUs, the capacity utilisation of the additional container handling equipment works out to 59%. As per clause, 2.9,10 of the fariff guidelines, maximum permissible return will be allowed for capacity utilisation of 60% and above. When the capacity utilisation is found to be in the region of 60% to 60%, a decision on the pro-rata reduction in the maximum permissible return to be allowed will be decided on case to case basis, after analysing the factors leading to capacity underutilisation. Since the capacity utilisation of the additional container handling equipment is closer to the stipulated level of 60% and the overall utilization is around 76%, this Authority is inclined to allow full return on the WDV of these additional cranes also for the year 2014.

	, , ,		<u> </u>	_(₹ in、lakhs)
Particulars	2012	2013	" <u>2</u> 014	' Total
Operating Income	16797, 86	22677,11	30614 11	70089 08
Net Surplus (after seturn)	- (-),657,36,	. 1977 40	7254 67	8574.71
Net Sumplies as a percentage of Operating	(-)3,91%	8.72%	23 70%	12 23%
Income	L			

- (XXIII) As may be seen from the above table, an estimated additional surplus of 8574.71 laking will accrue during the tariff eyele, if the existing tariff is allowed to continue till 2014. As there is no justification for giving any increase over the existing tariff, the proposal of CiTPL seeking-increase of 18% over the existing tariff, as warranted by the estimated cost position.
- The CITPL has proposed inclusion of new definitions as well as modifications to some of the existing definitions, the conditions and notes governing the application of rates. It is recalled that the CITPL adopted the tariff structure including the conditionalities governing the application of the tariff of the adjacent container terminal (CCTPL) when it commissioned its facilities. The proposed changes to the existing tariff structure and conditionalities of the CITPL are found to be deviating from the position obtaining at the CCTPL. However, in order to examine the changes proposed by the CITPL, the operator was requested to furnish reasons for the each of its proposed changes. But, it has not come out with pointed reasons for many of the proposed changes. Therefore, only those items where the proposed changes are found to be justified are considered in this analysis.
- (xxv) The CITPL proposed inclusion of definition for 'Bonded Trucking'. It is recalled that this Authority held vide Order No TAMP/45/2007-CCTL dated 19 June 2008 that bonded trucking service does not fall under the regulatory purview of this Authority. That being so, the question of prescribing a definition for 'bonded trucking' in the SoR does not arise.
- (xxvi) The existing definition for 'over dimensional container' covers damaged containers. The CITPL has proposed to delete the words 'containers having corner casting problem' from the definition of Over dimensional container on the ground that the damaged containers include such containers having comer casting problem.

Based on the clarification of the CITPL, the proposed modification to the existing definition of 'Over-dimensional container' is approved.

- (XXVII) . The proposed note governing the terms and conditions to decide about the status of a vessel is in line with the general prescription made in the SoR of the other major ports and private terminals. Hence, the proposed note in this regard is approved.
- (xxviii) In line with clause 2 18 2 of the tariff guidelines, the proposed note relating to penal interest for delayed payment by users/-refund by CITPL has been modified to reflect the prevailing Prime Lending Rate of State Bank of India at 14 75% plus 2%
- (XXIX) The CITRL- has not explained reason for proposing deletion of the existing provision to provide rebate of \$33% per container in handling charges; if an user, with prior consent of CITPL, arranges lashing / unlashing gang for lashing operations of all containers in the wessel. The existing condition is retained subject to general reduction of the containers.
- In the existing arrangement, charges prescribed for transportation of LCL containers from quayside to yard and vice versa does not include empty containers. The CITPL has proposed scharges, for transportation of empty containers from quay side to yard and vice weisa under this taniff item. As stated earlier, the CITPL has not furnished any reasons for the proposed introduction of rates with cost justification. Therefore, this Authority is not in a position to approve the proposed rates for empty containers.
- As per the existing_arrangement, the first 10 days are free dwell time for ICD containers. The GITPL has envisaged to increase the dwell time from the existing 10 days to 15 days adjusting the time pened in the next slab. In the absence of financial impact on account of the proposed modification, the existing free days will-continue.
- (xxxii) The existing SoR prescribe charges for additional movement for transportation of containers, from Terminal to Rail yard and vice versa. In the proposed arrangement, the CITPL has clubbed this service with the lift on / lift off at Container Yard and lift on / lift off move onto Rail and envisaged a comprehensive tariff. In the process, the existing rate for additional movement has been enhanced by more than the general increase proposed by the CITPL. The proposed charge is not justified with cost details for the services to be rendered. Therefore, the proposed new tariff item is not approved. The existing tariff arrangement for additional movement of containers from Terminal to Rail yard and vice versa to continue subject to adjustment in the prescribed rate with the general reduction effected.
- (XXXIII) The GiTPL has proposed inclusion of various new tariff items in the proposed SoR

 Despite a query, the CITPL has not furnished cost details and the basis for the rates for any of the new tariff items proposed by it. It has also not furnished the additional revenue that may accrue on account of the new tariff items during the tariff cycle. Therefore, this Authority is not in a position to approve the above proposed new tariff items.
- (xxxiv) The unit for levy of charges for clearance of garbage on board is ½ cubic metre bag in the existing arrangement. The CITPL has proposed to change this unit of levy to 'per truck load' and enhanced the charges from the existing ₹257.40 per ½ cubic metre bag to ₹5500/- per truck trip on the ground that it finds it difficult to measure the garbage physically and full truck needs to be arranged each time when the garbage is to be removed. It is noteworthy that the adjacent Container Terminal (CCTPL), where the unit of levy is prescribed as ½ cubic metre has not reported any difficulty in this regard. Further, the CITPL has not furnished

workings justifying the proposed rate with impact on account of the change of unit of levy. The cost of the rendering the service is captured in the overall cost position of the terminal. Therefore, the CITPL will not be put into disadvantageous position if the proposed modification is not approved. The existing unit of levy in this regard will continue.

- In the result, and for the reasons give above, and based on a collective application of mind, this Authority approves the revised Scale of Rates of the CITPL which is attached as Annex-II
- Since the validity of the existing Scale of Rates has already expired on 31 December 2011. The revised Scale of Rates and conditionalities of the CITPL will come into effect after expiry of 15 days from the date of notification of this Order in the Gazette of India and shall be in force till 31 December 2014. The approval accorded will automatically lapse thereafter unless specifically extended by this Authority.
- The validity of the existing Scale of Rates of the CITPL is deemed to have been extended beyond 31 December 2011 till the effective date of implementation of the revised Scale of Rates
- This Authority has relied upon the estimates for the years 2012 to 2014. Additional surplus, if any, ansing due to variation in actual performance in the said years will be governed by the provisions of Clause 2.13 of the tariff guidelines of 2005 in the next review.
- The tanff of the CITPL has been fixed relying on the information furnished by the operator and based on assumptions made as explained in the analysis. If this Authority, at any time, during the prescribed tanff validity period, finds that the actual position varies substantially from the estimates considered or there is deviation from the assumptions accepted herein, this Authority may require CITPL to file a proposal ahead of the schedule to review its tanff and to set-off the advantage as per the revised tanff guidelines accrued on account of such variations in the revised tanff
- In this regard, the CITPL is required to furnish to this Authority its annual accounts and performance report within 60 days of closing of the respective accounting year. If CITPL fails to provide such information within the stipulated time period, the ChPT may initiate appropriate action against CITPL. In the event, this Authority may proceed *suo molu* to review the tariff of CITPL. This apart, analysis of variation may also be made at the time of the next general review at the end of the usual tariff validity period and adjustment of additional surplus may be made in line with the tariff guidelines of March 2005 in the tariff to be fixed for the next cycle.

RANI JADHAV, Chairperson [No ADVT 111/4/143/11/Exty.]

Annex - I

CHENNAI INTERNATIONAL TERMINALS PRIVATE LIMITED GENERAL REVISION OF SCALE OF RATES Consolidated Income & Cost statement

(Rs. in Lakha) Particulars 5 Actuals Estimates furnished by CITPL Estimates moderated by TAMP No 2010 2811 2012 2013 2814 2012 2014 2013 Traffic (in TEUs) 304752 479887 565000 789750 1066163 585000 769750 1066163 Total Operating Income Container handling income (including 7750 48 13944 58 15375 12 20762 83 16797 86 storage charges) 22677 11 30614 1: 7750.48 13944.56 20762 83 15375.12 27169.84 16797.86 22677 11 30614 11 Operating Costs (excluding depreciation) (i) Operair a & Direct labour 176 00 247,2 451 50 709,50 814 87 4<u>51 50</u> 708 48 618 4 (ii) Maintenance labour 50,00 85 20 78 63 4172 90 71,13 83 3 71 13 77 68 82 /1 , I LEGUILMENT RUNNING costs 875 00 1257 89 3390 62 5274 6 1803 61 2560 83 3394 96 (Iv) Maintera ita drecging 0.00 0.00 0.00 0.00 0.00 0.00 0.00 07 (v) Royalty / revenue share 0.00 0.00 0.00 0.3 0.00 0.00 0.00 0 16 (vi) Equipment hire \$71,00 715,20 1039,04 1307 80 1683 39 8625 1104,35 1442 59 (vII) Lease Rentals payable as per 870 00 858 00 1457.02 1486 16 1515 89 99786 concession agreement 1191 41 1254 20 (Hily) L surance 57 00 6C 0 200 30 258 74 263 24 186 92 **269** 52 2**69 5**2 (lx) Other expenses <u>245</u> پر 312 00 712 71 EE5 38 1095 50 391 4 532 74 732 60 Total · II 2845.00 <u> 1535.55</u> 7322.31 8879.12 10738.87 4765.46 6445 01 7994.64 III Depreciation 2866,65 2865 53 5350 05 5305 55 5301 1 4174 * 8 4935 12 14 '3 60 V Overheeds (i) Management & Administration 256 QC 266.5 648 94 687.80 729 1 423 78 449 21 476 16 overheads (II) General overheads 786,16 392.20 819 43 898 3 983 (415 \$7 440 50 466 9 (III) Preliminary expunses & upfront 55 61 575 57 00 57 W 57 M 57 58 57 58 payment write-off Total · IV 1097.77 716 30 1525.37 1643 82 1769 29 896 93 947 29 1000 67 Operating Surplus / (Deficit) (I) 941.86 6827.19 1177.39 $-(\Pi)-(\Pi I)\cdot(IV)$ 4934.34 9368 58 696Ó.79 10349 69 16745 20 Finance & Miscellaneous Income 5 03 0.00 0.00 0.00 0 00 0 00 0.00 (FMI) (i) Discounted terminal value 0.00 0 00 0.00 0.00 0 00 0.00 0 00 0.00 receivable as per the LA (II) Others 5.03 7 91 0 00 0,00 0.00 0.00 0 00 0.00 VII Finance & Miscellaneous Expenses 0 00 0.0 0.00 0.00 0 00 ብ ዕና 0.00 0 ሰብ (FME) VIII FMI Less FME (VI) - (VII) 5 03 7 98 0 00 0 00 0 00 0.00 0.00 0.00 Surplus Before Interest and Tax 946.09 6,635.17 1,177 39 4,934.34 9,368.58 6,960.79 (Y) + (YIII)18,349 69 16,745 20 Capital Employed 52,740 59 49,927 83 71,781 30 69,779,36 64,623 1. 65097 91 64128 36 59**315 8**0 Roce - Maximum permiss the on Investment as per LA and RoCE as per 8.439 77 7.988 45 11,485 07 11,164 70 10,339 70 7 618 15 8 372 29 guidelines on additional investment 9 490 53 XII Capacity Utilization 51% 80% 72% 69% 93% XIII Roce adjusted for capacity 8 439 77 7,988.45 11,485 07 11,164 78 10,339 70 utilization 7,618,15 8,372 29 9,490 53 Net Surplus / (Deficit) (D() -(7,493 68 (1,153 28 (10,307 60) (6,23836)(971.12 (657.36) 1.977.40 7,254 67 XVIII Net Surplus / (Deficit) as a % of 96.69% 8 27% 167 ft4% 30,01% -3 57% -3 91% 8 72% 23 70% operating income (XVII/I) Average Net Surplus/(Deficit) as 39 86% 27 66% 12 23% % of operating income

Actuals for 10 months (upto Oct'11) and Estimates for remaining 2 months (Nov'11 & Dec'11)

Annex-II

CHENNAI INTERNATIONAL TERMINALS PRIVATE LIMITED

SCALE OF RATES

PREFACE

This Scale of Rates sets out the charges payable to Chennai International Terminals Private Limited for the use of services and facilities provided at its Container Terminal

1 DEFINITIONS

In this Scale of Rates, unless the context otherwise requires, the following definitions shall apply

- "Accredited Clients Programme" means a programme introduced by the Customs Department whereby importers registered by them as "Accredited Clients" will form a (ı) separate category to which assured facilitation will be provided Except for a small percentage of consignments selected on random basis by the RMS, or cases where specific intelligence is available or where a specifically observed pattern of noncompliance is required to be addressed, accredited clients will be allowed clearance on the basis of self assessment i.e., as a matter of course, clearance will be allowed on the basis of their declaration and without examination of goods. Further this benefit will be available to registered Accredited Clients at all ports in the country where EDI and RMS are operational. It is expected that this programme will bring reduction in the dwell time of cargo and transaction cost of such importers. Commissioners of Customs are also required to work with the custodians for earmarking separate storage space, handling facility and expeditious clearance procedures for these clients. Further IMG has also recommended faster delivery system by creating separate area in the port premises clearly earmarked for immediate delivery of cargo to specified accredited importers.' This programme has been defined in detail in Customs Circutar No. 42/2005 - cus dated 24th November 2005
- (ii) "CITPL" means Chennai International Terminals Private Limited, a company incorporated in India, its successors and assigns
- (iii) "Coastal Vessel" means any vessel exclusively employed in trading between any port or place in India to any other port or place in India having a valid coastal license issued by the competent authority
- (iv) "Container" means the standard ISO container, suitable for the transport and stacking of cargo and must be capable of being handled as a unit and lifted by a crane with a container spreader
- (v) "FCL" means containers said to contain Full Container Load
- (vi) "Foreign-going Vessel" means any vessel other than a coastal vessel
- (VII) "Fumigation Facility" means facilitating decontamination of cargo which are prone to be affected by pests and which requires pesticides to decontaminate by way of fumigation or degassing or both
- (viii) "Hazardous container" means a Container containing hazardous goods as classified under IMO
- (IX) "ICD" means Inland Container Depot
- (x) LCL" means containers said to contain Less than Full Container Load (Container having cargo of more than one importer/exporter).

- (XI) "Over Dimensional Container" means a Container carrying over dimensional cargo beyond the normal size of standard containers and needing special devices like slings, shackles, lifting beam, etc. Damaged Container and Container requiring special devices for lifting is also classified as Over-Dimensional Container
- (XII) "Per Day" means per calendar day or part thereof
- (XIII) "Port" means the Chennai Port Trust
- (XIV) "Reefer" means any Container for the purpose of the carriage of goods, which require power supplyto maintain the desired temperature
- "Shut Out Container" means a container, which has entered in to the terminal for export for a vessel as indicated by VIAN and is not connected to the vessel for whatsoever reason
- (xvi) "Tonne" means one metric Tonne of, 1,000 kilograms or one cubic metre
- (XVII) "Transhipment Container" means container dischärged from one vessel, stored in CITPL and transported through another vessel
- (XVIII) "VIAN" means Vessel Identification Advise Number

2. GENERAL

- (i) Status of a vessel as borne out by its certification issued by Director General of Shipping is the relevant factor for deciding whether the vessel is 'foreign-going' or 'coastal'. Foreign going vessels permitted to undertake coastal voyages and the cargo / container carned by them will also qualify for the concession in respect of such permissible voyages.
 - (a) A foreign-going vessel of Indian Flag having a General Trading License can convert to coastal run on the basis of a Customs Conversion Order
 - (b) A foreign-going vessel of Foreign Flag can convert to coastal run on the basis of a Coastal Voyage License issued by the Director General of Shipping
 - In case of such conversions, coastal rates shall be chargeable by the load port from the time the vessel starts loading coastal goods.
 - (d) In case of such conversions, coastal rates shall be chargeable only till the vessel completes coastal cargo discharging operations, immediately thereafter, foreign going rates shall be chargeable by the discharge ports
 - (e) For dedicated Indian coastal vessels having a Coastal License from the Director General of Shipping, no other documents will be required to be entitled to coastal rates
- (II) All charges worked out shall be rounded off to the next higher rupee on the grand total of each bill
- (ili) (a) Users shall pay penal interest on delayed payments of any charge under this . Scale of Rates. Likewise, the CITPL shall pay penal interest on delayed refunds
 - (b) The rate of penal interest will be 16 75% p a. The penal interest will apply to both the CfTPL and the users equally
 - (c) The delay in refunds by the CITPL will be counted beyond 20 days from the date of completion of services or on production of all the documents required from the users, whichever is later

- The delay in payments by the users will be counted beyond 10 days after the date of raising the bills by the CITPL. This provision shall, not apply to the cases where payment is to be made before availing the services as stipulated in the Major Port Trust Act, 1963, and / or where payment of charges in advance is prescribed as a condition in this Scale of Rates.
- (iv) A premium of 25% will be levied in case of Hazardous Cargo Containers / Over Dimensional Containers over the applicable handling charges prescribed for respective categories of containers
 - (v) Containers less than and up to 20' in length will be reckoned as one TEU for the purpose of tanff
 - Container-related charges denominated in US dollar terms shall be collected in equivalent to Indian rupees. For this purpose, the market buying rate notified by the Reserve Bank of India, State Bank of India or its subsidiaries or any public sector bank as may be prescribed from time to time prevalent on the date of entry of the vessels into the Port limits (In case of import containers) and on the date of arrival of containers in the Terminal premises (In case of export containers) shall be applied for re-conversion of the dollar-denominated charges into Indian rupees.
 - (VII) A regular review of exchange rate shall be made once in thirty days from date of amval of the vessels in cases of vessels staying in the Fort for longer period in such cases, the basis of billing shall change prospectively with reference to the appropriate exchange rate prevailing at the time of review.
 - (viii) (a) Users will not be required to pay charges for delays beyond a reasonable level attributable to the CITPL
 - (b) In case vessel idles due to non-availability or breakdown of the shore based facilities of CITPL or any other reasons attributable to the CITPL, rebate equivalent to berth hire charges payable to ChPT accrued during the period of idling of vessel shall be allowed
 - (IX) All LCL containers coming in and going out of CITPL as a unit load will be treated as FCL for the purpose of levying charges
 - All Invoices are issued as due on presentation. Failure to pay may cause a lien to be placed on the goods handled at the terminal and the responsible party may be denied further use of the terminal until all outstanding charges have been paid.
 - (xi) It a terminal user provides, with prior consent of CITPL, lashing / unlashing gang for lashing operations of all containers in the vessel, then a rebate of ₹ 29/- per container in handling charges prescribed in Sections 3.1. (a), 3.2. (a), 3.3. (a) and 3.4 shall be allowed, subject to the terminal user agreeing to follow safety regulations.
 - (xii) The benchmark of the level of productivity will be 20 moves per heur per crane for handling FCL, LCL and ICD import and export containers by quay cranes as mentioned at Sections 3.1 (a), 3.2 (a) and 3.3 (a)

3. CHARGES FOR CONTAINER OPERATIONS

3.1 Charges for handling FCL import and export containers and empty containers

(a). Handling by Quay crane including lashing / unlashing charges

Particulars	Foreign-going Vessel	Coastal Vessel	
	US\$	₹	
Per FCL Container			
- Not exceeding 20' in length	19.77	498.32	
- Exceeding 20' and upto 40' in length	29.65	747.15	
- Over 40' in length	39.54	996.42	
Per empty Container			
- Not exceeding 20' in length	19.77	498.32	
- Exceeding 20' and upto 40' in length	29.65	747.15	
- Over 40' in length	39.54	996.42	

Note: Services include handling by quay crane and lashing / unlashing.

(b). Transportation from quay side to container yard and vice versa

Particulars	Foreign-going Vessei	Coastal Vessel	
	₹	₹	
Per FCL Container			
- Not exceeding 20' in length	563.40	33804	
- Exceeding 20' and upto 40' in length	845.08	507 05	
- Over 40' in length	1126.80	676 08	
Per empty Container		- <u> </u>	
- Not exceeding 20' in length	279.02	167.41	
- Exceeding 20' and upto 40' in length	418.53	251.12	
- Over 40' in length	558.04	334.82	

Note: Services include transport to and from the quay side.

(c). Handling at container yard lift on / lift off onto / from the internal Transfer Vehicle

Particulars	Foreign-going Vessel	Coastal Vessel	
	. ₹	₹	
Per FCL Container		· · · · · · · · · · · · · · · · · · ·	
- Not exceeding 20' in length	311.35	186.81	
- Exceeding 20' and upto 40' in length	467.02	280.21	
- Over 40' in length	622.68	373 61	
Per empty Container		 	
- Not exceeding 20' in length	154.19	92 51	
- Exceeding 20' and upto 40' in length	231.27	138 76	
- Over 40' in length	308.37	185 02	

Note: Services include lifts at container yard for storage.

4869112-18

(d). Handling at container yard lift on / lift off for delivery / receipt to and from customers

Particulars	Foreign-going Vessel	Coastal Vessel	
,	₹	₹	
Per FCL Container			
- Not exceeding 20' in length	311.35	311.35	
Exceeding 20' and upto 40' in length	467.02	467.02	
- Over 40' in length	622.68	622.68	
Per empty Container		1	
- Not exceeding 20' in length	154.19	154.19	
- Exceeding 20' and upto 40' in length	231.27	231.27	
- Over 40' in length	308.37	308.37	

Note: Services include lifts at container yard for landing or loading the container from or to the customer's vehicle.

3.2 Charges for handling LCL import and export containers

(a). Handling by Quay crane including lashing / unlashing charges

Particulars	Foreign-going Vessel	Coastal Vessel	
	US\$	₹	
Per LCL Container			
- Not exceeding 20' in length	19.77	498.32	
- Exceeding 20' and upto 40' in length	29.65	747.15	
- Over 40' in length	39.54	996.42	

Note: Services include handling by quay crane and lashing I unlashing.

(b). Transportation from quay side to container yard and vice versa

Particulars	Foreign-going Vessel	Coastal Vessel
	₹	
Per LCL Container		
Not exceeding 20' in length	535.26	321.15
Exceeding 20' and upto 40' in length	802.83	481.70
Over 40' in length	1070.46	642.28

Note: Services include transportation of container from the quay side to container yard and vice versa.

(c). Handling at container yard lift on / lift off onto / from the internal Transfer Vehicle

Particulars	Foreign-going Vessel	Coastal Vessel
	*	₹
Per LCL Container		·
Not exceeding 20' in length	311.35	186.81
- Exceeding 20' and upto 40' in length	467.02	280.21
- Over 40' in length	622.68	373.61

Note: Services include lifts at container yard for storage.

(d). Handling at container yard lift on / lift.off for delivery to and receipt from customers

Particulars	Foreign-going Vessel	Coastal Vessel
	₹	7
Per FCL Container		
- Not exceeding 20' in length	311 35	311 35
- Exceeding 20' and upto 40' in length	467 02	467 02
- Over 40' in length		622 68
Per empty Container	, , , , , ,	
Not exceeding 20' in length	154 19	154.19
- Exceeding 20' and upto 40' in length	- 231 27	231 27
Over 40' in length	308 37	308 37

Note Services include lifts at container yard for landing or loading the container from or to the customer's vehicle

3.3 Charges for handling iCD import and export containers

(a). Handling by Quay crane including lashing / unlashing charges

Particulars	Foreign-going Vessei	Coastal Vessel
	US\$	7
Per Loaded Container		
- Not exceeding 20' in length	19 77	498 32
- Exceeding 20' and upto 40' in length	29 65	747 15
- Over 40' in length	39 54	996 42
Per empty Container		
- Not exceeding 20' in length	19 77	498 32
- Exceeding 20' and upto 40' in length	29 65	747 15
- Over 40' in length	39 54	996 42

Note: Services include handling by quay crane and lashing / unlashing

(b). Transportation from quay side to container rall yard and vice versa

Particulars	Foreign-going Vessel	Coastal Vessei	
	₹	₹	
Per Loaded Container		 ` 	
- Not exceeding 20' in length	535 26	321 15	
- Exceeding 20' and upto 40' in length	802 84	481 70	
- Over 40' in length	1070 47	642 28	
Per empty Container			
Not exceeding 20' in length	265 07	159 04	
Exceeding 20' and upto 40' in length	397 58	238 55	
Over 40' in length	530 14	. 318.08	

Note. Services include transport to container rail yard, stowage planning on vessel and yard, data handling, processing and transfer between vessel, CITPL and shipping line

(c). Handling at container rail yard lift on / lift off onto / from the Internal Transfer Vehicle

Rarticulars	Foreign-going Vessel	Coastal Vessel	
w ive	₹	₹	
Per Loaded Container			
- Not exceeding 20' in length	311 35	186 81	
- Exceeding 20' and upto 40' in length	467 02	280 21	
Over 40' in length	622 68	373 61	
Per empty Container			
- Not exceeding 20' in length	154.19	92 51	
- Exceeding 20' and upto 40' in length	231 27	138 76	
- Over 40' in length	308 37	185 02	

Note: Services include lifts at container rail yard for storage

(d). Handling at container rail yard lift on / lift off while giving delivery for rail

Particulars	Foreign-going Vessel	Coastal Vessel	
	₹	₹	
Per Loaded Container			
- Not exceeding 20' in length	311 35	311 35	
- Exceeding 20' and upto 40' in length	467 02	467 02	
- Over 40' in length	622 68	622 68	
Per empty Container			
- Not exceeding 20' in length	154 19	154 19	
- Exceeding 20' and upto 40' in length	231 27	231 27	
- Over 40' in length	308 37	308.37	

Note Services include lift at container rail yard, data handling, processing and transfer between vessel, CITPL and shipping line

3.4 Charges for handling Transshipment containers including handling by on-board stevedoring labour at quay side, lashing / unlashing charges

Particulars	Foreign-geing Vessel	Coastal Vessel	
	us\$	₹	
Per Loaded Container			
Not exceeding 20' in length	23 72	597 63	
- Exceeding 20' and upto 40' in length	35 58	896 67	
- Over 40' in length	47 44	1195 48	
Per empty Container			
Not exceeding 20' in length	23 72	597 63	
· Exceeding 20' and upto 40' in length	35 58	896 67	
- Over 40' in length	47 44	1195 48	

Notes

- (i) Services include handling by quay crane (discharge and loading), transport and lifts, stowage planning on vessel and yard, data handling, processing and transfer between vessel, CITPL and shipping line
- (ii) A transshipment container sent to CFS, ICD or taken delivery locally shall be charged the local container rate
- (iii) A Shut out charge as per Section 3.9 shall apply if
 - (a) . The vessel nomination is changed, or
 - (b) If the vessel nomination is changed from a later vessel to an earlier vessel after the earlier vessel is be-ned

3.5. Charges for wharfage

Particulars `	Foreign-going Vessel	Coastal Vessel
	' US\$	₹
Per Container (box only)		
- Not exceeding 20' in length	1 13	28 53
- Exceeding 20' and upto 40' in length	1 70	42 91
- Over 40' in length	2.26	56 84
Per Containerised cargo	₹	₹
- Not exceeding 20' in length	621 28	372 77^
- Exceeding 20' and upto 40' in length	931 92	559 15
- Over 40' in length	1242 56	745 54

Notes

- (i) The charge for containensed cargo in all cases will be in Rupee terms
- (ii) The charge for containers in cases of 'foreign arrival' and 'foreign departure' will be in Dollar terms
- (iii) The charges for containers in cases of 'coastal arrival' and 'coastal departure' will be in Rupee terms
- (IV) Wharfage will be charged on all containers including ICDs, transhipment, LCL and FCL and empty containers

3.6. Charges for handling Hatch covers for one operation (both opening and closing)

Particulars	Foreign-going Vessel	Coastal Vessel
,	US\$	₹
Without landing hatch cover on quay	15 82	398,57
With landing hatch cover on quay	39 54	996 42

Note Haif the rate will be charged if there is only one activity, (e. either an opening or closing operation.

3.7. Charges for shifting containers within vessel (Restows)

Particulars	Foreign-going Vessel	Coastal Vessel
1	US\$	₹
Within hatch (without landing and reshipping) – Per container	·	
Not exceeding 20' in length	9.61	242 19
- Exceeding 20' and upto 40' in length	14.40	362 96
Over 40' in length	19 20	, 483 94
Via quay (shifted by landing on quay and reshipping) – Per container		
- Not exceeding 20' in length	28 24	71176
- Exceeding 20' and upto 40' in length	42 37	1067.64
Over 40' in length	56 48	1423 30

Note: No wharfage will be levied on the restow containers and containenzed cargo

3.8. Reefer related and other general services

SI No	Particulare	Foreign-going Vessel	Coastal Vessel
•		US\$	₹
(a)	Pre-trip inspection (including supply of electricity)	28 96	729 90
(b)	Connection or disconnection services onboard a vessel	1 93	48 66
(c)	Cleaning of container		<u> </u>
	- Not exceeding 20' in length	1 45	^ 36 49
	- Exceeding 20' and upto 40' in length	2 90	72 99
	- Over 40' in length	4 34	109 48
(d)	Supply of electricity (including connection and disconnection, monitoring of temperature at reefer yard) - Per container per four hours or part thereof		
	- Not exceeding 20' in length	3 11	78 30
	- Exceeding 20' and upto 40' in length	4 66	117 45
<i>-</i>	- Over 40' in length	6 21	Ť56 60

Notes

- (i). Above tartiff does not include parameter setting or repair & maintenance of maiffunctioning reefers. Above charges are also applicable to restow reefer containers.
- (ii). Pre-trip inspection of the reefer containers, connection or disconnection services on board the vessel and cleaning of containers are optional services and shall be rendered when requested

3.9. Charges for a shutout container / re-nomination of containers

, Particulars	Foreign-going Vessel US\$	Coastal Vessel
Per Container		
- Not exceeding 20' in length	21 46	901-31
Exceeding 20' and upto 40' in length	32.20	1352 52
Over 40' in length	42 93	1802 99

Note Above charges shall apply where -

- (I) an export container or a transhipment container or a re-export container is shut out and subsequently delivered out of CITPL.
- a container is shut out by one vessel and subsequently shipped on another vessel, in addition to the charges for handling by quay crane charges in this case, the free storage period will be given to the Container in accordance with section 3.10 from the time the container is first received. If the free storage period is exceeded, storage charges shall be calculated after the expiry of the free period up to the time of lift on

i

3.10. Charges for container storage

SI. Ne.	Particulars	Foreign-going Vessel Rate per container per day er part thereof (in US \$)			Coastal Vessel Rate per container per day or part thereof (In ₹)		
		1	Import - FCL, LCL & Empty				ļ
	0- 3 days	Free	Free	Free	Free	Free	Free
	4 - 15 days	4 83	9165	14 48	202 75	405 50	608 25
	16 - 30 days	9 65	19 31	28 96	405 50	810 99	1216 49
	Beyond 30 days	19 31	38 62	57 93	810 99	1621 99	2432 98
2	Export - FCL, LCL & Empty	· · · ·			· · · · · · · · · · · · · · · · · · ·		
	0 - 7 days	Frse	Free	Free	Free	Free	Free
	8 - 15 days	4 83	9 65	14 48	202.75	405 50	608 25
	16 - 30 days	9,65	19 31	28 98	405 50	810 99	1216 49
	Beyond 30 days	19 31	38 62	57 93	810 99	1621 99	2432 98
3	ICD - Import & Export - Loaded & empty						1,02,00
	First 10 days	Free	Free	Free	Free	Free	Free
	11 - 30 days	4 83	9.65	14.48	202 75	405 50	608 25
	31 - 45rdeys	9,65	19,31	28,96	405 50	810 99	1216 49
	Beyond 45 days	19 31	38 62	57 93	810 99	1621 99	2432.98
4	Transshipment - Loaded & empty			 ,			
	First 30 days	Free	Free	Free	Free	Free	Free
	31 - 45 days	4 83	9 65	14 48	202 75	405 50	608 25

_=				20.00	405 50	810 99	1216 49
	46 - 60 days	9 65	19 31 1	28 96	405 50		
	Beyond 60 days	19 31	38 62	57 93	810 99	1621 99	2432 98
5	Shutout - Loaded & empty					105 50	608 25
	First 15 days	4 83	965	14 48	202 75	405 50	
	16 - 30 days	9 65	19 31	28 96	405 50	810 99	1216 49
	Beyond 30 days	19 31	38 62	57 93	810 99	1621 99	2432 98

Notes

- (i). Storage period for a container shall be reckoned from the day following the day of landing upto the day of loading / delivery / removal of container
- (ii) For purposes of calculation of free time, Sundays, Customs notified holidays, and the Terminal's non-operating days shall be excluded
- (iii). The storage charges shall not accrue for the period during which the CITPL is not in a position to deliver/ ship containers when requested by the user
- (iv) Transhipment containers whose status is subsequently changed to local FCL/LCL/ICD shall lose the concessional storage charges. The storage charges for such containers shall be recovered at par with the relevant import container's storage tariff
- (v). For hazardous container, the storage charges shall be 25% more under the respective slab as given above
- (vi) For over dimensional containers including the windmill boxes, the storage charges shall be based on the actual number of ground slots the respective container occupies under the respective slab as given above
- (vii) If boxes meant for delivery under the "Accredited Client Programme" (ACP) as explained at Section 1 (i) above are not moved out within 3 days of its landing at the terminal, these boxes would be shifted to the normal import stack area from the designated ACP import stack area, in which case extra Lift on/Lift off and/or Shifting charges as applicable would be charged
- (viii). The free time and storage rates prescribed in case of ICD containers are applicable only for movement of containers to/from ICDs going by rail only
- (ix) Normal import containers subsequently changing the mode to either LCL or ICD containers will enjoy the free period applicable to local FCL containers
- (x) Total storage period for a shut out container shall be calculated from the day following the day when the container has become shut out till the day of shipment/delivery
- (XI) The storage charges on abandoned FCL containers/shipper owned containers shall be levied upto the date of receipt of intimation of abandonment in writing or 75 days from the date of landing of container, whichever is earlier subject to the following conditions
 - (a) The consignee can issue a letter of abandonment at any time
 - (b). If the consignee chooses not to issue such letter of abandonment, the container Agent/MLO can also issue abandonment letter subject to the condition that,
 - the Line shall resume custody of container along with cargo and either take back or remove it from port premises, and
 - (ii) the Line shall pay all port charges accrued on the cargo and container before resuming custody of the container

- (c) The container Agent/MLO shall observe the necessary formalities and bear the cost of transportation and destuffing. In case of their failure to take such action within the stipulated period, the storage charge on container shall be continued to be levied till such time all necessary actions are taken by the shipping lines for destuffing the cargo.
- Where the container is seized/confiscated by the Custom Authorities and the same cannot be destuffed within the prescribed time limit of 75 days, the storage charges will cease to apply from the date the Customs order release of the cargo subject to lines observing the necessary formalities and bearing the cost of transportation and destuffing. Otherwise, seized/confiscated containers should be removed by the Lines/consignee from the port premises to the Customs bonded area and in that case the storage charge shall cease to apply from the date of such removal
- (xii) The ground slots for export containers will be reserved for 7 days for weekly call of the vessel and for 5 days for bi-weekly calls of vessel

3.11. Miscelleneous Charges

-		Rate per Container (in ₹)					
SI. No.	· Particulars	Not' exceeding 20' in length	Exceeding 20' in length and upto 40' in length	Exceeding 40' in length			
<u>_(i)_</u>	Fixing/removal of seal	193 09	193 09	193 09			
<u>(II)</u>	Lift on/lift off in the Container Yard	621 28	931 92	1242 56			
(111)	Charges for shifting within the Terminal	847 20	1270 80	1694 40			
(iv)	POD Change	847 20	1270 80	1694 40			
(v)	Additional movement – Terminal to Rail or Rail to Terminal / Charges for extra movement/ transportation	847 20	1270 80	1694 40			
(VI)	Change of status of Container from Rail to Road or vice-versa	847 20	1270 80	1694 40			
(VII)	Charges for export containers arriving in the terminal after the gate cut-off time for the particular VIAN	847 20	1270 80	1694 40			
(VIII)	Fixing/removal of Hazardous Sticker (per container)	96 55	96 55	96 55			
(IX)	One Door Open Charges per container	579 28	579 28	579 28			
(x)	Cancellation of documents - per EIR	96 55	96 55	96 55			
(XI)	Non- declaration / Mis-declaration of Hazardous and Over Dimensional containers	2896 41	2896 41	2896 41			
(xh)	On- Wheel Customs inspection (per container)	386 19	386 19	386 19			
(XIII)	Fumigation of Tobacco Containers	1930 94	1930 94	1930 94			
(xiv)	Forklift charges for movement of Lashing Biris within the Terminal (per Lashing Bin)	96 55	96 55	96 55			

Notes

(i) Cancellation charges applies when EIR is cancelled at the request of customers

- (ii) "One Door Open" charge is applicable for handling container which requires only one door to be kept open (e.g. Onion) and when door opening and securing is carried out in the terminal
- (iii) "Fixing of Seal" Bottle seals shall be fixed on every container armying at the terminal by rail /road/sea without a proper bottle seal on it, prior to allowing its entry. This shall be done without the written consent of the shipping: lines. The list of such centainers on which a seal is affixed by the terminal shall be intimated to the lines.
- (iv) "Fixing/ removal of Hazardous Sticker" Hazardous stickers indicating IMCO class only shall be affixed on a container carrying hazardous eargo. Similarly old stickers on the container shall be removed from a container carrying non-hazardous cargo. In either case, the customer has to intimate in writing to CITPL to undertake the said activity, within the terminal.
- On- Wheel Customs inspection The on-wheel-inspection of a container shall be allowed at the nominated point only, on the written-request, of the customer. The container doors can be opened only under customs supervision. No stuffing/ destuffing, even partially, shall be permitted within the terminal premises.
- (vi) Additional movement from terminal to rail siding or rail siding to terminal will be applicable for ICD container moved by CITPL
- (vii) Non- Declaration / Mis-declaration of Hazardous container The Customer has to declare the hazardous nature of the cargo as per the IMCO rules and furnish the relevant hazardous details to CITPL. The above charges are only for non-declaration/mis-declaration of the hazardous nature of the container. The liabilities and cost towards the consequences arising due to non-declaration or mis-declaration shall, however, be on the customer's account.

3.12. Charges for supply of fresh water to shipe alongside the container berths

Particulars	Foreign-going Vessel US\$	Coastal Vessel
Per 1000 litres or part thereof	6 56	275 37

3.13. Charges for clearance of garbage on board

Per ½ cubic metre bag	₹ 225 92